



Department of Agriculture
STATE OF HAWAII

LICENSED

9274.572


PERIOD 2014-2016 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2011-2013 LIC. NO.



SC Johnson
A Family Company

Ant Gel

Precision Placement Bait

Starts working in hours
Works for up to 1 month



Active ingredient:
Thiamethoxam 0.003%
(CAS No. 153719-23-4)
Other ingredients: . . . 99.997%
Net Wt. 1.06 OZ. (30 g)

KEEP OUT OF REACH OF CHILDREN
CAUTION - See additional precautionary
statements on side panel



Ant Gel
Starts working
in hours
Works for up to
1 month

SC Johnson
A Family Company



Ant Gel

Precision
Placement Bait

Starts
working
in hours
Works for
up to 1 month

Apply
clear gel in
hard-to-reach
places

KEEP OUT OF REACH
OF CHILDREN
CAUTION:
See additional precautionary
statements on side panel

Active Ingredient:
Thiamethoxam 0.003%
(CAS No. 153719-23-4)
Other Ingredients: . . . 99.997%
Total: 100.000%

NET WT. 1.06 OZ. (30 g)

Starts killing within hours.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Wash hands thoroughly with soap and water after handling bait containers.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER: For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 800-558-5252

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product. Do not treat areas that are easily accessible to children and pets. If the area to be treated has been recently treated with insecticide, thoroughly clean the area before applying Raid® Ant Gel. Do not spray insecticide over gel or the gel may become repellent to ants. Do not apply gel in or on electrical equipment or wiring due to shock hazard.

How Raid Ant Gel Works:

After ants, excluding fire, harvester, and Pharaoh ants, feed on the gel, they return to the nest and transfer the bait to the queen and the young, thereby killing the entire colony.

How to Apply: 1) Twist the cap to the LEFT to open. 2) Squeeze gently to create multiple spots (about the size of a pea) of gel. 3) Place the bait near ant trails so the ants will be attracted, stop and take the bait back to the nest. 4) When finished, twist the cap to the RIGHT to close. For convenience, you can store the tube standing up. Keep the cap on the tube to prevent the gel from drying out.

Where to Apply: Indoors: Place bait where ants are foraging, where they are entering the structure, or areas of high moisture such as under and behind kitchen appliances, under sinks, along baseboards, cracks, crevices and holes, near pipes and water heaters, around windows, door frames and screens, food storage areas, in the attic, crawl space and garage. Do not treat food preparation surfaces. Do not place bait in areas that are routinely washed, as washing will remove or dilute bait or spread the bait onto the surface.

Ant Control Tips: Place the gel near ant trails without disrupting the ants to ensure the ants take the bait back to the nest. Inspect regularly after placing gel. If gel has been consumed and ants are still present, re-apply. Do not apply gel where the surface temperature is exceedingly hot because the gel could liquefy.

Recommended placement of gel bait:



- Kitchen:**
- On shelves
 - Cracks and crevices of counters
 - Behind sink



- Under Sink Areas:**
- Under dishwasher
 - Under sink
 - At drain area



- Bathroom:**
- Behind sink
 - Behind toilet
 - At drain areas
 - Cabinet edges and corners inaccessible to children and pets

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **Pesticide Storage:** Store in original container in a cool, dry area, out of the reach of children and pets. **Pesticide Disposal and Container Handling:** Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or other for recycling if available. If partly filled: Call your local waste agency or 1-800-523-3394 for disposal instructions. Never place unused product down any indoor or outdoor drain. **Questions? Comments?** Call 800-558-5252 or write Helen Johnson. **Manufactured for:** ©2011 S.C. Johnson & Son, Inc. Racine, WI 53403-2236 U.S.A. All Rights Reserved. EPA Reg. No. 100-1261-4822 EPA Est. No. 71681-1-1

A family company
since 1886.

SC Johnson

763896



85%

For Position Only

Check Code Number Before
Generating Actual Bar Code

0 46500 72398 8

XXXXXX XXXXXX X

Starts killing within hours.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Wash hands thoroughly with soap and water after handling bait containers.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER: For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 800-558-5252

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product. Do not treat areas that are easily accessible to children and pets. If the area to be treated has been recently treated with insecticide, thoroughly clean the area before applying Raid® Ant Gel. Do not spray insecticide over gel or the gel may become repellent to ants. Do not apply gel in or on electrical equipment or wiring due to shock hazard.

How Raid Ant Gel Works: After ants, excluding fire, harvester, and Pharaoh ants, feed on the gel, they return to the nest and transfer the bait to the queen and the young, thereby killing the entire colony.

How to Apply: 1) Twist the cap to the LEFT to open. 2) Squeeze gently to create multiple spots (about the size of a pea) of gel. 3) Place the bait near ant trails so the ants will be attracted, stop and take the bait back to the nest. 4) When finished, twist the cap to the RIGHT to close. For convenience, you can store the tube standing up. Keep the cap on the tube to prevent the gel from drying out.

Where to Apply: Indoors: Place bait where ants are foraging, where they are entering the structure, or areas of high moisture such as under and behind kitchen appliances, under sinks, along baseboards, cracks, crevices and holes, near pipes and water heaters, around windows, door frames and screens, food storage areas, in the attic, crawl space and garage. Do not treat food preparation surfaces. Do not place bait in areas that are routinely washed, as washing will remove or dilute bait or spread the bait onto the surface.


A Family Company

Ant Gel

Precision Placement Bait

Starts working in hours

Works for up to 1 month

Active ingredient:

Thiamethoxam 0.003%

(CAS No. 153719-23-4)

Other ingredients: ... 99.997%

Total: 100.000%

NET WT. 1.06 OZ (30 g)

KEEP OUT OF REACH OF CHILDREN

CAUTION: See additional precautionary statements on side panel



Ant Gel

Starts working
in hours

Works for up to
1 month



A Family Company

Raid



Ant Gel

Precision
Placement Bait

Starts
working
in hours
Works for
up to 1 month

Apply
clear gel in
hard-to-reach
places

KEEP OUT OF REACH
OF CHILDREN

CAUTION:

See additional precautionary
statements on side panel

Active Ingredient:
Thiamethoxam 0.003%
(CAS No. 153719-23-4)
Other Ingredients: . . . 99.997%
Total: 100.000%

NET WT. 1.06 OZ. (30 g)

Ant Control Tip: Place the gel near ant trails without disrupting the ants to ensure the ants take the bait back to the nest. Inspect regularly after placing gel. If gel has been consumed and ants are still present, re-apply. Do not apply gel where the surface temperature is exceedingly hot because the gel could liquefy.

Recommended placement of gel bait:



Kitchen:

- On shelves
- Cracks and crevices of counters
- Behind sink



Under Sink Areas:

- Under dishwasher
- Under sink
- At drain area



Bathroom:

- Behind sink
- Behind toilet
- At drain areas
- Cabinet edges and corners inaccessible to children and pets

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **Pesticide Storage:** Store in original container in a cool, dry area, out of the reach of children and pets. **Pesticide Disposal and Container Handling:** Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local waste agency or 1-800-529-3394 for disposal instructions. Never place unused product down any indoor or outdoor drain.

Questions? Comments?
Call 800-558-5252 or write Helen Johnson.
Manufactured for:
©2011 S.C. Johnson & Son, Inc.
Racine, WI 53403-2236 U.S.A.
All Rights Reserved.
EPA Reg. No. 100-1261-4822
EPA Est. No. 71681-IL-1

A family company
since 1886.

Fisk Johnson

763896



85%

For Position Only

Check Code Number Before
Generating Actual Bar Code

0 46500 72398 8

X XXXXX XXXXX X

SC Johnson
A Family Company



Ant Gel

Precision Placement Bait
Starts working in hours

Works for up to 1 month

CAUTION: KEEP OUT OF REACH OF CHILDREN

Contains 0.003% Thiamethoxam

NET WT. 1.06 OZ. (30 g)

Read Entire Label

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Wash hands thoroughly with soap and water after handling bait containers.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER:

For 24 Hour Medical
Emergency Assistance
(Human or Animal) or
Chemical Emergency
Assistance (Spill, Leak, Fire,
or Accident), Call
800-558-5252

Questions? Comments?

Call 800-558-5252 or write
Helen Johnson.

Sold by: ©2011

S.C. Johnson & Son, Inc.

Racine, WI 53403-2236 U.S.A.

All Rights Reserved.

EPA Reg No. 100-1261-4822

EPA Est No. 71681-IL-1

750892