



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **9277.12**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Households, Schools and Other Non-Medical Facilities): At 4 oz of this product per 1 gallon of water use level and with a 10-minute contact time, this product exhibits effective disinfectant activity on hard non-porous surfaces against the following: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus.

FUNGICIDAL PERFORMANCE: At 4 ounces per gallon of water use-level, (or equivalent use dilution) (488 ppm active) and with a 10 minute contact time, this product is effective against the following on pre-cleaned hard non-porous surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities: Trichophyton mentagrophytes - athlete's foot fungus/a cause of Ringworm.

MOLD AND MILDEW PERFORMANCE: At 4 ounces per gallon of water use level (or equivalent use dilution) (488 ppm active) and with a 10 minute contact time, this product is effective against the following on hard non-porous surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities: Aspergillus niger.

Not for use on Medical devices or medical equipment surfaces.

PREPARATION OF DISINFECTION/FUNGICIDAL USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Pre-clean all surfaces when used as a fungicide. Add 4 ounces per gallon of water (488 ppm active) to disinfect hard, non-porous surfaces. Apply use solution using a brush, cloth, mop, sponge, paper towel, auto scrubber, mechanical spray device or by immersion so as to thoroughly wet surface and rub. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain wet for 10 minutes. Wipe up excess liquid. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly soiled.

MILDEWSTAT: Controls the growth of mold and mildew on pre-cleaned hard, non-porous inanimate surfaces such as floors, walls, table tops. Add 4 oz. of this product per 1 gallon of water (488 ppm active) (or equivalent use dilution). Apply use solution by cloth, sponge, mop, brush, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device to thoroughly wet all treated surfaces completely. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Saturate surfaces with use solution. Allow surface to remain wet for 10 minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears. Change cloth, sponge or towels frequently to avoid redeposition of soil. Change the solution at least daily or when use solution becomes visibly soiled.

AUTOMOTIVE USES: A solution of 4-8 ounces of this product with 1 gallon of water (or equivalent use dilution) will effectively neutralize damp musty odors. Spray or apply onto seats, carpets, headliner and ashtray or into trunk and all vents to eliminate odors from tobacco, food, beverage spills and musty carpet. For sprayer applications, use a coarse spray device. Wipe up excess liquid.

WATER AND SMOKE DAMAGE RESTORATION: Effective against odors caused by smoke and water damage. For home, institutional, industrial and hospital use. This product is particularly suitable for use in water damage restoration situations. Saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation.

SEWER BACKUP & RIVER FLOODING: To use as a deodorizer, dilute 6 to 12 ounces of this product per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a mechanical spray device, before and after cleaning and extraction. For spray applications, spray 6-8 inches from surface. Use proper ventilation; open windows.

**MOLD
ARMOR**

MX-501

**DISINFECTANT
& FUNGICIDE**

Concentrated

KEEP OUT OF REACH OF CHILDREN
WARNING ADVERTENCIA

See right panel for additional precautionary and first aid statements.

Disinfectant, Fungicide against Pathogenic fungi,
Deodorizer, Mildewstat on hard inanimate surfaces
ACTIVE INGREDIENTS:

n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18)	
dimethyl benzyl ammonium chloride.....	0.781%
n-Alkyl (68%C12, 32%C14)	
dimethyl ethylbenzyl ammonium chloride.....	0.781%
INERT INGREDIENTS:	98.438%
TOTAL:	100.000%

**NET CONTENTS:
32 Fl. Oz. (1 Qt.)**

E.P.A. Reg. No. 10324-167-4091

E.P.A. Est. No. 61524-GA-1



CARPETS, CARPET CUSHIONS UPHOLSTERY, DRAPES AND OTHER POROUS MATERIALS, SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP AND PANELING: To use as a deodorizer against water damage, extract the excess water. Test hidden area for colorfastness. Dilute 6 to 12 ounces of this product per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a mechanical spray device to fully saturate affected materials. For spray applications, spray 6-8 inches from surface. Roll, brush or agitate into materials and allow the materials to remain damp for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

SPECIAL INSTRUCTIONS FOR CLEANING CARPETS: This product can be used in industrial, institutional, commercial and residential areas such as homes, motels & hotel chains, nursing homes, schools and hospitals. For use on wet, cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for color fastness.

FOR PORTABLE EXTRACTION UNITS: Mix 4 ounces of this product per gallon of water.

FOR TRUCK MOUNTED EXTRACTION MACHINES: Mix 4 ounces of this product per 1½ gallons of water (or equivalent use dilution) and meter at 1 gallon per hour.

Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using this product set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the carpet manufacturer's directions.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

CONTAINER DISPOSAL/PESTICIDE STORAGE: Non-refillable container. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate. Repeat two more times. Wrap container and put in trash or offer for recycling if available.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING. KEEP OUT OF REACH OF CHILDREN.

Causes substantial but temporary eye injury. Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

Sold by: WM Barr & Co., Inc.,
8000 Centerview Parkway, Suite 400, Memphis, TN 38018
©2012 WM Barr & Co., Inc.

Product #: QOM30102 J6146

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Households, Schools and Other Non-Medical Facilities): At 4 oz of this product per 1 gallon of water use level and with a 10-minute contact time, this product exhibits effective disinfectant activity on hard non-porous surfaces against the following: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus.

FUNGICIDAL PERFORMANCE: At 4 ounces per gallon of water use-level, (or equivalent use dilution) (488 ppm active) and with a 10 minute contact time, this product is effective against the following on pre-cleaned hard non-porous surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities: Trichophyton mentagrophytes - athlete's foot fungus/a cause of Ringworm.

MOLD AND MILDEW PERFORMANCE: At 4 ounces per gallon of water use level (or equivalent use dilution) (488 ppm active) and with a 10 minute contact time, this product is effective against the following on hard non-porous surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities: Aspergillus niger.

Not for use on Medical devices or medical equipment surfaces.

PREPARATION OF DISINFECTION/FUNGICIDAL USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Pre-clean all surfaces when used as a fungicide. Add 4 ounces per gallon of water (488 ppm active) to disinfect hard, non-porous surfaces. Apply use solution using a brush, cloth, mop, sponge, paper towel, auto scrubber, mechanical spray device or by immersion so as to thoroughly wet surface and rub. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain wet for 10 minutes. Wipe up excess liquid. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly soiled.

MILDEWSTAT: Controls the growth of mold and mildew on pre-cleaned hard, non-porous inanimate surfaces such as floors, walls, table tops. Add 4 oz. of this product per 1 gallon of water (488 ppm active) (or equivalent use dilution). Apply use solution by cloth, sponge, mop, brush, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device to thoroughly wet all treated surfaces completely. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Saturate surfaces with use solution. Allow surface to remain wet for 10 minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears. Change cloth, sponge or towels frequently to avoid redeposition of soil. Change the solution at least daily or when use solution becomes visibly soiled.

AUTOMOTIVE USES: A solution of 4-8 ounces of this product with 1 gallon of water (or equivalent use dilution) will effectively neutralize damp musty odors. Spray or apply onto seats, carpets, headliner and ashtray or into trunk and all vents to eliminate odors from tobacco, food, beverage spills and musty carpet. For sprayer applications, use a coarse spray device. Wipe up excess liquid.

WATER AND SMOKE DAMAGE RESTORATION: Effective against odors caused by smoke and water damage. For home, institutional, industrial and hospital use. This product is particularly suitable for use in water damage restoration situations. Saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation.

SEWER BACKUP & RIVER FLOODING: To use as a deodorizer, dilute 6 to 12 ounces of this product per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a mechanical spray device, before and after cleaning and extraction. For spray applications, spray 6-8 inches from surface. Use proper ventilation; open windows.

CARPETS, CARPET CUSHIONS UPHOLSTERY, DRAPES AND OTHER POROUS MATERIALS, SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP AND PANELING: To use as a deodorizer against water damage, extract the excess water. Test hidden area for colorfastness. Dilute 6 to 12 ounces of this product per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a mechanical spray device to fully saturate affected materials. For spray applications, spray 6-8 inches from surface. Roll, brush or agitate into materials and allow the materials to remain damp for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

SPECIAL INSTRUCTIONS FOR CLEANING CARPETS: This product can be used in industrial, institutional, commercial and residential areas such as homes, motels & hotel chains, nursing homes, schools and hospitals. For use on wet, cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for color fastness.

FOR PORTABLE EXTRACTION UNITS: Mix 4 ounces of this product per gallon of water.

FOR TRUCK MOUNTED EXTRACTION MACHINES: Mix 4 ounces of this product per 1½ gallons of water (or equivalent use dilution) and meter at 1 gallon per hour.

MOLD ARMOR

MX-501

DISINFECTANT & FUNGICIDE

Concentrated

KEEP OUT OF REACH OF CHILDREN
WARNING ADVERTENCIA

See right panel for additional precautionary and first aid statements.

Disinfectant, Fungicide against Pathogenic fungi, Deodorizer, Mildewstat on hard inanimate surfaces

ACTIVE INGREDIENTS:

n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18) dimethyl benzyl ammonium chloride.....	0.781%
n-Alkyl (68%C12, 32%C14) dimethyl ethylbenzyl ammonium chloride.....	0.781%
INERT INGREDIENTS:	98.438%
TOTAL:	100.000%

NET CONTENTS: 1 Gallon

E.P.A. Reg. No. 10324-167-4091

E.P.A. Est. No. 61524-GA-1

Sold by:
WM Barr & Co., Inc.,
8000 Centerview Parkkway, Suite 400, Memphis, TN 38018



Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using this product set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the carpet manufacturer's directions.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

CONTAINER DISPOSAL/PESTICIDE STORAGE: Non-refillable container. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate. Repeat two more times. Wrap container and put in trash or offer for recycling if available.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. KEEP OUT OF REACH OF CHILDREN.

Causes substantial but temporary eye injury. Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Households, Schools and Other Non-Medical Facilities): At 4 oz of this product per 1 gallon of water use level and with a 10-minute contact time, this product exhibits effective disinfectant activity on hard non-porous surfaces against the following: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus.

FUNGICIDAL PERFORMANCE: At 4 ounces per gallon of water use-level, (or equivalent use dilution) (488 ppm active) and with a 10 minute contact time, this product is effective against the following on pre-cleaned hard non-porous surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities: Trichophyton mentagrophytes - athlete's foot fungus/a cause of Ringworm.

MOLD AND MILDEW PERFORMANCE: At 4 ounces per gallon of water use level (or equivalent use dilution) (488 ppm active) and with a 10 minute contact time, this product is effective against the following on hard non-porous surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities: Aspergillus niger.

Not for use on Medical devices or medical equipment surfaces.

PREPARATION OF DISINFECTION/FUNGICIDAL USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Pre-clean all surfaces when used as a fungicide. Add 4 ounces per gallon of water (488 ppm active) to disinfect hard, non-porous surfaces. Apply use solution using a brush, cloth, mop, sponge, paper towel, auto scrubber, mechanical spray device or by immersion so as to thoroughly wet surface and rub. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain wet for 10 minutes. Wipe up excess liquid. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly soiled.

MILDEWSTAT: Controls the growth of mold and mildew on pre-cleaned hard, non-porous inanimate surfaces such as floors, walls, table tops. Add 4 oz. of this product per 1 gallon of water (488 ppm active) (or equivalent use dilution). Apply use solution by cloth, sponge, mop, brush, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device to thoroughly wet all treated surfaces completely. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Saturate surfaces with use solution. Allow surface to remain wet for 10 minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears. Change cloth, sponge or towels frequently to avoid redeposition of soil. Change the solution at least daily or when use solution becomes visibly soiled.

AUTOMOTIVE USES: A solution of 4-8 ounces of this product with 1 gallon of water (or equivalent use dilution) will effectively neutralize damp musty odors. Spray or apply onto seats, carpets, headliner and ashtray or into trunk and all vents to eliminate odors from tobacco, food, beverage spills and musty carpet. For sprayer applications, use a coarse spray device. Wipe up excess liquid.

WATER AND SMOKE DAMAGE RESTORATION: Effective against odors caused by smoke and water damage. For home, institutional, industrial and hospital use. This product is particularly suitable for use in water damage restoration situations. Saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation.

SEWER BACKUP & RIVER FLOODING: To use as a deodorizer, dilute 6 to 12 ounces of this product per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a mechanical spray device, before and after cleaning and extraction. For spray applications, spray 6-8 inches from surface. Use proper ventilation; open windows.

CARPETS, CARPET CUSHIONS UPHOLSTERY, DRAPES AND OTHER POROUS MATERIALS, SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP AND PANELING: To use as a deodorizer against water damage, extract the excess water. Test hidden area for colorfastness. Dilute 6 to 12 ounces of this product per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a mechanical spray device to fully saturate affected materials. For spray applications, spray 6-8 inches from surface. Roll, brush or agitate into materials and allow the materials to remain damp for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

SPECIAL INSTRUCTIONS FOR CLEANING CARPETS: This product can be used in industrial, institutional, commercial and residential areas such as homes, motels & hotel chains, nursing homes, schools and hospitals. For use on wet, cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for color fastness.

FOR PORTABLE EXTRACTION UNITS: Mix 4 ounces of this product per gallon of water.

FOR TRUCK MOUNTED EXTRACTION MACHINES: Mix 4 ounces of this product per 1½ gallons of water (or equivalent use dilution) and meter at 1 gallon per hour.

MOLD ARMOR

MX-501

DISINFECTANT & FUNGICIDE

Concentrated

KEEP OUT OF REACH OF CHILDREN
WARNING ADVERTENCIA

See right panel for additional precautionary and first aid statements.

Disinfectant, Fungicide against Pathogenic fungi, Deodorizer, Mildewstat on hard inanimate surfaces

ACTIVE INGREDIENTS:	
n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18) dimethyl benzyl ammonium chloride.....	0.781%
n-Alkyl (68%C12, 32%C14) dimethyl ethylbenzyl ammonium chloride.....	0.781%
INERT INGREDIENTS:	98.438%
TOTAL:	100.000%

NET CONTENTS: 5 Gallons

E.P.A. Reg. No. 10324-167-4091
E.P.A. Est. No. 61524-GA-1

Sold by:
WM Barr & Co., Inc.,
8000 Centerview Parkway, Suite 400, Memphis, TN 38018



Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using this product set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the carpet manufacturer's directions.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or rinsate. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow Pesticide Disposal instructions.

RESIDUE REMOVAL INSTRUCTIONS: Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. KEEP OUT OF REACH OF CHILDREN.

Causes substantial but temporary eye injury. Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.