APOLLO POLYPROPYLENE
CAN SIZE 20oz 211 x 713 NI
LABEL FINISHED DIMENSIONS 8.625”Wx7.4375”H

.062 BLEED MIN/MAX ALL AROUND

MOLD ARMOR®

MOLD CONTROL & DISINFECTANT

CONTROLS MOLD & MILDEW
ELIMINATES ODORS
DISINFECTS

Fungicidal - Bactericidal – *Virucidal

For use in Homes, Hospitals, Nursing Homes, Businesses, Hotels, Restaurants, Schools and Institutions

Lemon Scent

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT 15 1/2 OZ. (439 grams)

ACTIVE INGREDIENTS:
Orthophenylphenol (CAS No. 90-43-7) 0.176%
Para-tertiary Amylphenol (CAS No. 80-46-6) ... 0.045%
Ethanol (CAS No. 64-17-5) 49.950%
+Other Ingredients 49.829%
TOTAL 100.000%
+Contains Sodium Nitrate

EPA Reg. No. 706-69-4091
EPA Est. 33595-MO-2
EPA Est. 33595-MO-3
EPA Est. 33595-MO-4

For Use in Homes, Businesses, Hotels, Motels, Restaurants, Schools, Hospitals, Nursing Homes, Institutions and Commercial Establishments

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Controls mildew and mold growth on painted or finished walls, ceilings and woodwork in closets, basements, attics, storage areas, summer cottages, damp and musty corners. Controls Mold and Mildew on mattresses, awnings, shower curtains, leather goods.
Deodorizes: Reduces annoying odors. Use to control odors in hospitals and nursing homes. In private homes, use in kitchen, bathroom, sick rooms, basements. Effectively suppresses odors caused by mold and mildew.
Kills: Aspergillus niger (ATCC 16404), *Human Herpes Simplex Virus Type 1 (ATCC VR-733) and Type 2 (ATCC VR-540), *Influenza A_2/Hong Kong Virus, Methicillin Resistant Staphylococcus aureus (MRSA) (ATCC 33591), Mycobacterium tuberculosis var bovis (BCG), *Polio Virus Types 1 and 2, Pseudomonas aeruginosa (ATCC 15442), Salmonella choleraesuis (ATCC 10708), Staphylococcus aureus (ATCC 6538), Trichophyton mentagrophytes (ATCC 9972) and Vancomycin Resistant Enterococcus faecalis (VRE) (ATCC 51299) on hard, nonporous, inanimate environmental surfaces. This product has demonstrated effectiveness against Avian Influenza A_2/Hong Kong virus* and is expected to inactivate all influenza A viruses including Pandemic 2009 H1 N1 (formerly called "swine flu").
Disinfects: Disinfects on such bacterial- and viral-carrying surfaces as toilet seats, telephones, garbage and refuse cans, urinals, athletic equipment, light switches, bed pans, empty hampers and other out of the way places. Disinfects hard, non-porous surfaces of shoes and slippers.

For Skate, Ski and Snowboard Boots
To Deodorize and Control Mildew on Shoes and Boots: After shoe/boot surface is cleaned, hold can upright with opening pointed away from face and 6" to 8" from shoe/boot surface to be treated. Spray interior and exterior of shoe/boot for 3-5 seconds or until surface is wet. Allow shoe/boot to air dry without wiping.

General Precautions and Restrictions
Do not spray on polished wood surfaces, rayon fabrics or on acrylic plastics. Solvents in spray may cause damage to some plastics, coatings and other materials if sprayed until wet.
This product is not for use on medical devices or medical equipment surfaces.

Application Instructions
Shake well before using and occasionally while spraying. Clean surface thoroughly with an effective cleaning compound prior to treatment. Remove all gross filth or heavy soil from all surfaces to be treated.
To Control Surface Mildew: After surface is cleaned, cover surface with mist. Repeat treatment every week for effective control.
To Disinfect and for Tuberculocidal Activity: After surface is cleaned, hold can upright 6" to 8" from surface to be treated. Spray 3-4 seconds until surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. For Herpes Simplex Virus Types 1 and 2 spray 8-10 seconds until the surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Tuberculocidal in 10 minutes at 25°C.
Deodorize: Hold can upright and point opening away from face. Spray into the air for 3 to 5 seconds directing spray toward center of room.

Storage and Disposal
Do not contaminate water, food or feed by storage or disposal. Pesticide Storage: Store in a cool, dry (preferably locked) storage area away from direct sunlight, windows, flames and other sources of heat or ignition. Pesticide Disposal: Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility Container Disposal: Non-refillable container; do not reuse or refill this container. Do not incinerate or puncture! If empty: Replace cap, offer for recycling, if available; otherwise dispose of in trash. If partly filled: Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Note: This product contains a chemical(s) known to the state of California to cause cancer.

First Aid
If on Skin or Clothing: Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-836-8855 for emergency medical treatment information.

Physical or Chemical Hazards
Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not store in direct sunlight. Do not smoke while using this product. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

QUESTIONS? COMMENTS?
CALL 888-326-7743

Distributed by:
WM Barr & Company, Inc.
6750 Lenox Center Court, Suite 200, Memphis, TN 38115
©2015 WM Barr & Co., Inc.

J7937

0 75919 00553 8

STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO. 9277.14

I-Mark: Contrast: White on Dark - Black on Light

Date: 2/3/15
Can Size: 211x713 NI
Finished Size: 8.625"W x 7.4375"H

COLOURS:
Cyan Magenta Yellow Black