

LICENSED

PERIOD **2014-2016** LIC. NO.




Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2011-2013** LIC. NO.

9277.9



3/32 in. (.0937)
1/8 in. (.125)
5/64 in. (.0781)
72 point and
.0712 in. high

LAM Design Associates, Inc.
409 Manville Road
Pleasantville, NY 10570-0130
914.773.7600
Fax 914.773.7611
www.LAMdesign.com

Date: 09.11.11 • LAM Job No: 7589X
Production Contact: Cliff Fischer
E-mail Address: c_fischer@lamdesign.com
Client: DampRid Client Contact: Wendy Groover
File Name: 7589X-FG536-MA-Blocker16ozFrtLabel.ai

WORK HISTORY			
Vers.	Date	Work Done	Name
1	10.26.10	Initial mechanical	CO
2	11.03.10	Part no. added.	CO
3	11.05.10	Internal revise	CO
4	11.15.10	Release final art to L. Tipton	PR
5	11.19.10	'Antimicrobial' change, pdf to Wendy	CO
6	02.04.11	Copy revisions from Wendy, Check all legal sizes.	CF
7	05.13.11	Copy changes from Wendy.	CF
8	08.29.11	Increased Caution/legal copy slightly	CO
9	09.16.11	Removed Spanish type	GF
10	10.10.11	Removed critter.	CF

DESCRIPTION: Mold Armor, Mold Blocker 16oz (EPA) trigger front label.
SIZE: Electronic file is created at 100%.
PRINTOUT SIZE: 100% OF ACTUAL SIZE
FRONT PRINTS: 4/C + 2 Line Color
PHOTOS / REFLECTIVE ART: None
HI-RES IMAGES:
VARNISH INSTRUCTIONS: TBD
PRINTER: TBD
BARR PART NO. J5722


SPECIAL INSTRUCTIONS: Blue die-line indicates die cut and does not print. UPC is to be stripped-in.

FONTS: Cosmos, MetaPlusBook, Helvetica
APPLICATION(S) / VERSION: Adobe Illustrator CS2, Photoshop CS2
DIGITAL MEDIA: CD-ROM **COLOR THERMAL(S):** 1


IMPORTANT: We have checked this art for accuracy. Final approval is the client's responsibility. Please double check for errors before reproduction. LAM Design should be notified of any client changes in order to maintain mechanical accuracy. We recommend that color proofs be submitted to us for approval before production. Thank you.

FRONT LABEL

4 COLOR PROCESS



2 LINE COLORS



3
MONTH

MOLD BLOCKER
PREVENTS

When you clean mold and mildew you can make the clean last longer with Mold Armor® Mold Blocker. Mold Blocker creates an invisible barrier to the growth of mold to keep indoor and outdoor surfaces mold free for up to 3 months. And, it's guaranteed effective.

For use in Bathrooms, on Linens, Draperies, Fabrics, Apparel, Carpets, Bedding and Upholstery/Furniture.

- Creates an invisible barrier to inhibit the growth of mold and mildew
- Prevents mold and mildew stains and odors
- Water-based & odor free

Mold Armor Mold Blocker provides protection from mold and mildew staining when properly applied. Mold Blocker establishes a barrier between most household non-porous surfaces and bacteria and mold/mildew that cause odor, staining, and discoloration.

Protection indoors and out! Spray Mold Blocker on glazed tiles, tubs, shower curtains, shower stalls, sinks, wallpaper for non-contact surfaces, window sills, cabinets, garbage cans, appliances, and vanity tops weekly to replenish barrier. Use on clothing, bedding, upholstery, and drapes. Reapply every 3 months.

EPA Registration No. 4091-12,
EPA Est. No. 4091-TN-3



QUESTIONS? COMMENTS?
CALL 888-326-7743
or online at www.moldarmor.com
WM Barr & Co., Inc., PO Box 1879
Memphis, TN 38101
©2011 WM Barr & Co., Inc.



FG536 / J5648

0 75919 1100536 1

PRECAUTIONARY STATEMENTS - HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes and skin. Wash with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID: If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Bathroom and Non-Food Contact Kitchen Surfaces: Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wallpaper for non-food contact, floors, window sills, cabinets, garbage cans, exteriors of appliances, refrigerator exteriors, fiberglass, Formica, glazed porcelain, synthetic marble, plastic vinyl.

SPRAY: Shake well. Using trigger pump sprayer, spray entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand for 3 minutes and wipe dry with clean cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

Linens, Draperies, Fabric and Apparel: Bed sheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos), and fabrics made out of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polypropylene, rayon, silk, spandex, vinyl, and wool.

SPRAY: Clean surface prior to application. Shake well. Using trigger pump sprayer, spray entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand for 3 minutes and wipe dry with clean cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

Air filters and filter material for furnaces, air conditioners, air purification systems, automobiles, recirculating air handling systems and vacuum cleaner filters:

SPRAY: When treating filters, remove filter from unit. Shake well. Using trigger pump sprayer, spray entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

Carpet: SPRAY: Apply to clean carpet. Shake well. Using trigger pump sprayer, spray entire surface area 4"-6" from the surface making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add product directly to cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabric by treating and drying a small concealed area prior to application. Mold Blocker treats approximately 200 sq. feet per gallon. When treating coarser substrates (e.g., wool carpeting), more Mold Blocker may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

Bedding, Upholstery/Furniture:

Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyethylene, polyolefins, polypropylene, rayon, silk, spandex, vinyl, wool, and fiberfill to be used in upholstery, sleeping bags, apparel where the fiber is cotton, natural down, nylon, rayon, or wool.

SPRAY: Clean surface prior to application. Shake well. Using trigger pump sprayer, spray entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

STORAGE AND HANDLING: Nonrefillable container. Do not reuse this container. Offer for recycling, if available.

Booklet Inside

LAM DESIGN

LAM Design Associates, Inc.
409 Manville Road
Pleasantville, NY 10570-0130
914.773.7600
Fax 914.773.7611
www.LAMdesign.com

Date: 10.11.11 • LAM Job No: 7589X
Production Contact: Cliff Fischer
E-mail Address: c_fischer@lamdesign.com
Client: DampRid Client Contact: Wendy Groover
File Name: 7589X-FG536-MA-Blocker16ozBkBooklet.ai

Vers.	Date	Work Done	Name
1	10.26.10	Initial mechanical	CO
2	11.01.10	Revised copy	CO
3	11.03.10	Part no. added.	CO
4	11.15.10	Release final art to L.Tipton	PR
5	11.17.10	Rev inside to print Black, release to L.Tipton	CO
6	08.23.11	"Storage & handling" copy changes	JF
7	08.26.11	Added QR code	GF
8	08.30.11	Increased Caution size greatly and other bold headings slightly	CO
9	09.16.11	Removed Spanish type	GF
10	10.11.11	Removed QR code.	CF

DESCRIPTION: Mold Armor, Mold Blocker 16oz (EPA) trigger booklet label.

SIZE: Electronic file is created at 100%.

PRINTOUT SIZE: 100% OF ACTUAL SIZE

FRONT OF BOOKLET PRINTS: 6 Line Colors

INSIDE PRINTS: 3 Line Colors

PHOTOS / REFLECTIVE ART: None

HI-RES IMAGES:

VARNISH INSTRUCTIONS: TBD

PRINTER: TBD

BARR PART NO. J5648

SPECIAL INSTRUCTIONS: Blue die-line indicates die cut and does not print. UPC is to be stripped-in.

FONTS: Cosmos, MetaPlusBook, Helvetica

APPLICATION(S) / VERSION: Adobe Illustrator CS4

DIGITAL MEDIA: CD-ROM **COLOR THERMAL(S):** 1

IMPORTANT: We have checked this art for accuracy. Final approval is the client's responsibility. Please double check for errors before reproduction. LAM Design should be notified of any client changes in order to maintain mechanical accuracy. We recommend that color proofs be submitted to us for approval before production. Thank you.

FRONT OF BACK BOOKLET- 4/C PLUS 2 LINE COLORS



CYAN



MAGENTA



YELLOW



BLACK



PMS 375



PMS 357

INSIDE OF BACK BOOKLET- 1 COLOR



BLACK



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2014-2016** LIC. NO.

9277.9



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2011-2013** LIC. NO.



7/64 in.(1)
1/8 in.(125)
5/64 in.(08)

8 point and
.08 in. high

**KEEP OUT OF REACH
OF CHILDREN.
CAUTION: SEE BACK PANEL FOR
ADDITIONAL PRECAUTIONS**

ACTIVE INGREDIENT:
3 (trihydroxysilyl)propyldimethyloctadecyl
ammonium chloride.....0.5%
OTHER INGREDIENTS.....99.5%
TOTAL.....100.00%

32 FL. OZ. (946 mL)



J5721

LAM DESIGN

LAM Design Associates, Inc.
409 Manville Road
Pleasantville, NY 10570-0130
914.773.7600
Fax 914.773.7611
www.LAMdesign.com

Date: 10.11.11 • LAM Job No: 7589X
Production Contact: Cliff Fischer
E-mail Address: c_fischer@lamdesign.com
Client: DampRid Client Contact: Wendy Groover
File Name: 7589X-FG516-MA-Blocker32ozFrtLabel.ai

WORK HISTORY			
Vers.	Date	Work Done	Name
1	10.26.10	Initial mechanical	CO
2	11.03.10	Part no. added	CO
3	11.05.10	Internal revise after prosep skus	CO
4	11.15.10	Release final art to L. Tipton	PR
5	11.19.10	"Antimicrobial" change, pdf to Wendy	CO
6	02.04.11	Copy change from Wendy. Check all legal copy.	CF
7	05.13.11	Copy changes from Wendy.	CF
8	05.16.11	Enlarged "Antimicrobial"	GF
9	08.29.11	Increased word Caution only slightly	CO
10	09.16.11	Removed Spanish type	GF
10	10.11.11	Removed critter	CF

DESCRIPTION: Mold Armor, Mold Blocker 32oz (EPA) trigger front label.

SIZE: Electronic file is created at 100%.

PRINTOUT SIZE: 100% OF ACTUAL SIZE

FRONT PRINTS: 4/C + 2 Line Color

PHOTOS / REFLECTIVE ART: None

HI-RES IMAGES:

VARNISH INSTRUCTIONS: TBD

PRINTER: TBD

BARR PART NO. J5721

SPECIAL INSTRUCTIONS: Blue die-line indicates die cut and does not print. UPC is to be stripped-in.

FONTS: Cosmos, MetaPlusBook, Helvetica

APPLICATION(S) / VERSION: Adobe Illustrator CS2, Photoshop CS2

DIGITAL MEDIA: CD-ROM

COLOR THERMAL(S): 1

IMPORTANT: We have checked this art for accuracy. Final approval is the client's responsibility. Please double check for errors before reproduction. LAM Design should be notified of any client changes in order to maintain mechanical accuracy. We recommend that color proofs be submitted to us for approval before production. Thank you.

FRONT LABEL

4 COLOR PROCESS



CYAN MAGENTA YELLOW BLACK

2 LINE COLORS



PMS 375 PMS 357

3
MONTH

**MOLD
BLOCKER**
PREVENTS

PEEL
HERE →

When you clean mold and mildew you can make the clean last longer with Mold Armor® Mold Blocker. Mold Blocker creates an invisible barrier to the growth of mold to keep indoor and outdoor surfaces mold free for up to 3 months. And, it's guaranteed effective.

For use in Bathrooms, on Linens, Draperies, Fabrics, Apparel, Carpets, Bedding and Upholstery/Furniture.

- Creates an invisible barrier to inhibit the growth of mold and mildew
- Prevents mold and mildew growth and odors
- Water-based & odor free

Mold Armor Mold Blocker provides protection from mold and mildew staining when properly applied. Mold Blocker establishes a barrier between most household non-porous surfaces and bacteria and mold/mildew that cause odor, staining, and discoloration.

Protection indoors and out! Spray Mold Blocker on glazed tiles, tubs, shower curtains, shower stalls, sinks, wallpaper for non-contact surfaces, window sills, cabinets, garbage cans, appliances, and vanity tops weekly to replenish barrier. Use on clothing, bedding, upholstery, and drapes. Reapply every 3 months.

EPA Registration No. 4091-12,
EPA Est. No. 4091-TN-3



QUESTIONS? COMMENTS?
CALL 888-326-7743
or online at www.moldarmor.com
WM Barr & Co., Inc., PO Box 1879
Memphis, TN 38101
©2011 WM Barr & Co., Inc.



**PRECAUTIONARY
STATEMENTS - HAZARD TO
HUMANS AND DOMESTIC ANIMALS**

1/8 in. (125)

CAUTION: Harmful if inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes and skin. Wash with soap and water after handling. Remove contaminated clothing and wash before reuse.

.08 in.

FIRST AID if on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Bathroom and Non-Food Contact Kitchen Surfaces: Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wallpaper for non-food contact, floors, window sills, cabinets, garbage cans, exteriors of appliances, refrigerator exteriors, fiberglass, Formica, glazed porcelain, synthetic marble, plastic vinyl.

SPRAY: Shake well. Using trigger pump sprayer, spray entire surface area 4" - 6" from the surface making sure the surface is completely covered. Let stand until dry or let stand for 3 minutes and wipe dry with clean cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

Linens, Draperies, Fabric and Apparel: Bed sheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos), and fabrics made out of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polypropylene, rayon, silk, spandex, vinyl, and wool.

SPRAY: Clean surface prior to application. Shake well. Using trigger pump sprayer, spray entire surface area 4" - 6" from the surface making sure the surface is completely covered. Let stand until dry or let stand for 3 minutes and wipe dry with clean cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

Air filters and filter material for furnaces, air conditioners, air purification systems, automobiles, recirculating air handling systems and vacuum cleaner filters:

SPRAY: When treating filters, remove filter from unit. Shake well. Using trigger pump sprayer, spray entire surface area 4" - 6" from the surface making sure the surface is completely covered. Let stand until dry. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

Carpet: SPRAY: Apply to clean carpet. Shake well. Using trigger pump sprayer, spray entire surface area 4" - 6" from the surface making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add product directly to cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabric by treating and drying a small concealed area prior to application. Mold Blocker treats approximately 200 sq. feet per gallon. When treating coarser substrates (e.g., wool carpeting), more Mold Blocker may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

Bedding, Upholstery/Furniture:

Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyethylene, polyolefins, polypropylene, rayon, silk, spandex, vinyl, wool, and fiberfill to be used in upholstery, sleeping bags, apparel where the fiber is cotton, natural down, nylon, rayon, or wool.

SPRAY: Clean surface prior to application. Shake well. Using trigger pump sprayer, spray entire surface area 4" - 6" from the surface making sure the surface is completely covered. Let stand until dry. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

STORAGE AND HANDLING: Nonrefillable container. Do not reuse this container. Offer for recycling, if available.

Booklet Inside

LAM DESIGN

LAM Design Associates, Inc.
409 Manville Road
Pleasantville, NY 10570-0130
914.773.7600
Fax 914.773.7611
www.LAMdesign.com

Date: 10.11.11 • LAM Job No: 7589X
Production Contact: Cliff Fischer
E-mail Address: c_fischer@lamdesign.com
Client: DampRid Client Contact: Wendy Groover
File Name: 7589X-FG516-MA-Blocker32ozBkBooklet.ai

Vers.	Date	Work Done	Name
1	10.26.10	Initial mechanical	CO
2	11.01.10	Revised copy	CO
3	11.03.10	Part no. added.	CO
4	11.15.10	Release final art to L.Tipton	PR
5	11.17.10	Rev inside to print Black, release to L.Tipton	CO
6	08.23.11	"Storage & handling" copy changes	JF
7	08.26.11	Added QR code	GF
8	08.30.11	Increased Caution size greatly and other bold headings slightly	CO
9	10.11.11	Removed QR code.	CF

DESCRIPTION: Mold Armor, Mold Blocker 32oz (EPA) trigger booklet label.

SIZE: Electronic file is created at 100%.

PRINTOUT SIZE: 100% OF ACTUAL SIZE

FRONT OF BOOKLET PRINTS: 6 Line Colors

INSIDE PRINTS: 3 Line Colors

PHOTOS / REFLECTIVE ART: None

HI-RES IMAGES:

VARNISH INSTRUCTIONS: TBD

PRINTER: TBD

BARR PART NO. J5646

SPECIAL INSTRUCTIONS: Blue die-line indicates die cut and does not print. UPC is to be stripped-in.

FONTS: Cosmos, MetaPlusBook, Helvetica

APPLICATION(S) / VERSION: Adobe Illustrator CS5

DIGITAL MEDIA: CD-ROM **COLOR THERMAL(S):** 1

IMPORTANT: We have checked this art for accuracy. Final approval is the client's responsibility. Please double check for errors before reproduction. LAM Design should be notified of any client changes in order to maintain mechanical accuracy. We recommend that color proofs be submitted to us for approval before production. Thank you.

**FRONT OF
BACK BOOKLET-
4/C PLUS
2 LINE
COLORS**



CYAN



MAGENTA



YELLOW



BLACK



PMS 375



PMS 357

**INSIDE OF
BACK BOOKLET-
1 COLOR**



BLACK