



# Trifluralin 5G Herbicide

- A selective pre-emergence herbicide for control of certain annual grasses and broadleaf weeds in
- Container Grown Ornamentals • Non-Bearing Fruit and Nut Trees and
  - Landscape Ornamentals • Non-Bearing Vineyards
  - Nursery Stock • Christmas Tree Plantations
  - Groundcovers • Non-Cropland
  - Established Flowers • Under Paved Surfaces
  - Ornamental Bulbs

Active Ingredient  
 trifluralin, a,a-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine .....5%  
 Other Ingredients .....95%  
 Total .....100%  
 Contains 2 lb active ingredient per 40 lb bag.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

If you do not understand the label, find someone to explain it to you in detail.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

**Personal Protective Equipment (PPE):**

- Applicators and other handlers must wear:
- Long-sleeved shirt and long pants
  - Chemical resistant gloves, such as butyl rubber ≥ 11 mils; or natural rubber ≥ 14 mils; or nitrile rubber ≥ 14 mils
  - Shoes plus socks

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**Engineering Controls**  
 When handlers use closed systems, enclosed cabs, in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240 (d) (4)-(6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

**User Safety Recommendations**

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
  - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
  - Remove PPE immediately after handling product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**FIRST AID**

- If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- If swallowed:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
- If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- If inhaled:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chem-Trec at 1-800-424-9300 for emergency medical treatment information.

**Environmental Hazards**

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes, estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters or rinsate.

**Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

**Agricultural Use Requirements:**  
 Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.  
 Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.  
 Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.  
 PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:  
 • Coveralls  
 • Chemical-resistant gloves  
 • Shoes plus socks

**Non-Agricultural Use Requirements:**  
 The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for Agricultural Pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do enter or allow others to enter the treated area until the surface is dry after the watering-in.

**Information**

This product is a preemergence herbicide for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, groundcovers, established flowers ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards, Christmas tree plantations, non-cropland and under paved surfaces. Apply this product before or after planting, but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of this product. Do not apply over 240 lb per acre total of this product within a 12-month period.

**Use Precautions and Restrictions**

Do not apply when wind conditions favor drift of this product from the target area. Do not aerially apply this product.

This product does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation, is required to activate this product. Optimum weed control is obtained when this product is activated within 3 days of application. If rainfall or irrigation has not occurred within 3 days of application and tillage is possible, this product may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1 to 2 inches of soil. Failure to activate this product within 3 days of application may result in erratic weed control.

Optimum weed control will be obtained when followed by overhead irrigation or rainfall within a few hours after surface application.

Weeds Controlled  
 To avoid possible injury, do not apply this product at 80lb per acre total (1.8lb per 1000sq.ft.)

Common Name	Scientific Name
barley, bare	<i>Hordeum leporinum</i>
barleygrass (watergrass)	<i>Echinochloa crus-galli</i>
bluegrass, annual	<i>Poa annua</i>
brome	<i>Bromus spp.</i>
cheat	<i>Bromus secalinus</i>
crabgrass	<i>Digitaria spp.</i>
cupgrass, southwestern	<i>Echinochloa gracilis</i>
fescue, rattail	<i>Vulpia myuros</i>
foxtail	<i>Setaria spp.</i>
goosegrass	<i>Elymus indica</i>
juglone	<i>Echinochloa colonum</i>
lovegrass	<i>Eragrostis spp.</i>
oat, wild	<i>Avena fatua</i>
panicum, fall	<i>Panicum dichotomiflorum</i>
sandbur, field	<i>Cenchrus incertus</i>
signalgrass	<i>Brachiaria spp.</i>
sprangleop, Mexican	<i>Leptochloa univervia</i>
slinkgrass	<i>Eragrostis cilianensis</i>
witchgrass	<i>Panicum capillare</i>

**Annual Broadleaf Weeds**

chickweed, common	<i>Stellaria media</i>
goosefoot, nettleleaf	<i>Chenopodium murale</i>
kniveleaf, prostrate	<i>Polygonum aviculare</i>
kochia	<i>Kochia scoparia</i>
lambquarters, common	<i>Chenopodium album</i>
nettle, stinging	<i>Urtica dioica</i>
pigweed	<i>Amaranthus spp.</i>
purslane, common	<i>Portulaca oleracea</i>
thistle, Russian	<i>Salsola ibanca</i>

The following weeds are partially controlled or suppressed when this product is applied at 80lb per acre (1.8lb per 1000sq.ft.)

Common Name	Scientific Name
carpetweed	<i>Mollugo verticillata</i>
johnsongrass (from seed)	<i>Sorghum halepense</i>
panicum, Texas	<i>Panicum texanum</i>
pursley, Florida	<i>Richardia scabra</i>
shattercane	<i>Sorghum bicolor</i>

**Application Directions**

Apply this product using a drop or rotary-type spreader designed to apply granular herbicides or insecticides. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first

**Application Techniques**

When using a drop-type spreader, a splash board mounted under the hopper will provide more even granule distribution.

A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.

For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as wheyblid or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed.

A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, hard to treat areas. Carefully measure the amount of product needed to avoid over-application.

**Uses**

**Container Grown Ornamentals, Landscape Ornamentals, Nursery Stock, Groundcovers, Established Flowers, Ornamental Bulbs, Non-Bearing Fruit and Nut Trees and Non-Bearing Vineyards, and Christmas Tree Plantations**  
 This product may be used as a preemergence treatment for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, groundcovers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards and Christmas tree plantations. Apply this product before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the information section of this label for use precautions and information on application, application rates and weeds controlled.

**Special Use Precautions and Restrictions:**

- To avoid possible injury, do not apply this product:
- nursery forest or Christmas tree seedling beds, cutting beds, or transplant beds
  - unrooted liners or cuttings that have been planted in pots for the first time
  - pots less than four inches wide
  - groundcovers until they are established and well rooted

Do not apply this product to newly transplanted ornamentals, nursery stock, groundcovers, flowers and non-bearing fruit and nut crops and non-bearing vineyards until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Do not make preplant applications of this product to areas where gladioli corns less than one inch in diameter will be planted or injury may occur.

Do not apply this product in greenhouse or other enclosed structures.

Do not make repeat applications sooner than 60 days after a previous application of this product.

Do not apply over 240 lb per acre total of this product within a 12-month period.

Users who wish to use this product on plant species not recommended on this label may determine suitability for such uses by making trial application of this product at the listed rate to small number of plants. Prior to using this product on a larger number of plants, the treated plants should be observed for signs of herbicidal injury during 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant species. The user assumes responsibility for any plant damage or other liability resulting from the use of this product on plant species not listed on this label.

This product may be used on the following established plant species when container grown or field grown:

Common Name	Scientific Name
<b>Trees</b>	
balsam fir	<i>Abies balsamea</i>
white fir	<i>Abies concolor</i>
albus-flowering maple	<i>Abutilon hybridum</i>
luteus-flowering maple	
roseus-flowering maple	
langerenne-flowering maple	
vesuvius red-flowering maple	
flame maple	<i>Acer ginnala</i>
Norway maple	<i>Acer platanoides</i>
red maple	<i>Acer rubrum</i>
red sunset maple	
silver maple	<i>Acer saccharinum</i>
sugar maple	<i>Acer saccharum</i>
queen palm	<i>Arecastrum romanoffianum</i>
paper birch	<i>Betula nigra</i>
European white birch	<i>Betula papyrifera</i>
river birch	<i>Betula pendula</i>
bottle tree	<i>Brachyhitium populneus</i>
black olive	<i>Buccia buceras</i>
Chinese chestnut	<i>Castanea mollissima</i>
carob	<i>Ceratonia siliqua</i>
redbud	<i>Cercis canadensis</i>
filicoides-fernspray cypress	<i>Chamaecyparis obtusa</i>
gracilis-slender hinoki cypress	
swara false cypress	<i>Chamaecyparis pisifera</i>
squarrosa-moss cypress	
palm	<i>Chamaedorea cataractarum</i>
palm	<i>Chamaedorea costaricana</i>
Parlor palm	<i>Chamaedorea elegans</i>
cloud nine dogwood	<i>Cornus florida</i>
flowering dogwood	
dogwood, kousa	<i>Cornus kousa</i>
green hawthorn	<i>Crataegus viridis</i>
carrot wood	<i>Cupaniopsis anacardioides</i>
Anzonia cypress	<i>Cupressus glabra</i>
Russian olive	<i>Elaeagnus angustifolia</i>
redgum eucalyptus	<i>Eucalyptus camaldulensis</i>
mealy eucalyptus	<i>Eucalyptus sideroxylon</i>
silver dollar eucalyptus	<i>Eucalyptus cinerea</i>
collishah tree	<i>Eucalyptus microtheca</i>
red ironbark eucalyptus	<i>Eucalyptus sideroxylon</i>
figus	<i>Ficus benjamina</i>
mini ficus	
white ash	<i>Fraxinus americana</i>
shamel ash	<i>Fraxinus udrhai</i>
ginko-maidenhair tree	<i>Ginkgo biloba</i>
honey locust	<i>Gleditsia triacanthos</i>
shademaster honey locust	
toyon	<i>Heteromeleis arbutiflora</i>
Florida anise-tree	<i>Illicium floridanum</i>

**Net Weight: 40 lb (18.14 kg) SGN 240**

EPA REG. NO. 10404-118

EPA EST. NO. 961-PA-01 (L), 8378-IN-1 (K), 82757-OH-001 (M), 82757-FL-001 (S), 82757-MA-002 (H), 89135-AZ-001 (A).

First letter of lot code indicates manufacturing site.

F1560  
 Manufactured for: LESCO, Inc.  
 1385 East 36th Street  
 Cleveland, OH 44114-4114

**702307-PG1  
PP**



# Trifluralin 5G Herbicide

This product may be used on the following established plant species when container grown or field grown:

Common Name	Scientific Name
eastern red cedar	<i>Juniperus virginiana</i>
Japanese larch	<i>Larix kaempferi</i>
American sweet gum	<i>Liquidambar styraciflua</i>
tulip tree	<i>Liriodendron tulipifera</i>
magnolia	<i>Magnolia</i> spp.
crabapple	<i>Malus</i> spp.
white mulberry	<i>Morus</i> spp.
banana	<i>Musa aluminata</i>
black gum	<i>Nyssa sylvatica</i>
sourwood	<i>Oxydendrum arborum</i>
Norway spruce	<i>Picea abies</i>
pendula-weeping Norway spruce	
repens-spreading Norway spruce	
dwarf Alberta spruce	<i>Picea glauca conica</i>
white spruce	<i>Picea glauca</i>
dwarf globe blue spruce	<i>Picea pungens</i>
glauca-Colorado blue spruce	
hoop-pole blue spruce	
koster-koster blue spruce	
bristlecone pine	<i>Pinus aristata</i>
canary island pine	<i>Pinus canariensis</i>
shore pine, beach pine	<i>Pinus contorta</i>
alders pine	<i>Pinus edulis</i>
Bosnian pine	<i>Pinus leucodermis</i>
pumilio-shrubby Swiss mountain pine	
Austrian black pine	<i>Pinus nigra</i>
montezuma pine	<i>Pinus radiata</i>
red pine	<i>Pinus resinosa</i>
loblolly	<i>Pinus taeda</i>
white pine	<i>Pinus strobus</i>
columnar Scotch pine	<i>Pinus sylvestris</i>
Scotch pine	
Japanese black pine	<i>Pinus thunbergiana</i>
London planetree	<i>Platanus acerfolia</i>
American sycamore	<i>Platanus occidentalis</i>
California sycamore	<i>Platanus racemosa</i>
podocarpus	<i>Podocarpus</i> spp.
cottonwood	<i>Populus deltoides</i>
Chilean mesquite	<i>Prosopis chilensis</i>
Yoshino flowering cherry	<i>Prunus yedoensis</i>
douglas fir	<i>Pseudotsuga menziesii</i>
scarlet oak	<i>Quercus coccinea</i>
bear oak	<i>Quercus ilicifolia</i>
pin oak	<i>Quercus palustris</i>
willow oak	<i>Quercus phellos</i>
red oak	<i>Quercus rubra</i>
live oak	<i>Quercus virginiana</i>
black locust	<i>Robinia pseudoacacia</i>
willow	<i>Salix</i> spp.
giant sequoia	<i>Sequoiadendron giganteum</i>
mahogany	<i>Sweetenia mahogany</i>
yellow tab	<i>Tabebuia caribaea</i>
bald cypress	<i>Taxodium distichum</i>
tinden	<i>Tilia</i> spp.
eastern hemlock	<i>Tsuga canadensis</i>
Chinese elm	<i>Ulmus parvifolia</i>
Mexican fan palm	<i>Washingtonia robusta</i>
<b>Ornamental Shrubs</b>	
edward goucher abelia	<i>Abelia grandiflora</i>
glossy abelia	
abyssinica acacia	<i>Acacia abyssinica</i>
prostrate acacia	<i>Acacia redolens</i>
shoestring acacia	<i>Acacia senegalensis</i>
copper leaf	<i>Acalypha wilkesiana</i>
amur maple	<i>Acer ginnala</i>
coral bark Japanese maple	<i>Acer palmatum</i>
dwarf Japanese maple	
century plant	<i>Agave americana</i>
false spiraea	<i>Asilbe chinensis</i>
Japanese painted fern	<i>Athyrium nipponicum</i>
cycotabush	<i>Baccharis pilularis</i>
william penn barberry	<i>Berberis gladiolifolia</i>
mentor barberry	<i>Berberis mentorensis</i>
atopurea-red leaf Japanese barberry	<i>Berberis thunbergii</i>
aurea-golden Japanese barberry	
crimson pygmy barberry	
rose glow barberry	
barbara karst	<i>Bougainvillea</i> spp.

California gold	
pink pixie	
scarlet y'hara	
temple tree	
Texas dawn	
Japanese boxwood	<i>Buxus microphylla japonica</i>
Korean boxwood	<i>Buxus microphylla koreana</i>
common boxwood	<i>Buxus sempervirens</i>
lemon bottlebrush	<i>Callistemon citrinus</i>
weeping bottlebrush	<i>Callistemon viminalis</i>
spring torch scotch heather	<i>Calluna vulgaris</i>
sasanqua camellia	<i>Carmelia sasanqua</i>
Japanese camellia	<i>Carmelia japonica</i>
feathery cassia	<i>Cassia biflora</i>
wild lilac	<i>Ceanothus</i> spp.
plum yew	<i>Cephalotaxus drupeacea</i>
snow-in-summer	<i>Cerastium tomentosum</i>
Kosten cypress	<i>Chamaecyparis obtusa</i> spp.
nana-dwarf hinoki cypress	
torulosa cypress	
lilifera-tread cypress	<i>Chamaecyparis pisifera</i>
areca palm	<i>Chrysalidocarpus lutescens</i>
summersweet	<i>Clethra alnifolia</i>
Siberica-siberian dogwood	<i>Cornus alba</i>
bailey red osier dogwood	<i>Cornus stolonifera</i>
flaviramea-yellowtwig dogwood	
royal purple smoke tree	<i>Colinus cogygria</i>
coral beauty smoke tree	<i>Colinus dammeri</i>
reichholz smoke tree	
praecox-early coloneaster	<i>Coloneaster adpressus</i>
cranberry coloneaster	<i>Coloneaster epiculatus</i>
Pyrenees coloneaster	<i>Coloneaster congestus</i>
beauty coloneaster	<i>Coloneaster dammeri</i>
Himalayan coloneaster	<i>Coloneaster Himalayensis</i>
rock coloneaster	<i>Coloneaster horzontalis</i>
zabel coloneaster	<i>Coloneaster zabelii</i>
sago palm	<i>Cycas revoluta</i>
hollandia-warmminster broom	<i>Cytisus praecox</i>
lena-Scotch broom	<i>Cytisus scoparius</i>
fragrant dogbane	<i>Daphne odora</i>
deutzia	<i>Deutzia</i> spp.
hopped bush	<i>Dodonaea viscosa</i>
trillium silver berry	<i>Eleagnus pungens</i>
purple bell heather	<i>Erica cinerea</i>
Mediterranean pink heather	<i>Erica x darleyensis</i>
cornish heather	<i>Erica vagans</i>
winged euonymus	<i>Euonymus alatus</i>
canadale gold euonymus	<i>Euonymus fortunei</i>
emerald n gold euonymus	
sunspot euonymus	
twintercreeper euonymus	
silver king euonymus	<i>Euonymus japonica</i>
variegated evergreen euonymus	
spreading euonymus	<i>Euonymus kiusutschovica</i>
pineapple guava	<i>Feijoa sellowiana</i>
forsythia	<i>Forsythia</i> spp.
august beauty gardenia	<i>Gardenia jasminoides</i>
gardenia	
radican gardenia	
satali/lemon leaf	<i>Gaultheria shallon</i>
carolina jessamine	<i>Glossinum sempervirens</i>
woodwaxen	<i>Genista pilosa</i>
ross esley-hibiscus	<i>Hibiscus rosa-sinensis</i>
rose of sharon-heart	<i>Hibiscus syriacus</i>
rose of sharon-red bird	
holly	<i>Ilex</i> spp.
holly	<i>Ilex</i> spp.
mystery gardenia	<i>Ilex ilicifolia</i>
henry garnet holly leaf sweetspire	
ixora	<i>Ixora collina</i>
Juniper	<i>Juniperus</i> spp.
mountain laurel	<i>Kalmia latifolia</i>
crepe myrtle	<i>Lagerstroemia indica</i>
lantana	<i>Lantana</i> spp.
coast leucolthoe	<i>Leucolthoe axillaris</i>
drooping leucolthoe	<i>Leucolthoe fontanesiana</i>
privet	<i>Ligustrum</i> spp.
Chinese fountain palm	<i>Livistona chinensis</i>
flowering woodbine	<i>Lonicera periclymenum</i>
serotina woodbine	
trumpet honeysuckle	<i>Lonicera sempervirens</i>
leather leaf malonia	<i>Mahonia bealei</i>
creeping malonia	<i>Mahonia repens</i>
wax myrtle	<i>Myrica carifera</i>
compact-dwarf heavenly bamboo	<i>Nandina domestica</i>
harbour dwarf-heavenly bamboo	
heavenly bamboo	
nana-compacta-heavenly bamboo	
nana-purpurea-heavenly bamboo	
woods dwarf heavenly bamboo	
hardy red oleander	<i>Nerium oleander</i>
oleander	
ruby lace oleander	
fortune osmanthus	<i>Osmanthus fortunei</i>
mackorange	<i>Philadelphus</i> spp.

pigmy date palm	<i>Phoenix roeloenii</i>
fraser's philonia	<i>Phonia fraseri</i>
Japanese andromeda	<i>Piennis japonica</i>
mountain fire lily-of-the-valley	
snowdrift lily-of-the-valley	
templebells lily-of-the-valley	
valley rose lily-of-the-valley	
valley valentine lily-of-the-valley	
forest flame lily-of-the-valley	<i>Piennis japonica x forestii</i>
mugo-mugo pine	<i>Pinus mugo</i>
green pitosporum	<i>Pitosporum tobira</i>
Japanese pitosporum	
wheeler's dwarf pitosporum	
blue cape plumbago	<i>Plumbago auriculata</i>
plumbago	<i>Plumbago capensis</i>
yewpine	<i>Podocarpus macrophyllus</i>
tassel fern	<i>Polystichum polyblepharum</i>
carquillat	<i>Potentilla</i> spp.
carolina laurel cherry	<i>Prunus caroliniana</i>
dwarf pink flowering almond	<i>Prunus glandulosa</i>
pyracantha	<i>Pyracantha</i> spp.
chansma-monuce raphiolepis	<i>Rhaphiolepis indica</i>
enchantress-moness raphiolepis	
India Hawthorn	
springma-monime raphiolepis	
round leafed raphiolepis	<i>Rhaphiolepis ovata</i>
azalea/hododendron	<i>Rhododendron</i> spp.
Africa sumac	<i>Rhus lencea</i>
ramanus rose	<i>Rosa rugosa</i>
rosemary	<i>Rosmanium officinalis</i>
Japanese skimmia	<i>Skimmia japonica</i>
reeve's skimmia	<i>Skimmia reevesiana</i>
Anthony waterer spiraea	<i>Spiraea bumalda</i>
zichia spirea	<i>Spiraea japonica</i>
Japanese alpine spiraea	
shirobana spiraea	
bridal wreath	<i>Spiraea vanhouttei</i>
Chinese lilac	<i>Syringa rothomagensis</i>
common lilac	<i>Syringa vulgaris</i>
upright Japanese yew	<i>Taxus cuspidata</i>
anglosp yew	<i>Taxus media</i>
cape honeysuckle	<i>Tecomana capensis</i>
American arborvitae	<i>Temstroemia gymnanthera</i>
emerald arborvitae	<i>Thuja occidentalis</i>
globose-globe arborvitae	
little giant-dwarf arborvitae	
nigra-dark American arborvitae	
pyramidalis-pyramid arborvitae	
ringgold arborvitae	
techny arborvitae	
aurea nana-dwarf golden arborvitae	<i>Thuja orientalis</i>
minima glauca-dwarf arborvitae	
Christmas palm	<i>Veitchia merillii</i>
viburnum	<i>Viburnum</i> spp.
weigela	<i>Weigela</i> spp.
xylosma	<i>Xylosma congestum</i>
yucca	<i>Yucca filamentosa</i>
<b>Groundcovers</b>	
wooly yarrow	<i>Achillea tomentosa</i>
lily-of-the-nile	<i>Agapanthus</i> spp.
carpet bugle	<i>Ajuga</i> spp.
beechgrass	<i>Ammophila breviflora</i>
cape weed	<i>Arctotheca calendula</i>
thrift	<i>Armeria maritima</i>
asparagus fern	<i>Asparagus densiflorus</i>
bellflower	<i>Campanula</i> spp.
carriaged carex	<i>Carex</i> spp.
largeleaf iceplant	<i>Carpobrotus edulis</i>
dwarf plumbago	<i>Carotostigma plumbaginoides</i>
rockrose	<i>Cistus</i> spp.
coreopsis	<i>Coreopsis</i> spp.
crown vetch	<i>Coronilla varia</i>
pampas grass	<i>Cortadens selloana</i>
coloneaster	<i>Coloneaster</i> spp.
white iceplant	<i>Delosperma alba</i>
discampsia	<i>Discampsia caespitosa</i>
trailing rosea iceplant	<i>Drosanthemum flabundum</i>
iceplant	<i>Drosanthemum hispidum</i>
blue fescue	<i>Festuca ovina glauca</i>
strawberry, beach	<i>Fragaria chiloensis</i>
gazania	<i>Gazania</i> spp.
golden hakonechloa	<i>Hakonechloa macroaureola</i>
Argentan ivy	<i>Hedera canariensis</i>
English ivy	<i>Hedera helix</i>
daylily	<i>Hemerocallis</i> spp.
rupturewort	<i>Hernaria glabra</i>
albo-marginata hosta	<i>Hosta lancifolia</i>
aaronsbeard	<i>Hypocnemum</i> spp.

St. Johnswort	
angelwing jasmine	<i>Jasminum nitidum</i>
trailing scandent	<i>Lampyranthus spectabilis</i>
white fly turf	<i>Liriope gigantea</i>
big blue ivy	<i>Liriope muscan</i>
lilac beauty fly turf	
maestic lily turf	
silvery sunspot fly turf	
variegated liriope turf	
green/creeping fly turf	<i>Liriope spicata</i>
eulalia grass	<i>Miscanthus sinensis</i>
creeping wirevine	<i>Muehlenbeckia axillaris</i>
myoporum	<i>Myoporum laetum</i>
dwarf mono grass	<i>Ophiopogon japonicus</i>
mono grass	
trailing African daisy	<i>Osteospermum fruticosum</i>
Japanese spurge	<i>Pachysandra terminalis</i>
fountain grass	<i>Pennisetum alopecuroides</i>
ribbon grass	<i>Phalaris arundinacea picta</i>
stonecrop (sedum)	<i>Sedum</i> spp.
germander	<i>Teucrium chamaedrys</i>
Asian jasmine	<i>Trachelospermum asiaticum</i>
verbena	<i>Verbena</i> spp.
speeweed	<i>Veronica</i> spp.
periwinkle	<i>Vinca</i> spp.
<b>Established Flowers</b>	
yellow	<i>Achillea</i> spp.
floss flower	<i>Ageratum houstonianum</i>
alyssum	<i>Alyssum</i> spp.
snaildragon	<i>Antirrhinum majus</i>
African daisy	<i>Arctotis</i> spp.
silver mound	<i>Artemisia schmidtiana</i>
duffy miller	<i>Artemisia stelleriana</i>
aster (perennial)	<i>Aster</i> spp.
begonia	<i>Begonia</i> spp.
calendula	<i>Calendula officinalis</i>
cornflower	<i>Centaura cyanus</i>
velvet centaura	<i>Centaura gymnocarpa</i>
sweet sultan	<i>Centaura moschata</i>
chrysanthemum	<i>Chrysanthemum</i> spp.
morningglory	<i>Cochloscolus</i> spp.
coreopsis	<i>Coreopsis</i> spp.
cosmos	<i>Cosmos</i> spp.
dahlia	<i>Dahlia</i> spp.
dianthus	<i>Dianthus</i> spp.
bleeding heart	<i>Dicentra eximia</i>
foxglove	<i>Digitalis metonensis</i>
common foxglove	<i>Digitalis purpurea</i>
marigold, cape	<i>Dimorphotheca</i> spp.
purple coneflower	<i>Echinacea purpurea</i>
California poppy	<i>Eschscholzia californica</i>
snow-on-the-mountain	<i>Euphorbia marginata</i>
geranium	<i>Geranium</i> spp.
geum	<i>Geum</i> spp.
gallardia	<i>Gallardia</i> spp.
gladiolus	<i>Gladiolus</i> spp.
guara	<i>Guara liniflora</i>
gaby's breath	<i>Gypsophila paniculata</i>
sunflower	<i>Helianthus</i> spp.
coral bells	<i>Heuchera</i> spp.
aaron's beard	<i>Hypocnemum calycatum</i>
balsam	<i>Impatiens balsamina</i>
impatiens	<i>Impatiens</i> spp.
iris	<i>Iris</i> spp.
ixora	<i>Ixora</i> spp.

Net Weight: 40 lb (18.14 kg) SGN 240

EPA REG. NO. 10404-118  
EPA EST. NO. 961-PA-01 (L), 8378-IN-1 (K), 82757-OH-001 (M), 82757-FL-001 (S), 82757-MA-002 (H), 89135-AZ-001 (A).

First letter of lot code indicates manufacturing site.

F1560  
Manufactured for: LESCO, Inc.  
1385 East 36th Street  
Cleveland, OH 44114-4114

702307-PG2  
PP

