Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

9303.12

Contains SNARE®
A Powerful Attractant

Traducción al español ubicada dentro de la etiqueta posterior

FORCE II™

Deadline®

SLUG & SNAIL KILLER

ONE LAST MEAL FOR SLUGS AND SNAILS®

CHILDREN AND PETS

ACTIVE INGREDIENT:
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)... 4%
OTHER INGREDIENTS: .. 96%
TOTAL: 100%

300511113 - 2/14

NET CONTENTS 1 QT (946 ml)

KEEP OUT OF REACH OF CHILDREN & DOMESTIC ANIMALS

CAUTION

This pesticide may be harmful to children and fatal to domestic animals if ingested. Exclude children and pets from treated areas until the applied product is no longer visible. For additional precautionary measures, see "Directions for Use" and "Storage and Disposal"

5.75"

3.1875"

TYPE LIMIT: 2.4875"

FORCE II™ Deadline® SLUG & SNAIL KILLER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if swallowed. Harmful if inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

IMPORTANT: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

ENVIRONMENTAL HAZARDS

This product is toxic to mollusks (e.g., clams, oysters, scallops, mussels). Do not apply product near water (including garden ponds) or storm drains. Do not apply if heavy rain is expected. Apply this product only around gardens and ornamental plants.

FIRST AID

If on skin or clothing:
- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 – 20 minutes.
- Call a poison control center or doctor for treatment advice.

If in eyes:
- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If swallowed:
- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If inhaled:
- Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

POISONING HOTLINE

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call PROSAR at 1-800-308-3723.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

NOTE TO PHYSICIAN: Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

NOTE TO VETERINARIAN: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured for **Matson, LLC**
P.O. Box 1820
North Bend, WA 98045
EPA Reg. No. 8119-6
EPA Est. No. 52251-OR-005
PRINTED IN THE U.S.A.

www.corrys.com

300511114 - 2/14 5

GAP: 25" BOOKLET WIDTH: 2.6875" GAP: 25"

ALMACENAMIENTO Y ELIMINACIÓN

Al almacenarlo y eliminarlo no contamine el agua, comida o alimento.

ALMACENAMIENTO DEL PESTICIDA: Si se ingiere, este producto puede ser dañino para los niños y mortal para los animales domésticos. Se sabe que perros han ingerido el metaldehído después de abrir o rasgar el empaque. Guarde este producto en su empaque original, en un lugar fresco y seguro, fuera del alcance de niños y mascotas.

ELIMINACIÓN DEL PESTICIDA: Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.

ELIMINACIÓN DEL ENVASE: Si está vacío: Envase que no se puede rellenar. No vuelva a usar ni rellene este envase. Tírelo a la basura o, si está disponible, ofrézcalo para reciclaje.

AVISOS DE PRECAUCIÓN

RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS

PRECAUCIÓN: Es dañino si se absorbe a través de la piel. Causa irritación moderada en los ojos. Dañino si se traga. Dañino si se inhala. Evite respirar el vapor del rocío. Evite el contacto con ojos, piel o ropa. Lávese completamente después de manipularlo y antes de comer, beber, masticar goma de mascar, usar tabaco o usar el baño. Debe quitarse y lavar la ropa contaminada antes de volver a usarla.

IMPORTANTE: Si se ingiere, este producto puede ser dañino para los niños y mortal para los animales domésticos. Los niños y los perros pueden sentirse atraídos a los productos de metaldehído y al empaque. Mantenga a los niños y a los animales fuera de las áreas tratadas desde que se inicie la aplicación hasta ya no sea visible el producto aplicado.

RIESGOS AMBIENTALES

Este producto es tóxico para los moluscos (por ejemplo, almejas, ostras, vieira, mejillones). No aplique el producto cerca del agua (incluyendo estanques de jardín) o drenajes pluviales. No lo aplique si se espera lluvia fuerte. Aplique este producto únicamente alrededor de jardines y plantas ornamentales.

PRIMEROS AUXILIOS

Si cae en la piel o ropa:
- Quite la ropa contaminada.
- Enjuague la piel inmediatamente con abundante agua durante 15 a 20 minutos.
- Llame a un centro de control de envenenamiento o al médico para obtener más recomendaciones de tratamiento.

Si entra en los ojos:
- Mantenga el ojo abierto y enjuague con agua despacio y con cuidado durante 15 a 20 minutos.
- Si tiene lentes de contacto, quítelos después de los primeros 5 minutos y continúe lavando el ojo.
- Llame a un centro de control de envenenamiento o al médico para obtener más recomendaciones de tratamiento.

Si se traga:
- Llame inmediatamente al centro de control de envenenamiento o al médico para obtener más recomendaciones de tratamiento.
- Haga que la persona tome sorbos de un vaso con agua, si puede tragar.
- No induzca al vómito a menos que lo indique el centro de control de envenenamiento o el médico.
- No le dé nada por la boca a una persona inconsciente.

Si se inhala:
- Lleve a la persona al aire fresco.
- Si la persona no respira llame al 911 o a una ambulancia, luego dé respiración artificial, preferible de boca a boca, si es posible.
- Llame al centro de control de envenenamiento o al médico para obtener recomendaciones adicionales de tratamiento.

NÚMERO DE EMERGENCIAS PARA ENVENENAMIENTO

Busque atención médica después de la exposición tan pronto como sea posible. Para incidentes que involucren animales, busque atención veterinaria después de la exposición tan pronto como sea posible. Tenga con usted el envase del producto o la etiqueta cuando llame al centro de control de envenenamiento o al médico, o al buscar tratamiento. Para obtener información sobre este producto pesticida (incluyendo inquietudes sobre salud, emergencias médicas, recomendaciones de tratamiento o incidentes con pesticidas), llame a PROSAR al 1-800-308-3723.

El metaldehído es una toxina sistémica. No hay un antídoto. Las siguientes instrucciones no están destinadas para todo público. No existe un tratamiento casero. Las personas y animales expuestos deben recibir atención de emergencia lan pronto como sea posible.

NOTA PARA EL MÉDICO: La ruta usual para la exposición accidental es la inhalación del polvo; raras veces se ingiere el producto. El tratamiento es sintomático y de apoyo. Supervise de cerca las exposiciones severas: se han reportado ataques, desbalances de electrolitos, acidosis, deshidratación y aumento en la temperatura corporal.

NOTA PARA EL VETERINARIO: Los animales están expuestos generalmente a través de la ingestión. El tratamiento es sintomático y de apoyo. Si se sospecha que hubo una ingestión significativa y el animal está asintomático, considere la inducción del vómito o el lavado gástrico y la administración de carbón activado, purgante y enema para limitar la absorción. Supervise de cerca a los animales tanto asintomáticos como con síntomas. Proporcione tratamiento para los ataques, desbalances de electrolitos, acidosis, deshidratación y aumento en la temperatura corporal. Supervise la función hepática posterior a la recuperación.

ADVERTENCIA: Hasta donde sea congruente con la ley que aplica, el vendedor no ofrece ninguna garantía, expresa o implícita, relacionada con el uso de este producto que no sea el indicado en la etiqueta. En lo que respecta a lo que la ley aplicable permita, el comprador asume todo el riesgo por el uso o manejo de este material cuando dicho uso o manejo sea contrario a las instrucciones que aparecen en la etiqueta.

Manufactured for **Matson, LLC**
P.O. Box 1820
North Bend, WA 98045
EPA Reg. No. 8119-6
EPA Est. No. 52251-OR-005

PRINTED IN THE U.S.A.
www.corrys.com
100509275 - 2/14

FORCE II™ Deadline® SLUG & SNAIL KILLER

PELE AQUÍ

Easy-to-Use, Easy-to-Store liquid Force II™ Deadline® Slug & Snail Killer with SNARE®

A POWERFUL ATTRACTANT – lures slugs and snails to this product and away from your plants

Convenient, clean and effective. **Force II™ Deadline® Slug & Snail Killer** resists rain and irrigation. A thin line of **Force II™ Deadline® Slug & Snail Killer** around the area you want to protect will keep new migrants from taking up residence in your yard or garden.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Precautions and Restrictions

Keep people and pets out of the area during application. This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested. Children and dogs may be attracted to metaldehyde products, both in the package and when applied. Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible. Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible.

Applications to turf and dichondra are prohibited. Application is permitted only to non-turf areas (e.g., on soil or mulch) directly surrounding plants listed on the label. Broadcast and foliar applications of this product are prohibited. **Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within one foot of vegetable plants or fruit-bearing plants not listed on this label.**

Certain cultural practices may reduce damage from snails and slugs. These practices include:
- eliminating hiding places by removing leaf litter and debris in the garden;
- removing slugs and snails during daylight hours from nearby leaf litter, mulch, and other protected areas;
- watering in the morning to reduce humidity during the night when snails and slugs are active.

Application Method

Force II™ Deadline® Slug & Snail Killer is for outdoor use only. Raise spout and squeeze drops or thin line of product on the soil surface in infested areas as indicated in the Product Application Chart.

This product is specially formulated to attract and control slugs and snails. The presence of slugs and snails can be detected by their shiny mucus trail. They are night feeders and prefer damp, cool places. Apply **Force II™ Deadline® Slug & Snail Killer** around listed berry, fruit, vegetable and ornamental plants in outdoor residential gardens. Treat all listed sites at the beginning of the spring and fall planting seasons before damage occurs and up to the maximum number of applications as listed below during the growing season or during periods of damp weather, high rainfall or frequent watering as slugs and snails will generally be more active. If ground is dry, thoroughly water area to be treated. Apply only to soil surface around plants and between rows. Do not apply directly to plants. If slugs and snails are invading from adjacent properties, squeeze a solid line or line of drops along the entire perimeter of the infested area as this will form a barrier resulting in excellent control. When dispensing product, occasionally tip bottle upright to be refilled with air. If spout becomes clogged, lift spout and clear with a toothpick.

APPLICATION RATES CHART

Use Rate: 1 teaspoon per 10 linear feet	Minimum Retreatment Interval:	Maximum Applications Per Growing Season:
Plants:		
Artichokes – annual	18 days	2
Artichokes – perennial	18 days	6
Blueberries	14 days	3
Caneberries (bingleberry, black raspberry, blackberry, boysenberry, dewberry, lowberry, marionberry, olallieberry, red raspberry, youngberry) and Other Berries (currant, elderberry, gooseberry, huckleberry, loganberry, lingonberry, juneberry, salal)	14 days	3
Citrus	14 days	6
Lettuce, Cole Crops and other leafy greens (broccoli, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, collards, kale, kohlrabi, mizuna, mustard greens, rape greens, spinach)	14 days	3
Tomatoes	14 days	3
Strawberries	14 days	3
Ornamentals	21 days	6

Manufactured for **Matson, LLC**
P.O. Box 1820
North Bend, WA 98045
EPA Reg. No. 8119-6
EPA Est. No. 52251-OR-005
PRINTED IN THE U.S.A.
© 2014 Matson, LLC

100509275 - 2/14
300511114 - 1/24

Deadline, Force II and Snare are trademarks of Matson, LLC.
One Last Meal for Slugs and Snails
is a registered trademark of Deahinder, LLC.

0 70585 00320 8

TYPE 1 LIMIT 5.5"

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.

PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if swallowed. Harmful if inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

IMPORTANT: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

ENVIRONMENTAL HAZARDS

This product is toxic to mollusks (e.g., clams, oysters, scallops, mussels). Do not apply product near water (including garden ponds) or storm drains. Do not apply if heavy rain is expected. Apply this product only around gardens and ornamental plants.

FIRST AID

If on skin or clothing:
- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 – 20 minutes.
- Call a poison control center or doctor for treatment advice.

If in eyes:
- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If swallowed:
- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If inhaled:
- Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

POISONING HOTLINE

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call PROSAR at 1-800-308-3723.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

NOTE TO PHYSICIAN: Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

NOTE TO VETERINARIAN: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured for **Matson, LLC**
P.O. Box 1820
North Bend, WA 98045
EPA Reg. No. 8119-6
EPA Est. No. 52251-OR-005
PRINTED IN THE U.S.A.

www.corrys.com

Contiene SNARE™ Un atrayente poderoso

FORCE II™ Deadline® MATA BABOSAS Y CARACOLES

ONE LAST MEAL FOR SLUGS AND SNAILS™

INGREDIENTE ACTIVO:	
Metaldehído (2,4,6,8-tetrametil-1,3,5,7-tetraoxicido-octano)	4%
OTROS INGREDIENTES:...	96%
TOTAL:.....	100%

CONTENIDO 32 FL. OZ. (946 ml.)

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS Y ANIMALES DOMÉSTICOS

PRECAUCION

Este pesticida puede ser dañino para niños y mortal para animales domésticos si se ingiere. Mantenga alejados a niños y mascotas de los áreas tratados hasta que el producto aplicado ya no sea visible. Para obtener medidas de precaución adicionales, consulte las "Instrucciones" y "Almacenamiento y eliminación".

El pesticida líquido fácil de usar y fácil de almacenar **Force II Deadline® Slug & Snail Killer** con SNARE™ es UN ATRACTIVO PODEROSO: acerca a babosas y caracoles hacia este producto y los aleja de sus plantas. Conveniente, limpio y efectivo, el pesticida **Force II Deadline® Slug & Snail Killer** es resistente a la lluvia y el riego. Con solo una línea delgada del pesticida **Force II Deadline® Slug & Snail Killer** alrededor del área que desea proteger evitará nuevos visitantes que quieran establecerse en su jardín.

INSTRUCCIONES

Es una violación a la ley Federal usar este producto de forma inconsistente con su etiqueta.
No se debe usar en plantas cultivadas para la venta, otro uso comercial, para la producción comercial de semillas o con el propósito de investigación.

Precauciones y restricciones

Se debe mantener a personas y mascotas fuera del área durante la aplicación. Este pesticida puede ser dañino para los niños y mortal para perros y otras mascotas si se ingiere. Los niños y los perros pueden sentirse atraídos a los productos de metaldehído, tanto dentro del empaque como del aplicarlo. Se debe mantener a los niños y a los animales fuera de las áreas tratadas desde que se inicie la aplicación hasta ya no sea visible el producto aplicado. La aplicación de este producto de metaldehído está prohibida a menos que los niños y los animales domésticos se puedan mantener alejados de las áreas tratadas desde que empiece la aplicación hasta que ya no se pueda ver el producto aplicado.

Está prohibido hacer aplicaciones al césped y a la oreja de ratón (dicondra). Solo se permite realizar aplicaciones en áreas donde no hay césped (por ejemplo, en tierra o cubresuelos orgánico) que estén rodeando directamente a las plantas indicadas en la etiqueta. Está prohibido realizar aplicaciones al volео o extensas y folares de este producto. **Solo se permite la aplicación como una barrera alrededor de los jardines o plantas individuales. Está prohibida la aplicación a menos de un pie de las plantas de vegetales o que produzcan frutas que no estén indicadas en esta etiqueta.**

Ciertas prácticas culturales pueden reducir el daño ocasionado por las babosas y los caracoles. Estas prácticas incluyen:
- eliminar los lugares de escondite quitando las hojas caídas acumuladas y la basura en el jardín;
- quitar durante el día las babosas y caracoles de la basura de hojas, cubresuelos orgánico y otras áreas protegidas;
- regar en la mañana para reducir la humedad durante la noche cuando las babosas y los caracoles están activos.

Método de aplicación

El pesticida **Force II Deadline® Slug & Snail Killer** es únicamente para uso en exteriores. Suba la boquilla y eche gotas o una línea delgada del producto en la superficie de la tierra en las áreas infestadas tal como se indica en el Cuadro de aplicación del producto.

Este producto está formulado especialmente para atraer y controlar a las babosas y los caracoles. Se puede detectar la presencia de babosas y caracoles por el huellis mucoso brillante que dejan. Se alimentan de noche y prefieren los lugares húmedos y frios. Aplique el pesticida **Force II Deadline® Slug & Snail Killer** alrededor de las plantas de bayas, frutas, vegetales y ornamentales que estén en la tierra en los jardines exteriores residenciales. Aplique el tratamiento en todos los lugares indicados al inicio de las temporadas de siembre en primavera y otoño antes de que causen el daño y hasta la cantidad máxima de aplicaciones indicadas más adelante durante la temporada de crecimiento o durante los periodos de clima húmedo, mucha lluvia o riego frecuente ya que generalmente las babosas y los caracoles estarán más activos. Si el suelo está seco, debe regar completamente el área que será tratada. Aplique únicamente a la superficie de la tierra alrededor de las plantas y entre las hileras. No lo aplique directamente a las plantas. Si las babosas y los caracoles provienen de las propiedades vecinas, eche una línea sólida o una línea de gotas a lo largo de todo el perímetro de las áreas infestadas ya que esto formará una barrera que proporcionará un control excelente. Cuando esté aplicando el producto, de vez en cuando dé vuelta hacia arriba el envase para que se vuelva a llenar con aire. Si se obstruye la boquilla, levántela y límpiela con un palillo de dientes.

CUADRO DE DOSIS DE APLICACIÓN

Dosis: 1 cucharadita por cada 10 pies lineares	Intervalo mínimo de repetición del tratamiento:	Máximo de aplicaciones por temporada de crecimiento
Plantas:		
Alcachofas, anuales	18 días	2
Alcachofas, perennes	18 días	6
Arándanos	14 días	3
Bayas (binbleberry, frambuesa negra, zarzamora, mora híbrida, dewberry, lowberry, marionberry, zarza de Olallie, frambuesa roja, youngberry) y otras bayas (grosella, saúco, grosella espinosa, arándano azul oscuro, zarza de Logan, arándano rojo, juneberry, salal)	14 días	3
Cítricos	14 días	6
Lechuga, coles y otros vegetales de hoja verde (brócoli, col de Bruselas, repollo, coliflor, cavalo broccolo, coles, col rizada, colinabo, mizuna, hojas de mostaza, hojas de colza, espinaca)	14 días	3
Tomates	14 días	3
Fresas	14 días	3
Plantas ornamentales	21 días	6

Q0509275 - 2/14

TYPE LIMIT: 5.5"