

Quick Green  
That Lasts Up  
to Two Months

Lilly  
Miller®

COVERS UP TO  
5,000 SQ  
FT

ULTRAGREEN®



GREEN®  
CRABGRASS CONTROL  
& LAWN FOOD  
with TEAM™

Reg 12

LICENSED  
HAWAII  
DEPT. OF AGRICULTURE  
Period 2003-2005 No. 9317.331

2006-2008



Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC. NO.



Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.



Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9317.331  
Disc.

# CRABGRASS CONTROL & LAWN FOOD with TEAM\*

## 28-2-3

*Stops Weeds  
Before They Come Up!  
Prevent Crabgrass & Spurge*

***With Non-Staining Iron For A Deep, Dark Green***

**ACTIVE INGREDIENTS:**

benefin: N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-p-toluidine . . . 0.76%  
trifluralin: a,a,a-trifluoro-2, 6-dinitro-N,N-dipropyl-p-toluidine . . . 0.39%  
INERT INGREDIENTS . . . . . 98.85%  
TOTAL . . . . . 100.00%

Contains 0.207 pounds active ingredient per 18 lb bag.

\*Trademark of Dow AgroSciences LLC

Keep out of reach of children.

**WARNING**

See back panel for additional  
precautionary statements

**NET WT. 18 LBS. (8.1 kg)**



**ULTRAGREEN<sup>®</sup>**  
**CRABGRASS CONTROL**  
**& LAWN FOOD**

**Covers up to 5,000 square feet**

**ULTRAG**



Quick Green  
That Lasts Up  
to Two Months

Lilly  
Miller®

COVERS UP TO  
5,000 SQ  
FT

# ULTRAGREEN®

## CRABGRASS CONTROL & LAWN FOOD

with TEAM\*

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**WARNING:** Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles, face shield or safety glasses when handling. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

#### User Safety Recommendations:

- Users should wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

**If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

#### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

Do not apply this product to dichondra, or newly sprigged areas of bermudagrass, St. Augustinegrass, centpedegrass, or zoysiagrass. Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application.

This product is recommended for use on the following established warm and cool season perennial turfgrass species in home lawns:

#### Established Cool Season Turfgrasses

- Bentgrass
- Kentucky bluegrass
- Perennial ryegrass
- Fescues

#### Established Warm Season Turfgrasses

- Bahiagrass
- Bermudagrass
- Centpedegrass
- Tall fescue
- St. Augustinegrass
- Zoysiagrass

#### Application

This product should be applied one to two weeks prior to the anticipated germination of the target annual weeds. Apply using a properly calibrated fertilizer spreader which will uniformly distribute the product over the target area. Avoid skips and excessive overlaps as poor weed control or turfgrass injury may occur. Optimum weed control performance will be obtained if treated areas are irrigated soon after application. This product will not harm most nearby ornamentals.

	Cool Season Turfgrasses	Warm Season Turfgrasses
Summer Annual Grass Weeds (Spring Application)	18 lbs/5,000 sq ft	See Split Applications, below
Winter Annual Grass Weeds (Fall Application)	18 lbs/5,000 sq ft	See Split Applications, below

#### Split Applications For Extended Control



ULTRAGREEN

**GUARANTEED ANALYSIS:**

Total Nitrogen (N)	28%
7.0% Ammoniacal Nitrogen	
21.0% Urea Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	2%
Soluble Potash (K <sub>2</sub> O)	3%
Sulfur (S)	9%
Iron (Fe)	2%

Derived from Urea, Ammonium Sulfate, Sulfur-Coated Urea, Ammonium Phosphate, Muriate of Potash, Iron Sulfate.

\*7.0% slowly available urea nitrogen from sulfur-coated urea.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-lmb.com>

Filled by weight not by volume. Product may settle after packaging.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying.

**Notice:** Read the entire label. Use only according to label directions. Before buying this product, read Limited Warranty and Disclaimer Section elsewhere on this label. Do not ship or store with food, feed, drugs, or clothing.

**STORAGE AND DISPOSAL**

**Storage:** Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

**Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**General Information**

This turf fertilizer product contains TEAM\*, a preemergence herbicide for application to established turfgrasses for the control of the winter annual grass: annual bluegrass (Poa annua); and summer annual grasses: smooth and hairy crabgrass, goosegrass (silver crabgrass or Crowfootgrass), barnyardgrass (watergrass) and green and yellow foxtail. This product also provides partial control of prostrate spurge (Euphorbia humistrata), spotted spurge (Euphorbia maculata), creeping spurge (Euphorbia serpens), creeping woodsorrel (Oxalis corniculata) and yellow woodsorrel (Oxalis stricta).

**General Use Precautions and Restrictions**

**FOR HOME LAWNS:** Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

**Application Restrictions:** Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

**Entry Restrictions:** Do not allow people or pets to enter the treated area until dusts have settled. If watering-in is required after the application, do not enter or allow others to enter the treated areas (except those involved in watering) until the watering-in is complete and surface is dry.

**Reseeding:** Do not reseed treated areas for a minimum of 8 weeks after a single application. For split applications, do not reseed treated areas for 8 to 10 weeks after the last 3 lb per 1000 sq ft rate or 10 to 12 weeks after the last 4 lb per 1000 sq ft rate.

longer period of time.

Apply this product at 3 plus 3 lb per 1000 sq ft for Cool Season Turfgrasses and in the northern half of the Warm Season Turfgrass area of the U.S. or 4 plus 4 lb per 1000 sq ft in the southern half of the Warm Season Turfgrasses area of the U.S. The second application should be made 10 to 12 weeks following the 3 lb per 1000 sq ft rate and 10 to 12 weeks following the 4 lb per 1000 sq ft rate.

**SETTING YOUR LAWN SPREADER****SPREADER SETTINGS**

Drop Spreader Models	Settings	Rotary Spreader Models	Settings
	(18 lbs. for 5,000 sq. ft.)		(18 lbs. for 5,000 sq. ft.)
Scotts AccuGreen 1000	8.0	Scotts SpeedyGreen 1000	8.0
Scotts AccuGreen 2000	8.0	Scotts SpeedyGreen 2000	8.0
Scotts AccuGreen 3000	8.0	Scotts SpeedyGreen 3000	8.0
Earthway	13.0	Earthway	15.0
Vigoro	4.0	Vigoro	7.5

THESE SETTINGS ARE A GUIDE. They were determined by landscape professionals using new spreaders. The condition of your spreader, your walking speed, the roughness of the lawn, and even the humidity can affect how fast the lawn food comes out. Watch the flow rate. If fertilizer appears to be coming out either slower or faster than you are covering the lawn, adjust the setting. Close the spreader when filling, turning or stopping.

**WARRANTY DISCLAIMER**

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

**Inherent Risks of Use**

It is impossible to eliminate all risks associated with this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer.

**Limitations of Remedies**

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product brought, or
2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

BRABBRASS CONTROL  
& LAWN FOOD  
with TEAM\*

Distributed by:  
**LILLY MILLER BRANDS**  
PO Box 2289  
Clackamas, Oregon 97015  
EPA Reg. No. 62719-331-33116

[www.lillymiller.com](http://www.lillymiller.com)



06601000 - 11/02

EPA Est. 66196-CA-1

