



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **9322.173**

Group **7** Fungicide

OPEN HERE ➤

ACCELERON[®] DX-612

Fungicide Seed Treatment

For commercial use only

Seed treatment for cotton and soybean

**Acceleron DX-612 Fungicide Seed Treatment is not for sale, distribution,
or use in Nassau and Suffolk counties in New York State.**

ACTIVE INGREDIENT:

fluxapyroxad*: 1*H*-pyrazole-4-carboxamide, 3-(difluoromethyl)-
1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)..... 28.7%

OTHER INGREDIENTS: 71.3%

TOTAL: 100.0%

*Equivalent to 2.72 pounds of active ingredient per gallon.

EPA Reg. No. 7969-308-524

EPA Est. No. 51036-GA-001

KEEP OUT OF REACH OF CHILDREN

CAUTION/PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

See inside for complete **First Aid, Precautionary Statements, Directions For Use,
Conditions of Sale and Warranty**, and state-specific crop and/or use site restrictions.

**In case of an emergency endangering life or property involving this product,
call collect day or night 1-314-694-4000**

For **PRODUCT USE** Information Call 1-877-775-8787

Net Contents: 1.5 gallons

106001M4-1

Packaged for: Monsanto Company • 800 North Lindbergh Blvd
St. Louis, Missouri 63167

This page left blank intentionally.

NVA 2014-04-369-0124
20140717

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • DO NOT induce vomiting unless told to by a poison control center or doctor. • DO NOT give anything to an unconscious person.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Monsanto Company for emergency medical treatment information: 1-314-694-4000 (call collect).	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed.

Personal Protective Equipment (PPE)

Some materials that are chemically resistant to this product are listed below. For more options, refer to **Category A** on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow the manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is toxic to fish. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.

DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing before discharge. **DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or the regional office of the EPA. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original containers only. Keep container closed when not in use. **DO NOT** store near food or feed.

Pesticide Disposal: Wastes resulting from using this product may be disposed of on-site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance.

Container Handling: Nonrefillable Container. DO NOT reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

IN CASE OF EMERGENCY

In case of large-scale spillage regarding this product, call:

- CHEMTREC 1-800-424-9300
- Monsanto Company 1-314-694-4000

In case of medical emergency regarding this product, call:

- Your local doctor for immediate treatment
- Your local poison control center (hospital)
- Monsanto Company (call collect) 1-314-694-4000

Steps to be taken in case material is released or spilled:

- In case of spill on floor or paved surfaces, mop and remove to chemical waste storage area until proper disposal can be made if product cannot be used according to label.
- Dike and contain the spill with inert material (sand, earth, etc.) and transfer liquid and solid diking material to separate containers for disposal.
- Remove contaminated clothing and wash affected skin areas with soap and water.
- Wash clothing before reuse.
- Keep the spill out of all sewers and open bodies of water.

PRODUCT INFORMATION

Acceleron® DX-612 Fungicide Seed Treatment is a broad-spectrum fungicide that provides preventive seed and seedling protection from several seed and soilborne diseases. Make all applications according to the use directions in this label. Use the higher rates of **Acceleron® DX-612 Fungicide Seed Treatment** when disease pressure is expected to be high.

Resistance Management

Fluxapyroxad, the active ingredient of **Acceleron® DX-612 Fungicide Seed Treatment**, belongs to the group of respiration inhibitors classified by the U.S. EPA and Canada PMRA as a target-site of-action **Group 7** fungicide. Because of the minimal amounts of **Acceleron® DX-612 Fungicide Seed Treatment** applied to the seed, the potential for development of resistance is low. Therefore, **Acceleron® DX-612 Fungicide Seed Treatment** can be followed by foliar use. Follow resistance management guidelines of foliar use fungicides containing fluxapyroxad as specified on the respective labels.

APPLICATION INSTRUCTIONS

For use at commercial treatment facilities. Not for use on farm.

Apply **Acceleron® DX-612 Fungicide Seed Treatment** as a water-based mixture using standard slurry or mist-type seed treatment application equipment. The exact amount of water needed to provide the mixture or slurry rate (ml/100 kg or oz/cwt of seed) for optimum coverage is difficult to predict because weather conditions (hot or cold), seed type and surface, and equipment used all have a bearing on coverage. Consult a seed treatment specialist regarding slurry rates recommended for the crop seed to be treated with **Acceleron® DX-612 Fungicide Seed Treatment**. The required amount of **Acceleron® DX-612**

Fungicide Seed Treatment must then be diluted with the specified amount of water that will provide uniform and complete coverage on the seed surface. Uniform application on seed and complete seed coverage are necessary for seed safety and best disease protection. Seed must be of a good quality and well cleaned before treatment.

The purchaser of **Acceleron® DX-612 Fungicide Seed Treatment** is responsible for ensuring that all seed treated with this product are adequately dyed with a suitable color to prevent accidental use as food for man or feed for animals. Refer to 21CFR, Part 2.25. Use an EPA-approved dye or colorant that imparts an unnatural color to the seed. Any dye or colorant added to treated seed must be cleared for use under 40CFR, Part 180.900, "Exemptions from the requirement of a tolerance". Federal regulations have established official tolerances or exemptions from tolerances for residues on food and forage crops that must not be exceeded when the product (dye or colorant) is used at specified rates.

Consult the seed treatment specialist for calibration and operation procedures of the seed treatment equipment being used. Mechanical agitation is required for proper mixing of **Acceleron® DX-612 Fungicide Seed Treatment**. Prepare no more mixture of **Acceleron® DX-612 Fungicide Seed Treatment** than is needed for immediate treating. Add 3/4 of the required volume of water to the mix tank. With agitation running, add the required amount of **Acceleron® DX-612 Fungicide Seed Treatment** in the tank along with other seed treatment components. Add the remaining 1/4 amount of the required volume of water. Use the mixing sequence that follows. Agitate thoroughly before and during application.

Acceleron® DX-612 Fungicide Seed Treatment with Tank Mix Partners

Acceleron® DX-612 Fungicide Seed Treatment mixes easily with water and other water-based seed treatments. When using **Acceleron® DX-612 Fungicide Seed Treatment** in a tank mixture with seed treatment products, observe all directions for use, crops/sites, use rates, dilution ratios, precautions, and limitations that appear on the tank mix partner label. Label dosage or application rate must not be exceeded, and the most restrictive label precautions and limitations must be followed. **Acceleron® DX-612 Fungicide Seed Treatment** must not be mixed with any product that prohibits such mixing. All applications must be made according to the use directions.

When mixing **Acceleron® DX-612 Fungicide Seed Treatment** with seed treatment products, test the compatibility before use by conducting a jar test as follows:

1. Mix all intended seed treatments with the appropriate amount of water in a clear glass container.
2. Mix well and allow to sit for 1 hour.
3. Remix and observe for incompatibility.

Physical compatibility is only part of compatibility. Testing also needs to be done with the seed to make sure the combination of products does not have detrimental effects on the seed.

Tank Mixing Instructions

1. Add 3/4 of the required amount of water to the mix tank and turn on the agitation. Mechanical agitation is preferred.
2. Use the following mixing sequence: dye or colorant, wettable powders, soluble powders, flowable formulations, emulsifiable concentrates, and remaining 1/4 of the

required water. The 1/4 of the required water as the last item for addition to the premix tank can be used as rinsate for the chemical container or to adjust the total slurry to compensate for water displacement by powdered products.

3. Maintain agitation until the entire slurry mixture has been used.
4. Ensure that seed is dry before bagging.

SEED LABELING NOTE: Federal law requires that bags of treated seed shall be labeled with the following: **"This seed has been treated with Acceleron® DX-612 Fungicide Seed Treatment containing fluxapyroxad. DO NOT use for food, feed or oil purposes. Store away from food and feedstuffs."**

The seed label should also include the following: **"Excess treated seed may be used for ethanol production only if (1) by-products are not used for livestock feed and (2) no measurable residues of pesticide remain in ethanol by-products that are used in agronomic practice."**

Acceleron® DX-612 Fungicide Seed Treatment
Crop-specific Use Directions for Seed Treatment

Crop	Target Disease	Product Use Rate	Product Use Rate*
		ml/100 kg seed (grams ai/100 kg seed)	fl ozs/100 lbs seed (lb ai/100 lbs seed)
Cotton	Seed and seedling disease (damping-off) caused by <i>Rhizoctonia solani</i>	31 to 61 (10 to 20)	0.47 to 0.94 (0.01 to 0.02) (0.01 to 0.02 mg ai per seed) ¹
	Suppression of black root rot (<i>Thielaviopsis basicola</i>)	61 (20)	0.94 (0.02) (0.01 to 0.02 mg ai per seed) ¹
Soybean (Glycine spp.)	Seed and seedling disease (damping-off) caused by <i>Rhizoctonia solani</i> and <i>Fusarium solani</i> Suppression of seed and seedling disease caused by <i>Fusarium</i> spp. and <i>Phomopsis</i> spp.	15 to 31 (5 to 10)	0.24 to 0.47 (0.005 to 0.01) (0.0082 to 0.0161 mg ai per seed) ²

*Mg ai per seed rates based on the following seed weights:
¹Cotton - 4500 seeds per pound
²Soybean - 2800 seeds per pound

CONDITIONS OF SALE AND WARRANTY

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as the presence of other or untested or unapproved materials, seed of low quality or low vigor or low germination, use of the product in a manner inconsistent with its labeling, misapplication of the product, or weather conditions at planting or environmental conditions during seed storage, all of which are beyond the control of Monsanto Company or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

Monsanto Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MONSANTO COMPANY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND MONSANTO COMPANY'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MONSANTO COMPANY AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Monsanto Company and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Monsanto Company.

Acceleron DX-612 Fungicide Seed Treatment

is specially formulated and sold by Monsanto Company for the control of pests according to the directions on this label. The purchase price of **Acceleron DX-612 Fungicide Seed Treatment** includes a royalty whereby the purchaser acquires a prepaid license under U.S. Patent Nos. 5,438,070 and 8,008,232 under which purchaser agrees to employ the purchased quantity of **Acceleron DX-612 Fungicide Seed Treatment** only for the above-specified uses under Monsanto Company's United States patent rights and to provide notice of the terms and conditions of this license to any subsequent purchaser. Uses of **Acceleron DX-612 Fungicide Seed Treatment** other than those specified on this label are not licensed through the purchase of this product and the use of this product for other purposes may violate this license and patent rights of Monsanto Company.

Acceleron® is a registered trademark of Monsanto Technology LLC.

©2014

Packaged For:
Monsanto Company
800 North Lindbergh Blvd.
St. Louis, MO 63167

20140717

NVA 2014-04-369-0124

ACCELERON[®] DX-612

Fungicide Seed Treatment

For commercial use only

Seed treatment for cotton
and soybean

Acceleron DX-612 Fungicide Seed
Treatment is not for sale, distribution,
or use in Nassau and Suffolk counties
in New York State.

ACTIVE INGREDIENT:

fluxapyroxad*: 1*H*-pyrazole-4-carboxamide,3-(difluoromethyl)-
1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-..... 28.7%

OTHER INGREDIENTS: 71.3%

TOTAL: 100.0%

* Equivalent to 2.72 pounds of active ingredient per gallon.

Group	7	Fungicide
-------	---	-----------

EPA Reg. No. 7969-308-524
EPA Est. No. 51036-GA-001

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

In case of an emergency endangering life or property involving this product, call collect day or night 1-314-694-4000
For **PRODUCT USE** Information Call 1-877-775-8787

See inside for complete **FIRST AID, PRECAUTIONARY STATEMENTS, DIRECTIONS FOR USE, CONDITIONS OF SALE AND WARRANTY**, and state-specific crop and/or use site restrictions. **FIRST AID: IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to by a poison control center or doctor. **DO NOT** give anything to an unconscious person. **HOTLINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Monsanto Company for emergency medical treatment information: **1-314-694-4000 (call collect)**. **PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals. CAUTION.** Harmful if swallowed. **Environmental Hazards:** This pesticide is toxic to fish. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate. **DO NOT** discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing before discharge. **DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or the regional office of the EPA. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate. **STORAGE AND DISPOSAL: DO NOT** contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Store in original containers only. Keep container closed when not in use. **DO NOT** store near food or feed. **Pesticide Disposal:** Wastes resulting from using this product may be disposed of on-site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance. **Container Handling: Nonrefillable Container. DO NOT reuse or refill this container.** Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities. **Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Net Contents: 1.5 gallons

NVA 2014-04-369-0124 20140717

106001M4-1

Packaged For: Monsanto Company • 800 North Lindbergh Blvd
St. Louis, MO 63167

ACCELERON[®] DX-612

Fungicide Seed Treatment

Group 7 Fungicide

For commercial use only

Seed treatment for cotton and soybean

Acceleron DX-612 Fungicide Seed Treatment is not for sale, distribution, or use in Nassau and Suffolk counties in New York State.

See label booklet for additional Precautionary Statements and Complete Directions for Use.

In case of an emergency endangering life or property involving this product, call collect day or night 1-314-694-4000

For **PRODUCT USE** Information Call 1-877-775-8787

ACTIVE INGREDIENT:

fluxapyroxad*: 1 <i>H</i> -pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5-trifluoro[1,1'-biphenyl]-2-yl)	28.7%
OTHER INGREDIENTS:	71.3%
TOTAL:	100.0%

*Equivalent to 2.72 pounds of active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• DO NOT induce vomiting unless told to by a poison control center or doctor.• DO NOT give anything to an unconscious person.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Monsanto Company for emergency medical treatment information: 1-314-694-4000 (call collect)	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed.

Personal Protective Equipment (PPE)

Some materials that are chemically resistant to this product are listed below. For more options, refer to **Category A** on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow the manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS
Users should: <ul style="list-style-type: none">• Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.• Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.• Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is toxic to fish. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.

DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing before discharge. **DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or the regional office of the EPA. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original containers only. Keep container closed when not in use. **DO NOT** store near food or feed.

Pesticide Disposal: Wastes resulting from using this product may be disposed of on-site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance.

Container Handling: Nonrefillable Container. DO NOT reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying, then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

IN CASE OF EMERGENCY

In case of large-scale spillage regarding this product, call:

- CHEMTREC 1-800-424-9300
- Monsanto Company 1-314-694-4000

In case of medical emergency regarding this product, call:

- Your local doctor for immediate treatment
- Your local poison control center (hospital)
- Monsanto Company (call collect) 1-314-694-4000

Steps to be taken in case material is released or spilled:

- In case of spill on floor or paved surfaces, mop and remove to chemical waste storage area until proper disposal can be made if product cannot be used according to label.
- Dike and contain the spill with inert material (sand, earth, etc.) and transfer liquid and solid diking material to separate containers for disposal.
- Remove contaminated clothing and wash affected skin areas with soap and water.
- Wash clothing before reuse.
- Keep the spill out of all sewers and open bodies of water.

Acceleron[®] is a registered trademark of Monsanto Technology LLC.

©2014

Packaged For:
Monsanto Company
800 North Lindbergh Blvd.
St. Louis, MO 63167

20140717

Net Contents: 2 x 1.5 Gallons

EPA Reg. No. 7969-308-524

EPA Est. No. 51036-GA-001

NVA 2014-04-369-0124

106001M3-6