

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

DANGER. CORROSIVE. FATAL IF INHALED. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and all other handlers must wear:

- Long-sleeved shirt and long pants
- Socks and Shoes
- Chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton)
- Goggles or face shield
- A respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA[NIOSH approval number prefix TC-weC), or a canister approved for pesticides (MSHA/NIOSH approval prefix number 14G), or a NIOSH-approved respirator with an organic vapor (OV) removing cartridge or a canister with any P, R, or HE prefilter.

User Safety Recommendations:

User should remove clothing if pesticide gets inside. Users should wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER



Revised: 04/15/2010



LICENSED

PERIOD 2011-2013 LIC. NO.

LICENSED

PERIOD 2014-2016 LIC. NO.

UN2735, AMINES, LIQUID, CORROSIVE, N.O.S., ALKYL IMIDAZOLINA, 8, III
[RQ: Naphthalene, RQ AMT: 4,040 lbs] [Marine Pollutant: Heavy Aromatic Naptha]

9323.59



303 MC

FUEL OIL TREATMENT

ACTIVE INGREDIENT:

1-(2-hydroxyethyl)-2-alkyl(C-18)*-2-imidazoline.....25.0%

INERT INGREDIENTS:.....75.0%

Total.....100.0%

*As in Tall Oil Fatty Acids. Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN

DANGER

POISON



FIRST AID

ú IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

ú IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.

ú IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

ú IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the MSDS with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Nalco Company

**1601 West Diehl Road
Naperville, IL 60563-1198**

EMERGENCY PHONE NO. (800) 424-9300

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons. Only protected handlers must be in the area during applications.

FOR USE WITH CLOSED DELIVERY SYSTEMS ONLY

To inhibit sludge formation, to disperse existing sludge and to control filter-plugging bacteria and fungi in fuel oil storage tanks and feedlines, use 40 to 80 ppm of 303 MC based on fuel oil. Higher dosage may be required to completely inhibit some bacteria not considered to be factors in filter plugging.

Feed 303 MC by means of proportioning pump or syphon type feeder directly from drum or other container to the fuel oil as it is pumped into storage tanks.

Do not apply by open pouring of liquid to cooling water systems; a metering pump delivery system or a closed loading application system is required for this use and application method open pouring is prohibited.

NOTE: 303 MC IS INTENDED FOR INDUSTRIAL USE ONLY.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Empty remaining contents into application equipment and drain for 10 seconds after flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into rinsate collection system and store for later disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for disposal of rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations. **DO NOT** cut or weld metal containers.

EPA Reg. No. 68708-3

EPA Est. No. 1706-IL-1 (BP)

EPA Est. No. 68708-TX-1 (SL)

Letter in () that matches first letter in batch number identifies the established number.

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

DANGER. CORROSIVE. FATAL IF INHALED. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and all other handlers must wear:

- Long-sleeved shirt and long pants
- Socks and Shoes
- Chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton)
- Goggles or face shield
- A respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-weC), or a canister approved for pesticides (MSHA/NIOSH approval prefix number 14G), or a NIOSH-approved respirator with an organic vapor (OV) removing cartridge or a canister with any P, R, or HE prefilter.

User Safety Recommendations:

User should remove clothing if pesticide gets inside. Users should wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER



303 MC

FUEL OIL TREATMENT

ACTIVE INGREDIENT:

1-(2-hydroxyethyl)-2-alkyl(C-18)*-2-imidazoline.....25.0%


INERT INGREDIENTS:.....75.0%

Total.....100.0%

*As in Tall Oil Fatty Acids. Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN

DANGER



FIRST AID

- ú IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
- ú IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.
- ú IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- ú IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the MSDS with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Nalco Company

**1601 West Diehl Road
Naperville, IL 60563-1198**

EMERGENCY PHONE NO. (800) 424-9300

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons. Only protected handlers must be in the area during applications.

FOR USE WITH CLOSED DELIVERY SYSTEMS ONLY

To inhibit sludge formation, to disperse existing sludge and to control filter-plugging bacteria and fungi in fuel oil storage tanks and feedlines, use 40 to 80 ppm of 303 MC based on fuel oil. Higher dosage may be required to completely inhibit some bacteria not considered to be factors in filter plugging.

Feed 303 MC by means of proportioning pump or syphon type feeder directly from drum or other container to the fuel oil as it is pumped into storage tanks.

Do not apply by open pouring of liquid to cooling water systems; a metering pump delivery system or a closed loading application system is required for this use and application method open pouring is prohibited.

NOTE: 303 MC IS INTENDED FOR INDUSTRIAL USE ONLY.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Pour rinsate into rinsate collection system and store for later disposal. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for disposal of rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations. DO NOT cut or weld metal containers.

EPA Reg. No. 68708-3

EPA Est. No. 1706-IL-1 (BP)

EPA Est. No. 68708-TX-1 (SL)

Letter in () that matches first letter in batch number identifies the established number.



Revised: 04/15/2010

**UN2735, AMINES, LIQUID, CORROSIVE, N.O.S., ALKYL IMIDAZOLINA, 8, III
[RQ: Naphthalene, RQ AMT: 4,040 lbs] [Marine Pollutant: Heavy Aromatic Naptha]**

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

DANGER. CORROSIVE. FATAL IF INHALED. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and all other handlers must wear:

- Long-sleeved shirt and long pants
- Socks and Shoes
- Chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton)
- Goggles or face shield
- A respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-weC), or a canister approved for pesticides (MSHA/NIOSH approval prefix number 14G), or a NIOSH-approved respirator with an organic vapor (OV) removing cartridge or a canister with any P, R, or HE prefilter.

User Safety Recommendations:

User should remove clothing if pesticide gets inside. Users should wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.



303 MC

FUEL OIL TREATMENT

ACTIVE INGREDIENT:

1-(2-hydroxyethyl)-2-alkyl(C-18)*-2-imidazoline.....25.0%


INERT INGREDIENTS:.....75.0%

Total.....100.0%

*As in Tall Oil Fatty Acids. Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN

DANGER



FIRST AID

ú IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

ú IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.

ú IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

ú IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the MSDS with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**Nalco Company
1601 West Diehl Road
Naperville, IL 60563-1198**

EMERGENCY PHONE NO. (800) 424-9300

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons. Only protected handlers must be in the area during applications.

FOR USE WITH CLOSED DELIVERY SYSTEMS ONLY

To inhibit sludge formation, to disperse existing sludge and to control filter-plugging bacteria and fungi in fuel oil storage tanks and feedlines, use 40 to 80 ppm of 303 MC based on fuel oil. Higher dosage may be required to completely inhibit some bacteria not considered to be factors in filter plugging.

Feed 303 MC by means of proportioning pump or syphon type feeder directly from drum or other container to the fuel oil as it is pumped into storage tanks.

Do not apply by open pouring of liquid to cooling water systems; a metering pump delivery system or a closed loading application system is required for this use and application method open pouring is prohibited.

NOTE: 303 MC IS INTENDED FOR INDUSTRIAL USE ONLY.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. **PESTICIDE STORAGE:** Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. For final disposal return container to Nalco Company.

EPA Reg. No. 68708-3
EPA Est. No. 1706-IL-1 (BP)
EPA Est. No. 68708-TX-1 (SL)

Letter in () that matches first letter in batch number identifies the established number.

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER



Revised: 04/15/2010

UN2735, AMINES, LIQUID, CORROSIVE, N.O.S., ALKYL IMIDAZOLINA, 8, III
[RQ: Naphthalene, RQ AMT: 4,040 lbs] [Marine Pollutant: Heavy Aromatic Naptha]