

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: HIGHLY CORROSIVE. CAUSES SKIN AND EYE DAMAGE. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves (PVC or Nitrile) when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, or disposal.

Pesticide Storage: Store in a cool, dry area away from direct sunlight. In case of a spill, flood area with large quantities of water.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

For the control of bacteria, algae and fungi, add this sodium hypochlorite solution to tower basin, distribution box or some other point in the system to ensure uniform mixing.

DIRECTIONS FOR USE CONTINUED ON RIGHT SIDE PANEL



LICENSED

LICENSED

PERIOD 2014-2016 LIC. NO.

9323.86

PERIOD 2011-2013 LIC. NO.



Revised: 8/31/2010



Nalco 7341

A MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENT:

Sodium hypochlorite.....12.5%
 INERT INGREDIENTS.....87.5%
 TOTAL.....100.0%

Available Chlorine 11.9%

EPA Reg. No. 1706-20001

EPA Est. No. 1744-NH-1 (MERR) EPA Est. No. 68708-TX-1 (SL)
 EPA Est. No. 1706-CA-1 (CR) EPA Est. No. 00550-GA-1 (AT)
 EPA Est. No. 1706-IL-1 (BP) EPA Est. No. 00550-PA-3 (PT)
 EPA Est. No. 1706-LA-1 (GV) EPA Est. No. 000813-AZ-1
 EPA Est. No. 1706-PA-1 (EL) EPA Est. No. 000813-CO-1
 EPA Est. No. 1706-WA-1 (VW) EPA Est. No. 70411-LA-1
 EPA Est. No. 68708-LA-1 (ST)

Letter in () that matches first letter in batch number identifies the establishment number.

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

- ú IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- ú IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- ú IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
- ú IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE OTHER PRECAUTIONARY STATEMENTS ON SIDE PANEL BEFORE OPENING CONTAINER.

Nalco Company
 1601 West Diehl Road
 Naperville, IL 60563-1198
 EMERGENCY PHONE NO. (800) 424-9300

DIRECTIONS FOR USE (continued from left side panel):

COOLING TOWER, EVAPORATIVE CONDENSER WATER, PULP AND PAPERMILL AND INDUSTRIAL WATER SYSTEMS

SLUG FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system to obtain from 5 to 10 ppm available chlorine. Repeat until control is achieved. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: When microbial control is evident, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 ppm.

INTERMITTENT FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system to obtain 5 to 10 ppm available chlorine. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, 1/5) of the water in the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: When microbial control is evident, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system to obtain a 1 ppm residual. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, 1/5) of the water in the system has been lost by blowdown.

CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of NALCO 7341 per 10,000 gallons in the system to obtain 5 to 10 ppm available chlorine. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: Maintain this treatment level by starting a continuous feed of 1 oz. of NALCO 7341 per 1,000 gallons of water lost by blowdown to maintain a 1.0 ppm residual.

TREATMENT LEVEL CHART	
METHOD	Ounces NALCO 7341/10,000 Gallons Water
Slug Feed to obtain 5-10 ppm	52-104
Subsequent Dose to maintain 1 ppm residual	11
Intermittent Feed to obtain 5-10 ppm	52-104
Subsequent Dose to maintain 1 ppm residual	11
Continuous Feed to obtain 5-10 ppm	52-104
Subsequent Dose (per 1000 gallons) to maintain 1 ppm residual	1.0

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

UN1791, Hypochlorite solution, 8, PG III

[RQ component: sodium hypochlorite; RQ amount: 800 lbs]

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: HIGHLY CORROSIVE. CAUSES SKIN AND EYE DAMAGE. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves (PVC or Nitrile) when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, or disposal.

Pesticide Storage: Store in a cool, dry area away from direct sunlight. In case of a spill, flood area with large quantities of water.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

For the control of bacteria, algae and fungi, add this sodium hypochlorite solution to tower basin, distribution box or some other point in the system to ensure uniform mixing.

DIRECTIONS FOR USE CONTINUED ON RIGHT SIDE PANEL



LICENSED



LICENSED

9323.86



Revised: 8/31/2010

LICENSED

PERIOD 2011-2013 LIC. NO.



Nalco 7341

A MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENT:

Sodium hypochlorite.....12.5%
INERT INGREDIENTS.....87.5%
TOTAL.....100.0%

Available Chlorine 11.9%

EPA Reg. No. 1706-20001

EPA Est. No. 1744-NH-1 (MERR) EPA Est. No. 68708-TX-1 (SL)
EPA Est. No. 1706-CA-1 (CR) EPA Est. No. 00550-GA-1 (AT)
EPA Est. No. 1706-IL-1 (BP) EPA Est. No. 00550-PA-3 (PT)
EPA Est. No. 1706-LA-1 (GV) EPA Est. No. 000813-AZ-1
EPA Est. No. 1706-PA-1 (EL) EPA Est. No. 000813-CO-1
EPA Est. No. 1706-WA-1 (VW) EPA Est. No. 70411-LA-1
EPA Est. No. 68708-LA-1 (ST)

Letter in () that matches first letter in batch number identifies the establishment number.

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

- ú IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- ú IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- ú IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
- ú IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE OTHER PRECAUTIONARY STATEMENTS ON SIDE PANEL BEFORE OPENING CONTAINER.

Nalco Company
1601 West Diehl Road
Naperville, IL 60563-1198
EMERGENCY PHONE NO. (800) 424-9300

DIRECTIONS FOR USE (continued from left side panel):

COOLING TOWER, EVAPORATIVE CONDENSER WATER, PULP AND PAPERMILL AND INDUSTRIAL WATER SYSTEMS

SLUG FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system to obtain from 5 to 10 ppm available chlorine. Repeat until control is achieved. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: When microbial control is evident, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 ppm.

INTERMITTENT FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system to obtain 5 to 10 ppm available chlorine. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, 1/5) of the water in the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: When microbial control is evident, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system to obtain a 1 ppm residual. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, 1/5) of the water in the system has been lost by blowdown.

CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of NALCO 7341 per 10,000 gallons in the system to obtain 5 to 10 ppm available chlorine. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: Maintain this treatment level by starting a continuous feed of 1 oz. of NALCO 7341 per 1,000 gallons of water lost by blowdown to maintain a 1.0 ppm residual.

TREATMENT LEVEL CHART	
METHOD	Ounces NALCO 7341/10,000 Gallons Water
Slug Feed to obtain 5-10 ppm	52-104
Subsequent Dose to maintain 1 ppm residual	11
Intermittent Feed to obtain 5-10 ppm	52-104
Subsequent Dose to maintain 1 ppm residual	11
Continuous Feed to obtain 5-10 ppm	52-104
Subsequent Dose (per 1000 gallons) to maintain 1 ppm residual	1.0

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: HIGHLY CORROSIVE. CAUSES SKIN AND EYE DAMAGE. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves (PVC or Nitrile) when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, or disposal.
Pesticide Storage: Store in a cool, dry area away from direct sunlight. In case of a spill, flood area with large quantities of water.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

For the control of bacteria, algae and fungi, add this sodium hypochlorite solution to tower basin, distribution box or some other point in the system to ensure uniform mixing.

DIRECTIONS FOR USE CONTINUED ON RIGHT SIDE PANEL



LICENSED

LICENSED

PERIOD **2014-2016** LIC. NO.

9323.86

PERIOD **2011-2013** LIC. NO.



Revised: 8/31/2010



Nalco 7341

A MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENT:
 Sodium hypochlorite.....12.5%
 INERT INGREDIENTS.....87.5%
 TOTAL.....100.0%

Available Chlorine 11.9%

EPA Reg. No. 1706-20001

- EPA Est. No. 1744-NH-1 (MERR) EPA Est. No. 68708-TX-1 (SL)
- EPA Est. No. 1706-CA-1 (CR) EPA Est. No. 00550-GA-1 (AT)
- EPA Est. No. 1706-IL-1 (BP) EPA Est. No. 00550-PA-3 (PT)
- EPA Est. No. 1706-LA-1 (GV) EPA Est. No. 000813-AZ-1
- EPA Est. No. 1706-PA-1 (EL) EPA Est. No. 000813-CO-1
- EPA Est. No. 1706-WA-1 (VW) EPA Est. No. 70411-LA-1
- EPA Est. No. 68708-LA-1 (ST)

Letter in () that matches first letter in batch number identifies the establishment number.

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

- ú **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- ú **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- ú **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
- ú **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE OTHER PRECAUTIONARY STATEMENTS ON SIDE PANEL BEFORE OPENING CONTAINER.

Nalco Company
 1601 West Diehl Road
 Naperville, IL 60563-1198
 EMERGENCY PHONE NO. (800) 424-9300

DIRECTIONS FOR USE (continued from left side panel):

COOLING TOWER, EVAPORATIVE CONDENSER WATER, PULP AND PAPERMILL AND INDUSTRIAL WATER SYSTEMS

SLUG FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system to obtain from 5 to 10 ppm available chlorine. Repeat until control is achieved. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: When microbial control is evident, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 ppm.

INTERMITTENT FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system to obtain 5 to 10 ppm available chlorine. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, 1/5) of the water in the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: When microbial control is evident, add appropriate amount of NALCO 7341 per 10,000 gallons of water in the system to obtain a 1 ppm residual. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, 1/5) of the water in the system has been lost by blowdown.

CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of NALCO 7341 per 10,000 gallons in the system to obtain 5 to 10 ppm available chlorine. Badly fouled systems must be cleaned before treatment is begun.

Subsequent Dose: Maintain this treatment level by starting a continuous feed of 1 oz. of NALCO 7341 per 1,000 gallons of water lost by blowdown to maintain a 1.0 ppm residual.

TREATMENT LEVEL CHART	
METHOD	Ounces NALCO 7341/10,000 Gallons Water
Slug Feed to obtain 5-10 ppm	52-104
Subsequent Dose to maintain 1 ppm residual	11
Intermittent Feed to obtain 5-10 ppm	52-104
Subsequent Dose to maintain 1 ppm residual	11
Continuous Feed to obtain 5-10 ppm	52-104
Subsequent Dose (per 1000 gallons) to maintain 1 ppm residual	1.0

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER