



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2012-2014** LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2015-2017** LIC. NO.

9338.422

poolife™
EXCLUSIVE POOL CARE COLLECTION



TURBOSHOCK®

SHOCK TREATMENT

Good for all pool surfaces

Restores water clarity

All-in-one chlorinates, shocks and kills algae

1

2

SHOCK IT!

3

ACTIVE INGREDIENT:
Calcium Hypochlorite: 78%
OTHER INGREDIENTS: 22%
TOTAL 100%
Minimum Available Chlorine 75%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Contamination or improper use may cause intense fire, explosion, or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. **If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Do not mix this product with a small amount of water. Only add directly to your pool. Highly corrosive. Causes skin and eye damage. May be fatal if swallowed.** Read all precautionary statements on back label and first aid statements before use.


Net Wt. 17 lbs. (7.7 kg)

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. **IN CASE OF EMERGENCY CALL: 1-800-654-6911.**

SHOCK TREATMENT

22402

PART NO. 352359
22402-A-0912





OXIDIZER

5.1

UN 2880
RO, CALCIUM HYPOCHLORITE,
HYDRATED MIXTURE

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ ALL PRECAUTIONARY STATEMENTS BEFORE USE.
For best results follow the weekly POOLIFE® 3-Step System. Consult with your authorized POOLIFE Dealer for advice on the system that best suits your pool and your lifestyle.

Step 1.	Sanitize It!
Step 2.	Shock It!
Step 3.	Defend It!

HOW TO USE: Do not pre-mix this product before adding it to your pool or skimmer.

Method for dosing directly into pool:

- Add the recommended dosage of this product during evening hours while the filter pump is running.
- When adding this product to your pool, broadcast the product evenly over a wide area in the deepest part of the pool.
- If any granules settle to the bottom of the pool, use brush to disperse.
- Use only a clean, dry scoop to measure this product. Do not use the scoop for any other purpose.

WATER BALANCE: For best product performance, swimmer comfort, and crystal clear water: Maintain pH in the range of 7.2 to 7.6. Maintain total alkalinity in the range of 60 to 120 parts per million (ppm). Maintain calcium hardness above 200 ppm. Use a test kit that measures all these ranges. Use POOLIFE Pool Care Products to make adjustments. Follow label directions for each product.

Take a pool water sample to your authorized POOLIFE dealer regularly for a detailed water analysis. Re-entry into treated pools is prohibited above 4 ppm due to risk of bodily harm.

OPENING YOUR POOL: For best results, see the "Water Balance" section on this label before treatment. Always adjust and maintain pH in the 7.2 to 7.6 range. Follow "SHOCK TREATMENT/SUPERCHLORINATION" directions on this package. Allow 30 minutes for product to disperse.

Test free available chlorine residual with a pool test kit. Repeat treatment as needed.

SHOCK TREATMENT/SUPERCHELORINATION: For best results, see "WATER BALANCE" and "HOW TO USE" sections on this label before treatment. Every 7 days, or as necessary to prevent pool problems, shock treat/superchlorinate the pool by adding 9-16 ounces of this product per 10,000 gallons of water to provide 5 to 10 ppm available chlorine. Additional shock treatments may be required to correct problems which are caused by visible algae, high bathing loads, heavy wind and rainstorms. Additional shock treatments may also be required to correct problems such as unpleasant odors and eye irritation. Check the available chlorine with a suitable test kit.

WINTERIZING: For best results, see "WATER BALANCE" section on this label before treatment. Gradually add 26 ounces of this product per 10,000 gallons of pool water that is clear and clean. This provides 15 ppm free available chlorine. Follow "HOW TO USE" directions on this package. Run the filter pump until granules are completely dissolved. Cover the pool with a pool cover. Prepare the heater, pump and filter components for winterizing by following manufacturer's directions.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Irritating to nose and throat. • Do not get in eyes, on skin, or clothing. Do not handle with bare hands. Wear safety goggles or face shield, and rubber gloves when handling this product. For additional skin protection, wear long sleeves and long pants. • Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. • Open in a well-ventilated area. Do not breathe dust or fumes. • Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS: If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water.

• Do not allow to become wet or damp before use. • Do not mix this product with a small amount of water. Only add this product directly to your pool.

Can react with other materials, including other water treatment products, to cause intense fire, explosion, and the release of toxic gases. • Keep all foreign matter, including other water treatment products, away from this product. • Do not allow this product to contact other water treatment products. If used with a skimmer, make sure skimmer is completely free of residue from other water treatment products before putting this product in a skimmer.

Exposure to heat can cause this product to rapidly decompose, leading to intense fire, explosion, and the release of toxic gases.

• Store in a cool, dry, well-ventilated area.

Strong oxidizing agent. This product can increase fire intensity. Keep away from heat and from flame and burning material (like a lighted cigarette).

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

STORAGE & DISPOSAL:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. Do not contaminate food or feed by storage or disposal or cleaning of equipment. FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING."

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

EPA REG NO. 1258-1173
Superscript Used in Lot No.
EPA EST. NO. 75185-TN-001^{(7)(D)}
EPA EST. NO. 52270-GA-001^(C)
EPA EST. NO. 66397-OK-01^{(D)(C)}

Sold by:
Arch Chemicals, Inc.
P.O. Box 724438
Atlanta, GA 31139-1438

HELPLINE:
866-4-POOL-FUN
Toll-Free 866-476-6538

POOLIFE® and TurboShock® are registered trademarks of Arch Chemicals, Inc.

The POOLIFE™ logo is a trademark of Arch Chemicals, Inc.

IN CASE OF EMERGENCY CALL:
1-800-654-6911



VISIT
www.poolife.com
www.poolifemag.com



EXCLUSIVE POOL CARE COLLECTION

ACTIVE INGREDIENT:

Calcium Hypochlorite: 78%
OTHER INGREDIENTS: 22%
TOTAL 100%
Minimum Available Chlorine 75%

KEEP OUT OF REACH OF CHILDREN
DANGER

Contamination or improper use may cause intense fire, explosion, or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Do not mix this product with a small amount of water. Only add directly to your pool. Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Read all precautionary statements on back label and first aid statements before use.

Net Wt. 17 lbs. (7.7 kg)

SHOCK TREATMENT



TURBOSHOCK®

SHOCK TREATMENT

Good for all pool surfaces

Restores water clarity

All-in-one chlorinates, shocks and kills algae



FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. IN CASE OF EMERGENCY CALL: 1-800-654-6911.

5.77" h



UN 2880
RQ, CALCIUM HYPOCHLORITE,
HYDRATED MIXTURE

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Repeat treatment as needed. READ ALL PRECAUTIONARY STATEMENTS BEFORE USE. For best results follow the weekly POOLIFE® 3-Step System. Consult with your authorized POOLIFE Dealer for advice on the system that best suits your pool and your lifestyle.

Table with 2 columns: Step, Action. Step 1: Sanitize It!, Step 2: Shock It!, Step 3: Defend It!

HOW TO USE: Do not pre-mix this product before adding it to your pool or skimmer. Method for dosing directly into pool: Add the recommended dosage of this product during evening hours while the filter pump is running. When adding this product to your pool, broadcast the product evenly over a wide area in the deepest part of the pool. If any granules settle to the bottom of the pool, use brush to disperse. Use only a clean, dry scoop to measure this product. Do not use the scoop for any other purpose.

WATER BALANCE: For best product performance, swimmer comfort, and crystal clear water: Maintain pH in the range of 7.2 to 7.6. Maintain total alkalinity in the range of 60 to 120 parts per million (ppm). Maintain calcium hardness above 200 ppm. Use a test kit that measures all these ranges. Use POOLIFE Pool Care Products to make adjustments. Follow label directions for each product. Take a pool water sample to your authorized POOLIFE dealer regularly for a detailed water analysis. Re-entry into treated pools is prohibited above 4 ppm due to risk of bodily harm.

OPENING YOUR POOL: For best results, see the "Water Balance" section on this label before treatment. Always adjust and maintain pH in the 7.2 to 7.6 range. Follow "SHOCK TREATMENT/SUPERCHLORINATION" directions on this package. Allow 30 minutes for product to disperse.

Test free available chlorine residual with a pool test kit. Repeat treatment as needed. SHOCK TREATMENT/SUPERCHLORINATION: For best results, see "WATER BALANCE" and "HOW TO USE" sections on this label before treatment. Every 7 days, or as necessary to prevent pool problems, shock treat/superchlorinate the pool by adding 9-16 ounces of this product per 10,000 gallons of water to provide 5 to 10 ppm available chlorine. Additional shock treatments may be required to correct problems which are caused by visible algae, high bathing loads, heavy wind and rainstorms. Additional shock treatments may also be required to correct problems such as unpleasant odors and eye irritation. Check the available chlorine with a suitable test kit.

WINTERIZING: For best results, see "WATER BALANCE" section on this label before treatment. Gradually add 26 ounces of this product per 10,000 gallons of pool water that is clear and clean. This provides 15 ppm free available chlorine. Follow "HOW TO USE" directions on this package. Run the filter pump until granules are completely dissolved. Cover the pool with a pool cover. Prepare the heater, pump and filter components for winterizing by following manufacturer's directions.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Irritating to nose and throat. Do not get in eyes, on skin, or clothing. Do not handle with bare hands. Wear safety goggles or face shield, and rubber gloves when handling this product. For additional skin protection, wear long sleeves and long pants. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Open in a well-ventilated area. Do not breathe dust or fumes. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS: If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Do not allow to become wet or damp before use. Do not mix this product with a small amount of water. Only add this product directly to your pool.

Can react with other materials, including other water treatment products, to cause intense fire, explosion, and the release of toxic gases. Keep all foreign matter, including other water treatment products, away from this product. Do not allow this product to contact other water treatment products. If used with a skimmer, make sure skimmer is completely free of residue from other water treatment products before putting this product in a skimmer. Exposure to heat can cause this product to rapidly decompose, leading to intense fire, explosion, and the release of toxic gases. Store in a cool, dry, well-ventilated area. Strong oxidizing agent. This product can increase fire intensity. Keep away from heat and from flame and burning material (like a lighted cigarette).

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

STORAGE & DISPOSAL: Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. Do not contaminate food or feed by storage or disposal or cleaning of equipment. FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING."

EMERGENCY HANDLING: In case of contamination or decomposition - Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

EPA REG NO. 1258-1173
Superscript Used in Lot No.
EPA EST. NO. 75185-TN-001(TM)
EPA EST. NO. 52270-GA-001(CI)
EPA EST. NO. 66397-OK-01(OK)

Sold by:
Arch Chemicals, Inc.
P.O. Box 724438
Atlanta, GA 31139-1438
HELPLINE:
866-4-POOL-FUN
Toll-Free 866-476-6538

POOLIFE® and TurboShock® are registered trademarks of Arch Chemicals, Inc. The POOLIFE™ logo is a trademark of Arch Chemicals, Inc.

IN CASE OF EMERGENCY CALL:
1-800-654-6911



VISIT
www.poolife.com
www.poolifemag.com

22402
PART NO. 352359
22402-A-0912

