

New advanced formula



super 3" chlorinating tablets

- chlorinates up to one week
- contains built-in resistance to sunlight
- contains built-in algae fighter
- contains built-in clarifier



sanitize

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF EMERGENCY CALL:
1-800-654-6911



 Department of Agriculture
 STATE OF HAWAII
LICENSED
 PERIOD 2011-2013 LIC. NO.
LICENSED
 PERIOD 2014-2016 LIC. NO.

9338.448

ACTIVE INGREDIENTS:

Trichloro-s-Triazinetrione	93.6%
Zinc sulfate monohydrate	3.5%
OTHER INGREDIENTS:	2.9%
TOTAL:	100.0%
Available Chlorine	84%

**KEEP OUT OF REACH
OF CHILDREN**

**MANTÉNGASE FUERA DEL
ALCANCE DE LOS NIÑOS**

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Causes eye and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Irritating to nose and throat.

- Open in a well ventilated area. Avoid breathing dust and fumes.
- Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves. For additional protection of skin, wear long sleeves and long pants.
- Wash hands after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove contaminated clothing and wash clothing before reuse.

Read all precautionary statements on back label and all first aid statements before use.

Net Wt. 50 lbs. (22.7 kg)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HTH® Super 3™ Chlorinating Tablets are a unique and effective pool water sanitizer. Routine sanitization is important to keep your pool water free of bacteria and contaminants. These convenient and easy to use tablets are formulated to protect against chlorine loss in direct sunlight, and can be used in skimmers, floaters and feeders. In addition to sanitizing, **HTH Super 3™ Chlorinating Tablets** prevent algae growth and clarify your pool water. They are designed to dissolve slowly to provide a steady source of available chlorine.

For crystal clear pool water, follow our 4 step pool care program: **Step 1: Test and balance pool water, Step 2: Sanitize, Step 3: Shock at least once a week, and Step 4: Add algaecide as directed by that product.**

METHOD OF APPLICATION: Use in a floating dispenser, automatic chlorinator, or feeder designed for this product, or place in skimmer. Use in a new chlorinating device or any device which has previously contained only this product or trichloro-s-triazinetrione. If placed in the skimmer, run the pump a minimum of eight hours daily. **DO NOT** Use in floaters or feeders that have been used with other water treatment products. **DO NOT** Throw tablets directly into pool. **DO NOT** permit tablets to contact plastic pool linings or metal objects. **DO NOT** Use in any chlorinating device which has been used with other chlorinating compounds.

WATER BALANCE: Adjust and maintain pool water pH from 7.2 to 7.6, total alkalinity from 80 to 120 parts per million (ppm) and calcium hardness above 200 ppm. Test frequently using an HTH test kit or test strips that measure all of the above ranges. Maintain free available chlorine between 1-4 ppm using a stabilized chlorine product.

OPENING YOUR POOL: Balance pool water, shock treat, and stabilize your pool using **HTH Stabilizer & Conditioner** and by following directions on that label. Then follow "ROUTINE CHLORINATION" directions.

ROUTINE CHLORINATION: Ensure that the skimmer basket or floater is free of any other chemicals, tablets, or residue. Place this product in the skimmer basket or floater. Use one tablet per 10,000 gallons of water. Do not add other chemicals to the skimmer or floater while this product is present. This product is not recommended for use in vinyl-lined pools without an automatic timer on the filter pump. Pump should run a minimum of 8 hours per day, otherwise vinyl liner damage may occur. If free available chlorine goes above 4 ppm, reduce skimmer flow rate or daily pump operation time. Reentry into treated swimming pool is prohibited above levels of 4 ppm free available chlorine due to risk of bodily injury. If chlorine residual goes below 1 ppm, add enough **HTH** granular shock to maintain 1-4 ppm of chlorine, and increase skimmer flow rate or daily pump operation time. Place a new **HTH** tablet per 10,000 gallons of pool volume into the skimmer each week, or when the old tablet has fully dissolved. The number of tablets and frequency of use will vary with bather load, water temperature, rain, and pump operating time.

PHYSICAL AND CHEMICAL HAZARDS:
DANGER. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gas and spatter. Do not add water to this product. Add only into water.

- Do not mix this product with a small amount of water. Only add this product directly to your pool.
- Do not allow to become wet or damp before use.

Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.

- Keep all foreign matter, including other water treatment products, away from this product.
- Use only clean and dry utensils to dispense this product.
- Do not allow this product to contact other water treatment products. If used in a skimmer, make sure skimmer is completely clean and free of residue from other water treatment products before putting this product in a skimmer.
- Avoid spilling this product.

Exposure to heat can cause this product to rapidly decompose, leading to fire, explosion, and the release of toxic gases.

- Store in a cool, dry, well ventilated area away from heat or open flame.

Strong oxidizing agent. This product can increase fire intensity.

• Keep away from heat and from flame and burning material (like a lighted cigarette).
Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. **If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Do not mix this product with a small amount of water. Only add directly to your pool. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled, or absorbed through the skin.**

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment

plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. If not, discard in trash. FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING".

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

**IN CASE OF EMERGENCY
CALL: 1-800-654-6911**



EPA REG. NO. 1258-1338

Superscript Used in Lot Number:

EPA EST. NO. 73660-CHN-001 ^[HB]

EPA EST. NO. 73660-CHN-002 ^[HX]

EPA EST. NO. 082299-C-002 ^[CO]

EPA EST. NO. 082299-PA-001 ^[PA]

EPA EST. NO. 082299-WI-001 ^[WI]

EPA EST. NO. 082299-TX-001 ^[WM]

EPA EST. NO. 082299-GA-001 ^[MC]

EPA EST. NO. 3525-NJ-001 ^[NJ]

EPA EST. NO. 66397-OK-01 ^[OK]

Sold by:

Arch Chemicals, Inc.

P.O. Box 724438

Atlanta, GA 31139-1438

HTH[®] and HTH[®] logo are registered trademarks of Arch Chemicals, Inc.


HELPLINE
866-HTH-POOL
Toll-Free
CALL 7 DAYS A WEEK WITH YOUR
QUESTIONS CONCERNING POOL
WATER CARE.
8:00 A.M.-10:00 P.M. EASTERN TIME

Visit HTH POOLS

www.hthpools.com

PRODUCT OF CHINA

New advanced formula



super 3" chlorinating tablets

- chlorinates up to one week
- contains built-in resistance to sunlight
- contains built-in algae fighter
- contains built-in clarifier

- balance
- shock
- prevent algae
- prevent algae

sanitize

FIRST AID:
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF EMERGENCY CALL:
1-800-654-6911

ACTIVE INGREDIENTS:
 Trichloro-s-triazinetrione 93.6%
 Zinc sulfate monohydrate 3.5%
OTHER INGREDIENTS: 2.9%
TOTAL: 100.0%
 Available Chlorine 84%

KEEP OUT OF REACH OF CHILDREN
MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

DANGER

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Causes eye and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Irritating to nose and throat.

• Open in a well ventilated area. Avoid breathing dust and fumes. • Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves. For additional protection of skin, wear long sleeves and long pants. • Wash hands after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. • Remove contaminated clothing and wash clothing before reuse.
Read all precautionary statements on back label and all first aid statements before use.

Net Wt. 50 lbs. (22.7 kg)

00000

PART NO. 00000



DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HTH® Super 3" Chlorinating Tablets are a unique and effective pool water sanitizer. Routine sanitization is important to keep your pool water free of bacteria and contaminants. These convenient and easy to use tablets are formulated to protect against chlorine loss in direct sunlight, and can be used in skimmers, floaters and feeders. In addition to sanitizing, **HTH Super 3" Chlorinating Tablets** prevent algae growth and clarify your pool water. They are designed to dissolve slowly to provide a steady source of available chlorine.

For crystal clear pool water, follow our 4 step pool care program: **Step 1: Test and balance pool water, Step 2: Sanitize, Step 3: Shock at least once a week, and Step 4: Add algaeicide as directed by that product.**

METHOD OF APPLICATION: Use in a floating dispenser, automatic chlorinator, or feeder designed for this product, or place in skimmer. Use in a new chlorinating device or any device which has previously contained only this product or trichloro-s-triazinetrione. If placed in the skimmer, run the pump a minimum of eight hours daily. **DO NOT** Use in floaters or feeders that have been used with other water treatment products. **DO NOT** Throw tablets directly into pool. **DO NOT** permit tablets to contact plastic pool linings or metal objects. **DO NOT** Use in any chlorinating device which has been used with other chlorinating compounds.

WATER BALANCE: Adjust and maintain pool water pH from 7.2 to 7.6, total alkalinity from 80 to 120 parts per million (ppm) and calcium hardness above 200 ppm. Test frequently using an HTH test kit or test strips that measure all of the above ranges. Maintain free available chlorine between 1-4 ppm using a stabilized chlorine product.

OPENING YOUR POOL: Balance pool water, shock treat, and stabilize your pool using **HTH Stabilizer & Conditioner** and by following directions on that label. Then follow "ROUTINE CHLORINATION" directions.

ROUTINE CHLORINATION: Ensure that the skimmer basket or floater is free of any other chemicals, tablets, or residue. Place this product in the skimmer basket or floater. Use one tablet per 10,000 gallons of water. Do not add other chemicals to the skimmer or floater while this product is present. This product is not recommended for use in vinyl-lined pools without an automatic timer on the filter pump. Pump should run a minimum of 8 hours per day, otherwise vinyl liner damage may occur. If free available chlorine goes above 4 ppm, reduce skimmer flow rate or daily pump operation time. Reentry into treated swimming pool is prohibited above levels of 4 ppm free available chlorine due to risk of bodily injury. If chlorine residual goes below 1 ppm, add enough HTH granular shock to maintain 1-4 ppm of chlorine, and increase skimmer flow rate or daily pump operation time.

Place a new HTH tablet per 10,000 gallons of pool volume into the skimmer each week, or when the old tablet has fully dissolved. The number of tablets and frequency of use will vary with bather load, water temperature, rain, and pump operating time.

PHYSICAL AND CHEMICAL HAZARDS:
DANGER: If product is exposed to small amounts of water, it can react violently to produce heat and toxic gas and spatter. Do not add water to this product. Add only into water.

• Do not mix this product with a small amount of water. Only add this product directly to your pool.
 • Do not allow to become wet or damp before use.
Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.

• Keep all foreign matter, including other water treatment products, away from this product.
 • Use only clean and dry utensils to dispense this product.
 • Do not allow this product to contact other water treatment products. If used in a skimmer, make sure skimmer is completely clean and free of residue from other water treatment products before putting this product in a skimmer. • Avoid spilling this product.
Exposure to heat can cause this product to rapidly decompose, leading to fire, explosion, and the release of toxic gases.

• Store in a cool, dry, well ventilated area away from heat or open flame.
Strong oxidizing agent. This product can increase fire intensity.

• Keep away from heat and from flame and burning material (like a lit cigarette).
Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Do not mix this product with a small amount of water. Only add directly to your pool. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled, or absorbed through the skin.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment

plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL:
 Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. If not, discard in trash. **FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING."**

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reutil container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

IN CASE OF EMERGENCY CALL: 1-800-654-6911



EPA REG. NO. 1259-1338
 Superscript Used in Lot Number:
 EPA EST. NO. 73660-CHN-001 TM
 EPA EST. NO. 73660-CHN-002 TM
 EPA EST. NO. 082229-C-002 TM
 EPA EST. NO. 082229-PA-001 TM
 EPA EST. NO. 082229-WI-001 TM
 EPA EST. NO. 082229-TX-001 TM
 EPA EST. NO. 082229-GA-001 TM
 EPA EST. NO. 3525-AJ-001 TM
 EPA EST. NO. 66397-OK-01 TM

Sold by:
 Arch Chemicals, Inc.
 P.O. Box 724433
 Atlanta, GA 31159-1438

HTH® and HTH® logo are registered trademarks of Arch Chemicals, Inc.

PRODUCT OF CHINA



Visit HTH POOLS
www.hthpools.com