



®



LICENSED

PERIOD 2014-2016 LIC. NO.

9338.451

FIRST AID:
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
 Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
IN CASE OF EMERGENCY CALL:
1-800-654-6911

3" chlorinating tablets
provides long lasting chlorination
 • sun protected for extended chlorine life
ofrece cloración de larga duración
 • protección solar para extender la duración del cloro

1 balance **2** 3 shock 4 prevent algae

sanitize

ACTIVE INGREDIENT:
 Trichloro-s-Triazinetrione92.4%
OTHER INGREDIENTS: 7.6%
TOTAL:100.0%
 Available Chlorine 84%

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not mix this product with a small amount of water. Only add directly to your pool. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. See back panel for precautionary statements.

Net Wt. 37.5 lbs. (17 kg)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL PRECAUTIONARY STATEMENTS BEFORE USE

SWIMMING POOLS

Why You Should Use This Product: When used as directed, this product is effective as a swimming pool water sanitizer. These convenient and easy to use tablets are formulated to protect against chlorine loss in direct sunlight. They are designed to dissolve slowly providing a steady source of available chlorine (up to 1 week) for complete swimming enjoyment in your pool.

For crystal clear pool water, follow our 4 step pool care program: **Step 1:** Test and adjust pool water balance, **Step 2:** Chlorinate and clarify, **Step 3:** Shock treat your pool at least once a week, and **Step 4:** Add algaecide regularly.

WATER BALANCE: To provide optimum product performance, swimmer comfort and crystal clear water, always maintain pH from 7.2 to 7.6, total alkalinity from 60 to 120 parts per million (ppm) and calcium hardness above 200 ppm. Test frequently using an HTH® test kit or test strips that measure all of the above ranges.

OPENING YOUR POOL: Balance pool water, shock treat, and stabilize your pool using HTH Stabilizer. Follow stabilizer label directions. Then follow "ROUTINE CHLORINATION" directions.

ROUTINE CHLORINATION: This product is designed to dissolve slowly, providing a steady source of available chlorine in swimming pools to control the growth of algae, kill bacteria and destroy organic

contaminants.

One tablet will provide an effective chlorine residual of 1-4 parts per million (ppm) in 10,000 gallons of water for up to 1 week under normal use conditions.

SHOCK TREATMENT /

SUPERCHLORINATION: Every 7 days, or as necessary to prevent pool problems, shock treat/superchlorinate the pool. Additional shock treatments may be required to correct problems which are caused by visible algae, high bathing loads, heavy winds and rainstorms. Additional shock treatments may also be required to prevent problems such as unpleasant odors and eye irritation.

Check available chlorine using an HTH test kit or test strips. Re-entry into treated swimming pool is prohibited at available chlorine levels above 4 ppm due to risk of bodily harm.

HOW TO CALCULATE POOL CAPACITY


SHAPE OF POOL	GAL. OF WATER (dimensions in feet)
Rectangular	Average depth X average length X average width X 7.5
Circular	Diameter X diameter X average depth X 5.9
Oval with straight sides	Full width X full length X average depth X 6.7
Irregular	Consult pool builder

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

DANGER: Corrosive. Causes irreversible eye damage. Causes eye and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Irritating to nose and throat.

41229

PART NO. 351686
41229-A-0611



- Open in a well ventilated area. Avoid breathing dust and fumes.
- Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves. For additional protection of skin, wear long sleeves and long pants.
- Wash hands after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove contaminated clothing and wash clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS:

DANGER. Strong oxidizing agent. This product can increase fire intensity. Keep away from heat and from flame and burning material (like a lighted cigarette). **If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not add water to this product. Add only into water.**

- Do not allow to become wet or damp before use.

Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.

- Keep all foreign matter, including other water treatment products, away from this product.
 - Do not mix with other products or dissolve before use.
 - Do not use this product in a floater or feeder that has been used with any other product. If used with a skimmer, make sure skimmer is completely free of residue from other water treating products before putting this product in a skimmer.
- ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.

STORAGE & DISPOSAL:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. If not, discard in trash. **FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING".**

EMERGENCY HANDLING: In case of contamination or decomposition, do not reseal container. Isolate in open well-ventilated area. Flood with large volume of water. Cool unopened container in vicinity by water spray.

EPA REG. NO. 1258-1278

Superscript Used in Lot Number:

- EPA EST. NO. 3525-NJ-01** [NJ]
- EPA EST. NO. 66397-OK-01** [OK]
- EPA EST. NO. 082299-CA-002** [CO]
- EPA EST. NO. 082299-PA-001** [PA]
- EPA EST. NO. 082299-WI-001** [WI]
- EPA EST. NO. 082299-TX-001** [WM]
- EPA EST. NO. 082299-GA-001** [MC]
- EPA EST. NO. 73660-CHN-001** [HB]
- EPA EST. NO. 73660-CHN-002** [HX]

Sold by:
Arch Chemicals, Inc.
P.O. Box 724438
Atlanta, GA 31139-1438

HTH® and the HTH® logo are registered trademarks of Arch Chemicals, Inc.

Product of China



**WARNING
AVISO**



Children can fall into bucket and drown. Keep children away from bucket with even a small amount of liquid.

Los Niños pueden caerse a este cubo y ahogarse. No deje que los niños se acerquen a este cubo aunque solo contenga una pequeña cantidad de liquido.

hth
HELPLINE
866-HTH-POOL
Toll-Free
CALL 7 DAYS A WEEK WITH YOUR QUESTIONS CONCERNING POOL WATER CARE.
8:00 A.M.-10:00 P.M. EASTERN TIME
Visit HTH POOLS
www.hthpools.com

**IN CASE OF EMERGENCY
CALL: 1-800-654-6911**

STOP!
Do Not Mix with other products or dissolve before use.
Read precautions/ first aid statements on label.



3" chlorinating tablets

- provides long lasting chlorination
- sun protected for extended chlorine life
- ofrece cloración de larga duración
- protección solar para extender la duración del cloro



sanitize

ACTIVE INGREDIENT:
Trichloro-s-Triazinetrione92.4%
OTHER INGREDIENTS: 7.6%
TOTAL:100.0%
Available Chlorine 84%

KEEP OUT OF REACH OF CHILDREN DANGER

Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not mix this product with a small amount of water. Only add directly to your pool. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. See back panel for precautionary statements.

Net Wt. 37.5 lbs. (17 kg)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL PRECAUTIONARY STATEMENTS BEFORE USE

SWIMMING POOLS

Why You Should Use This Product: When used as directed, this product is effective as a swimming pool water sanitizer. These convenient and easy to use tablets are formulated to protect against chlorine loss in direct sunlight. They are designed to dissolve slowly providing a steady source of available chlorine (up to 1 week) for complete swimming enjoyment in your pool.

For crystal clear pool water, follow our 4 step pool care program: **Step 1:** Test and adjust pool water balance, **Step 2:** Chlorinate and clarify, **Step 3:** Shock treat your pool at least once a week, and **Step 4:** Add algaecide regularly.

WATER BALANCE: To provide optimum product performance, swimmer comfort and crystal clear water, always maintain pH from 7.2 to 7.6, total alkalinity from 60 to 120 parts per million (ppm) and calcium hardness above 200 ppm. Test frequently using an HTH® test kit or test strips that measure all of the above ranges.

OPENING YOUR POOL: Balance pool water, shock treat, and stabilize your pool using HTH Stabilizer. Follow stabilizer label directions. Then follow "ROUTINE CHLORINATION" directions.

ROUTINE CHLORINATION: This product is designed to dissolve slowly, providing a steady source of available chlorine in swimming pools to control the growth of algae, kill bacteria and destroy organic

contaminants.

One tablet will provide an effective chlorine residual of 1-4 parts per million (ppm) in 10,000 gallons of water for up to 1 week under normal use conditions.

SHOCK TREATMENT / SUPERCHLORINATION:

Every 7 days, or as necessary to prevent pool problems, shock treat/superchlorinate the pool. Additional shock treatments may be required to correct problems which are caused by visible algae, high bathing loads, heavy winds and rainstorms. Additional shock treatments may also be required to prevent problems such as unpleasant odors and eye irritation.

Check available chlorine using an HTH test kit or test strips. Re-entry into treated swimming pool is prohibited at available chlorine levels above 4 ppm due to risk of bodily harm.

HOW TO CALCULATE POOL CAPACITY

SHAPE OF POOL	GAL. OF WATER (dimensions in feet)
Rectangular	Average depth X average length X average width X 7.5
Circular	Diameter X diameter X average depth X 5.9
Oval with straight sides	Full width X full length X average depth X 6.7
Irregular	Consult pool builder

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

DANGER: Corrosive. Causes irreversible eye damage. Causes eye and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Irritating to nose and throat.

- Open in a well ventilated area. Avoid breathing dust and fumes.
- Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves. For additional protection of skin, wear long sleeves and long pants.
- Wash hands after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove contaminated clothing and wash clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS:

DANGER. Strong oxidizing agent. This product can increase fire intensity. Keep away from heat and from flame and burning material (like a lighted cigarette). **If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not add water to this product. Add only into water.**

- Do not allow to become wet or damp before use.

Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.

- Keep all foreign matter, including other water treatment products, away from this product.
- Do not mix with other products or dissolve before use.
- Do not use this product in a floater or feeder that has been used with any other product. If used with a skimmer, make sure skimmer is completely free of residue from other water treating products before putting this product in a skimmer.
- ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.

STORAGE & DISPOSAL:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. If not, discard in trash. FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING".

EMERGENCY HANDLING: In case of contamination or decomposition, do not reseal container. Isolate in open well-ventilated area. Flood with large volume of water. Cool unopened container in vicinity by water spray.

EPA REG. NO. 1258-1278

- Superscript Used in Lot Number:
- EPA EST. NO. 3525-NJ-01 ^[NJ]
- EPA EST. NO. 66397-OK-01 ^[OK]
- EPA EST. NO. 082299-CA-002 ^[CO]
- EPA EST. NO. 082299-PA-001 ^[PA]
- EPA EST. NO. 082299-WI-001 ^[WI]
- EPA EST. NO. 082299-TX-001 ^[WM]
- EPA EST. NO. 082299-GA-001 ^[MC]
- EPA EST. NO. 73660-CHN-001 ^[HB]
- EPA EST. NO. 73660-CHN-002 ^[HX]


Sold by:
Arch Chemicals, Inc.
P.O. Box 724438
Atlanta, GA 31139-1438

HTH® and the HTH® logo are registered trademarks of Arch Chemicals, Inc.

Product of China

41229

PART NO. 351686
41229-A-0611



WARNING AVISO



Children can fall into bucket and drown. Keep children away from bucket with even a small amount of liquid.

Los Niños pueden caerse a este cubo y ahogarse. No deje que los niños se acerquen a este cubo aunque solo contenga una pequeña cantidad de liquido.



HELPLINE
866-HTH-POOL
Toll-Free
CALL 7 DAYS A WEEK WITH YOUR QUESTIONS CONCERNING POOL WATER CARE.
8:00 A.M. -10:00 P.M. EASTERN TIME

Visit HTH POOLS
www.hthpools.com

IN CASE OF EMERGENCY
CALL: 1-800-654-6911

