- Keep all foreign matter, including other water treatment products, away from this product.

Use only clean dry equipment to dispense this product.

- Do not use this product in a container or dispensing device that has been used with any other product.

Exposure to heat can cause this product to rapidly decompose, leading to intense fire, explosion, and the release of toxic gases.

- Store in a cool, dry, well-ventilated area. Strong oxidizing agent. This product can increase fire intensity. Keep away from heat and from flame and burning material (like a lighted cigarette).

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

STORAGE & DISPOSAL:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. Do not contaminate food or feed by storage or disposal or cleaning of equipment.

FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING".

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

EPA REG. NO. 1258-1239
Superscript Used in Lot. No.:
EPA EST. NO. 1258-TN-01[CH]
EPA EST. NO. 75185-TN-001[TN]
EPA EST. NO. 52270-GA-01[C]

Sold by:
Arch Chemicals, Inc.
P.O. Box 724438
Atlanta, GA 31139-1438

Arch HELPLINE: 800-478-5727

DryTec® is a registered trademark of Arch Chemicals, Inc.

IN CASE OF EMERGENCY CALL: 1-800-654-6911

PART NO. 353484
ITEM NO. 23224
23224-A-1013

0 73187 23224 3

Extra Shock

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2014-2016 LIC. NO. 9338.476

ACTIVE INGREDIENT: CALCIUM HYPOCHLORITE 73%
OTHER INGREDIENTS: 27%
TOTAL 100%
MINIMUM AVAILABLE CHLORINE 70%

KEEP OUT OF REACH OF CHILDREN

DANGER

Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Highly Corrosive. Causes skin and eye damage. May be fatal if swallowed.

Read all precautionary statements and first aid before use.

FIRST AID:
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
IN CASE OF EMERGENCY CALL: 1-800-654-6911

Net Wt. 1 lb. (16 oz.) 454 g

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ ALL PRECAUTIONARY STATEMENTS BEFORE USE.

HOW TO USE: Add the recommended dosage of this product during evening hours while the filter pump is running. When adding this product to your pool, broadcast the product evenly over a wide area in the deepest part of the pool. Use entire contents when opened. If any granules settle to the bottom of the pool, use brush to disperse.

WATER BALANCE: For best product performance, swimmer comfort, and crystal clear water: Maintain pH in the range of 7.2 to 7.6. Maintain total alkalinity in the range of 60 to 120 parts per million (ppm). Maintain calcium hardness above 200 ppm. Use a test kit that measures all these ranges. Use Pool Care Products to make adjustments. Follow label directions for each product.

Re-entry into treated pools is prohibited above 4 ppm due to risk of bodily harm.

OPENING YOUR POOL: For best results, see the "WATER BALANCE" section on this package before treatment. Always adjust and maintain pH in the 7.2 to 7.6 range. Follow "SHOCK TREATMENT/ SUPERCHLORINATION" directions on this package. Allow 30 minutes for product to disperse. Test free available chlorine residual with a pool test kit. Repeat treatment as needed.

SHOCK TREATMENT / SUPERCHLORINATION: For best results, see "WATER BALANCE" and "HOW TO USE" sections above before treatment. Every 7 days, or as necessary to prevent pool problems, shock treat / super chlorinate the pool by adding one bag of this product per 10,000 gallons of water to provide 5 to 10 ppm available chlorine.

One bag treats up to 10,000 gallons of water. Additional shock treatments may be required to correct problems which are caused by visible algae, high bathing loads, heavy wind and rainstorms. Additional shock treatments may also be required to correct problems such as unpleasant odors and eye irritation. Check the available chlorine with a suitable test kit.

ALGAE CONTROL: Follow "SHOCK TREATMENT/ SUPERCHLORINATION" directions on this label. Add this product as close as possible to any algae on the sides or bottom of the pool. If necessary, repeat the treatment. To prevent possible staining or bleaching, take the following steps immediately after treatment: Thoroughly clean pool by brushing surface of algae growth, vacuum and cycle through filter.

For preventative algae control, use your preferred algaecide product regularly. Follow label directions on the algaecide.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Irritating to nose and throat.

- Open in a well-ventilated area. Avoid breathing dust and fumes.
- Do not get in eyes, on skin or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves when handling. For additional protection of skin, wear long sleeves and long pants.
- Remove and wash contaminated clothing before reuse.

Only use utensils that are thoroughly clean and dry. Irritating to nose and throat. Avoid breathing dust and fumes.

- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or going to restroom.

PHYSICAL and CHEMICAL HAZARDS:
If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water.

- Do not allow to become wet or damp before use.
- Can react with other materials, including other water treatment products, to cause intense fire, explosion, and the release of toxic gases.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

9338.476

Extra Shock

ACTIVE INGREDIENT: CALCIUM HYPOCHLORITE 73%
OTHER INGREDIENTS: 27%
TOTAL 100%
MINIMUM AVAILABLE CHLORINE 70%

KEEP OUT OF REACH OF CHILDREN
DANGER

Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Highly Corrosive. Causes skin and eye damage. May be fatal if swallowed.

Read all precautionary statements and first aid before use.

FIRST AID:
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
IN CASE OF EMERGENCY CALL: 1-800-654-6911

Net Wt. 25 lbs. (11.3 kg.)

UN 2880
RQ, Calcium Hypochlorite, Hydrated Mixture

23225
PART NO. 353491
23225-A-1013

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ ALL PRECAUTIONARY STATEMENTS BEFORE USE.
HOW TO USE: Add the recommended dosage of this product during evening hours while the filter pump is running. When adding this product to your pool, broadcast the product evenly over a wide area in the deepest part of the pool. Use a clean, dry scoop to measure this product. Do not use the scoop for any other purpose. If any granules settle to the bottom of the pool, use brush to disperse.
WATER BALANCE: For best product performance, swimmer comfort, and crystal clear water: Maintain pH in the range of 7.2 to 7.6. Maintain total alkalinity in the range of 60 to 120 parts per million (ppm). Maintain calcium hardness above 200 ppm. Use a test kit that measures all these ranges. Use Pool Care Products to make adjustments. Follow label directions for each product.
Re-entry into treated pools is prohibited above 4 ppm due to risk of bodily harm.
OPENING YOUR POOL: For best results, see the "WATER BALANCE" section on this package before treatment. Always adjust and maintain pH in the 7.2 to 7.6 range. Follow "SHOCK TREATMENT/ SUPERCHLORINATION" directions on this package. Allow 30 minutes for product to disperse. Test free available chlorine residual with a pool test kit. Repeat treatment as needed.
SHOCK TREATMENT / SUPERCHLORINATION: For best results, see "WATER BALANCE" and "HOW TO USE" sections above before treatment. Every 7 days, or as necessary to prevent pool problems, shock treat / super chlorinate the pool by adding 9-18 ounces of this product per 10,000 gallons of water to provide 5 to 10 ppm available chlorine. Additional shock treatments may be required to correct problems which are caused by visible algae, high bathing loads, heavy wind and rainstorms. Additional shock treatments may also be required to correct problems such as unpleasant odors and eye irritation. Check the available chlorine with a suitable test kit.
ALGAE CONTROL: Follow "SHOCK TREATMENT/ SUPERCHLORINATION" directions on this label. Add this product as close as possible to any algae on the sides or bottom of the pool. If necessary, repeat the treatment. To prevent possible staining or bleaching, take the following steps immediately after treatment: Thoroughly clean pool by brushing surface of algae growth, vacuum and cycle through filter.
For preventative algae control, use your preferred algaecide product regularly. Follow label directions on the algaecide.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER: Highly corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Irritating to nose and throat.
- Open in a well-ventilated area. Avoid breathing dust and fumes.
- Do not get in eyes, on skin or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves when handling. For additional protection of skin, wear long sleeves and long pants.
- Remove and wash contaminated clothing before reuse.

Only use utensils that are thoroughly clean and dry. Irritating to nose and throat. Avoid breathing dust and fumes.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or going to restroom.

PHYSICAL and CHEMICAL HAZARDS:
If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water.
- Do not allow to become wet or damp before use.
- Can react with other materials, including other water treatment products, to cause intense fire, explosion, and the release of toxic gases.
- Keep all foreign matter, including other water treatment products, away from this product.

Use only clean dry equipment to dispense this product.
- Do not use this product in a container or dispensing device that has been used with any other product.

Exposure to heat can cause this product to rapidly decompose, leading to intense fire, explosion, and the release of toxic gases.
- Store in a cool, dry, well-ventilated area.

Strong oxidizing agent. This product can increase fire intensity. Keep away from heat and from flame and burning material (like a lighted cigarette).
ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

STORAGE & DISPOSAL:
Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame.
Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. Do not contaminate food or feed by storage or disposal or cleaning of equipment.
FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING".

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

EPA REG. NO. 1258-1239
Superscript Used in Lot. No.:
EPA EST. NO. 1258-TN-01[CN]
EPA EST. NO. 75185-TN-001[TN]
EPA EST. NO. 52270-GA-01[CL]

Sold by:
Arch Chemicals, Inc.
P.O. Box 724438
Atlanta, GA 31139-1438
Arch HELPLINE: 800-478-5727

DryTec® is a registered trademark of Arch Chemicals, Inc.

IN CASE OF EMERGENCY CALL: 1-800-654-6911

Extra Shock

ACTIVE INGREDIENT: CALCIUM HYPOCHLORITE 73%
OTHER INGREDIENTS: 27%
TOTAL 100%
MINIMUM AVAILABLE CHLORINE 70%

KEEP OUT OF REACH OF CHILDREN

DANGER

Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water. Highly Corrosive. Causes skin and eye damage. May be fatal if swallowed.

Read all precautionary statements and first aid before use.

FIRST AID:
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
IN CASE OF EMERGENCY CALL: 1-800-654-6911

Net Wt. 25 lbs. (11.3 kg.)

.625" .625"

UN 2880

RQ, Calcium Hypochlorite, Hydrated Mixture

23225

PART NO. 353491

23225-A-1013

0 73187 23225 0

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL PRECAUTIONARY STATEMENTS BEFORE USE.

HOW TO USE: Add the recommended dosage of this product during evening hours while the filter pump is running. When adding this product to your pool, broadcast the product evenly over a wide area in the deepest part of the pool. Use a clean, dry scoop to measure this product. Do not use the scoop for any other purpose. If any granules settle to the bottom of the pool, use brush to disperse.

WATER BALANCE: For best product performance, swimmer comfort, and crystal clear water: Maintain pH in the range of 7.2 to 7.6. Maintain total alkalinity in the range of 60 to 120 parts per million (ppm). Maintain calcium hardness above 200 ppm. Use a test kit that measures all these ranges. Use Pool Care Products to make adjustments. Follow label directions for each product.

Re-entry into treated pools is prohibited above 4 ppm due to risk of bodily harm.

OPENING YOUR POOL: For best results, see the "WATER BALANCE" section on this package before treatment. Always adjust and maintain pH in the 7.2 to 7.6 range. Follow "SHOCK TREATMENT/ SUPERCHLORINATION" directions on this package. Allow 30 minutes for

product to disperse. Test free available chlorine residual with a pool test kit. Repeat treatment as needed.

SHOCK TREATMENT / SUPERCHLORINATION: For best results, see "WATER BALANCE" and "HOW TO USE" sections above before treatment. Every 7 days, or as necessary to prevent pool problems, shock treat / super chlorinate the pool by adding 9-18 ounces of this product per 10,000 gallons of water to provide 5 to 10 ppm available chlorine. Additional shock treatments may be required to correct problems which are caused by visible algae, high bathing loads, heavy wind and rainstorms. Additional shock treatments may also be required to correct problems such as unpleasant odors and eye irritation. Check the available chlorine with a suitable test kit.

ALGAE CONTROL: Follow "SHOCK TREATMENT/ SUPERCHLORINATION" directions on this label. Add this product as close as possible to any algae on the sides or bottom of the pool. If necessary, repeat the treatment. To prevent possible staining or bleaching, take the following steps immediately after treatment: Thoroughly clean pool by brushing surface of algae growth, vacuum and cycle through filter.

For preventative algae control, use your preferred algaecide product regularly. Follow label directions on the algaecide.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Irritating to nose and throat.

- Open in a well-ventilated area. Avoid breathing dust and fumes.
- Do not get in eyes, on skin or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves when handling. For additional protection of skin, wear long sleeves and long pants.
- Remove and wash contaminated clothing before reuse.

Only use utensils that are thoroughly clean and dry. Irritating to nose and throat. Avoid breathing dust and fumes.

- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or going to restroom.

PHYSICAL and CHEMICAL HAZARDS: If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Do not add water to this product. Add only into water.

- Do not allow to become wet or damp before use.
- Can react with other materials, including other water treatment products, to cause intense fire, explosion, and the release of toxic gases.
- Keep all foreign matter, including other water treatment products, away from this product.

Use only clean dry equipment to dispense this product.

- Do not use this product in a container or dispensing device that has been used with any other product.

Exposure to heat can cause this product to rapidly decompose, leading to intense fire, explosion, and the release of toxic gases.

- Store in a cool, dry, well-ventilated area.

Strong oxidizing agent. This product can increase fire intensity. Keep away from heat and from flame and burning material (like a lighted cigarette).

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

STORAGE & DISPOSAL:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. Do not contaminate food or feed by storage or disposal or cleaning of equipment.

FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING".

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

EPA REG. NO. 1258-1239

Superscript Used in Lot. No.:

EPA EST. NO. 1258-TN-01[CH]

EPA EST. NO. 75185-TN-001[TN]

EPA EST. NO. 52270-GA-01[C]

Sold by:

Arch Chemicals, Inc.

P.O. Box 724438

Atlanta, GA 31139-1438

Arch HELPLINE: 800-478-5727

DryTec® is a registered trademark of Arch Chemicals, Inc.

IN CASE OF EMERGENCY CALL: 1-800-654-6911