

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

IN CASE OF SPILL: Avoid release to the environment. Do not flush to sewer. Contain and/or absorb spill with inert material (e.g. sand, vermiculite).

STORAGE AND DISPOSAL:

Keep this product dry in its tightly closed container when not in use. Nonrefillable container. Do not reuse or refill this container. Offer for recycling. If not available, discard in trash.

EPA REG. NO. 7364-102-1258

Superscript used in Lot No.:

EPA EST. NO. 42291-GA-1 (AD)

EPA EST. NO. 52270-GA-03 (C)

EPA EST. NO. 3525-NJ-01 (M)

Sold by:

Arch Chemicals, Inc.
P.O. Box 724438
Atlanta, GA 31139-1438

BAQUACIL® is a registered trademark of Arch UK Biocides Limited.

For more information, visit our website at www.baquacil.com

For product support, call 1-877-929-7945




Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

9338.495



PART NO. 05905050
ITEM NO. 84406
84406-A-0914

BAQUACIL®

SELECT ALGICIDE

FOR PERSISTENT ALGAE

ACTIVE INGREDIENTS:

Poly[oxyethylene(dimethyliminio) ethylene(dimethyliminio) ethylene dichloride]	30%
Zinc sulfate monohydrate	5%
OTHER INGREDIENTS	65%
TOTAL	100%

Contains 2.8 lbs. of Poly[oxyethylene(dimethyliminio)ethylene (dimethyliminio)ethylene dichloride per gallon and 0.165 lbs. of elemental zinc per gallon

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See other precautions and first aid on side panel.

Net Contents 1qt. (946 ml)

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For best results, follow a weekly routine with the **BAQUACIL® CDX™ System**. Consult with your Authorized **BAQUACIL®** Dealer for advice on the system that best suits your pool and lifestyle. Take a pool water sample to your Authorized **BAQUACIL®** Dealer regularly for a detailed water analysis.

For maximum effectiveness, pools with a large amount of algae present must be cleaned prior to using this product. Pools having visible algae growth must be treated with 32 fluid ounces per 10,000 gallons of pool water. After 24 hours, the algae debris must be removed by standard cleaning procedures, including brushing loose algae spots, vacuuming the pool and backwashing the filter.

For treatment of a freshly cleaned and filled pool, add 18 fluid ounces per 10,000 gallons of pool water. To maintain pools free of visible algae growth, add 6 fluid ounces per 10,000 gallons of pool water every week after the initial treatment. Apply this product directly to the pool water with the circulation system turned on. Allow ample time for product to be distributed before turning off the pump.

This product is compatible with other chemicals commonly used to treat swimming pools and it is effective in both acid and alkaline pH ranges. It can be used in pools treated with chlorine chemicals, and its use may reduce the amount of these chemicals required.

Compatible with bromine, chlorine, salt water, ozone, biguanide and minerals.

IMPORTANT NOTE:

Always apply chemicals separately. Never combine them.

FIRST AID:

IF IN EYES: Hold eyelids open and rinse slowly with water for 15-20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF EMERGENCY CALL: 1-800-654-6911

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.