



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.
9338.520

**POOL EXPERTS
SINCE 1928**



hth[®]

- 1**
BALANCE
- 2**
SANITIZE
- 3**
SHOCK
- 4**
PREVENT ALGAE

clear chlorinating granules

Stabilized chlorinator
Sanitizes pool water

ACTIVE INGREDIENT

Sodium Dichloro-s-Triazinetrione dihydrate	99%
OTHER INGREDIENTS	1%
TOTAL	100%
Available Chlorine	56%

KEEP OUT OF REACH OF CHILDREN

DANGER

Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not mix this product with a small amount of water. Only add directly to your pool. Corrosive. Causes irreversible eye damage and skin burns.

May be fatal if inhaled. Harmful if swallowed or absorbed through skin.

See back panel for Precautionary and First Aid Statements.


Net Wt. 40 lbs.

EPA REG. NO. 1258-984
Superscript Used in Lot No.:
EPA Est. No. 3525-NJ-1 ^[NJ]
EPA Est. No. 66397-OK-1 ^[OK]
EPA EST. NO. 58401-IL-1 ^[ST]

Sold by:
Arch Chemicals, Inc.
P.O. Box 724438
Atlanta, GA 31139

hth is a registered trademark of Arch Chemicals, Inc.
The hth logo is a trademark of Arch Chemicals, Inc.

22011
PART NO. XXXXXX
22011-A-0616



DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL PRECAUTIONARY STATEMENTS BEFORE USE.

WHY YOU SHOULD USE THIS PRODUCT:

This product is an effective multi-purpose sanitizer & shock that protects against chlorine loss optimizing pool usage and swimmer comfort with no sediment. This product is convenient and easy to use to control the growth of algae, kill bacteria and destroy organic materials.

Take a pool water sample to your authorized hth® dealer regularly for a detailed water analysis.

HOW TO USE:

Add the recommended dosage of this product directly to the pool during evening hours while the filter is running. When adding this product to your pool, broadcast the product evenly over a wide area in the deepest part of the pool. Use only a clean, dry scoop to measure this product. Do not use the scoop for any other purpose. If any granules settle to the bottom of the pool use brush to disperse.

WATER BALANCE:

For best product performance, swimmer comfort, and crystal clear water: Maintain pH in the range of 7.2 to 7.6. Maintain total alkalinity in the range of 80 to 120 parts per million (ppm). Maintain calcium hardness above 200 ppm. Use a reliable test kit that measures all these ranges. Use hth® pool care products to make adjustments. Follow label directions for each product.

OPENING YOUR POOL:

For best results, see the "WATER BALANCE" section above before treatment. Always adjust and maintain pH in the 7.2 to 7.6 range. Follow "SHOCK TREATMENT /SUPERCHLORINATION" directions on this package. Allow 30 minutes for product to disperse. Test free available chlorine residual with a pool test kit. Do not enter pool until the free available chlorine residual is 1-4 ppm. Repeat treatment as needed.

ROUTINE CHLORINATION:

For best results, see "WATER BALANCE" section above before treatment. Throughout the pool season, adjust and maintain pH at 7.2-7.6. Check available chlorine with a suitable test kit. Do not reenter pool until the free available chlorine residual is 1-4 ppm. Add 3-5 ounces of this product per 10,000 gallons of pool water every other day or as often as needed to maintain 1-4 ppm free available chlorine. Follow "HOW TO USE" directions on this package.

SHOCK TREATMENT / SUPERCHLORINATION:

For best results, see "WATER BALANCE" and "HOW TO USE" sections above before treatment. Every 7 days, or as necessary to prevent pool problems, shock treat / super chlorinate the pool by adding 12-24 ounces of this product per 10,000 gallons of water to provide 5-10 ppm available chlorine. Additional shock treatments may be required to correct problems which are caused by visible algae, high bathing loads, heavy wind and rainstorms. Additional shock treatments may also be required to correct problems such as unpleasant odors and eye irritation. Check the available chlorine with a suitable test kit. DO NOT reenter pool until the free available chlorine residual is 1-4 ppm.

ALGAE CONTROL:

Follow "SHOCK TREATMENT / SUPERCHLORINATION" directions on this label. Add this product as close as possible to any algae on the sides or bottom of the pool. Do not enter pool until the free available chlorine residual is 1-4 ppm. If necessary, repeat the treatment. To prevent possible staining or bleaching, take the following steps immediately after treatment: Thoroughly clean pool by brushing surface of algae growth, vacuum and cycle through filter. For preventative algae control, use your preferred hth® algaecide product regularly. Follow label directions on the algaecide.

WINTERIZING:

For best results, see "WATER BALANCE" section above before treatment. Gradually add 36 ounces of this product per 10,000 gallons of pool water that is clear and clean. This provides 15 ppm free available chlorine. Follow "HOW TO USE" directions on this package. Run the filter until granules are completely dissolved. Cover the pool with a pool cover. Prepare the heater, pump and filter components for winterizing by following manufacturer's directions.

PRECAUTIONARY STATEMENTS:**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Irritating to nose and throat.

- Open in a well ventilated area. DO NOT breathe dust and fumes.
- DO NOT get in eyes, on skin, or on clothing.
- Wear goggles and rubber gloves when handling this product. For additional protection of skin, wear long sleeves and long pants.
- Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.
- Remove and wash contaminated clothing before reuse.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF EMERGENCY CALL: 1-800-654-6911

PHYSICAL and CHEMICAL HAZARDS:

DANGER. If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not add water to this product. Add only into water.

• Do not allow to become wet or damp before use.
Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.

• Keep all foreign matter, including other water treatment products, away from this product.
• Do not mix with other products or dissolve before use.
• Do not allow this product to contact other water treatment products. If used with a skimmer, make sure skimmer is completely clean and free of residue from other water treatment products before putting this product in a skimmer.

Strong oxidizing agent. This product can increase fire intensity.

• Keep away from heat and from flame and burning material (like a lighted cigarette).

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

STORAGE & DISPOSAL:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. DO NOT reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. DO NOT contaminate food or feed by storage or disposal or cleaning of equipment. FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING".

EMERGENCY HANDLING: In case of contamination or decomposition – DO NOT reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

HELPLINE

866-HTH POOL

(4 8 4 - 7 6 6 5)

Call 7 days a week with
your pool care questions.

8:00 AM - 10:00 PM EST

Visit us online:

www.hthpools.com



**IN CASE OF EMERGENCY
CALL: 1-800-654-6911**



POOL EXPERTS
SINCE 1928



hth

clear chlorinating granules

Stabilized chlorinator

Sanitizes pool water

1
BALANCE

2
SANITIZE

3
SHOCK

4
PREVENT
ALGAE

ACTIVE INGREDIENT
Sodium Dichloro-s-Triazinetrione
dihydrate 99%
OTHER INGREDIENTS 1%
TOTAL 100%
Available Chlorine 56%

KEEP OUT OF REACH OF CHILDREN

DANGER

Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not mix this product with a small amount of water. Only add directly to your pool. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin.

See back panel for Precautionary and First Aid Statements.

Net Wt. 40 lbs.


9.50"

EPA REG. NO. 1258-984
Superscript Used in Lot No.:
EPA Est. No. 3525-NJ-1 (94)
EPA Est. No. 66397-OK-1 (06)
EPA EST. NO. 58401-IL-1 (87)

Sold by:
Arch Chemicals, Inc.
P.O. Box 724438
Atlanta, GA 31139

hth is a registered trademark of Arch Chemicals, Inc.
The hth logo is a trademark of Arch Chemicals, Inc.

22011
PART NO. XXXXXX
22011-A-0616



9.50"

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ ALL PRECAUTIONARY STATEMENTS BEFORE USE.

WHY YOU SHOULD USE THIS PRODUCT:

This product is an effective multi-purpose sanitizer & shock that protects against chlorine loss optimizing pool usage and swimmer comfort with no sediment. This product is convenient and easy to use to control the growth of algae, kill bacteria and destroy organic materials.

Take a pool water sample to your authorized hth® dealer regularly for a detailed water analysis.

HOW TO USE:

Add the recommended dosage of this product directly to the pool during evening hours while the filter is running. When adding this product to your pool, broadcast the product evenly over a wide area in the deepest part of the pool. Use only a clean, dry scoop to measure this product. Do not use the scoop for any other purpose. If any granules settle to the bottom of the pool use brush to disperse.

WATER BALANCE:

For best product performance, swimmer comfort, and crystal clear water: Maintain pH in the range of 7.2 to 7.6. Maintain total alkalinity in the range of 80 to 120 parts per million (ppm). Maintain calcium hardness above 200 ppm. Use a reliable test kit that measures all these ranges. Use hth® pool care products to make adjustments. Follow label directions for each product.

OPENING YOUR POOL:

For best results, see the "WATER BALANCE" section above before treatment. Always adjust and maintain pH in the 7.2 to 7.6 range. Follow "SHOCK TREATMENT /SUPERCHLORINATION" directions on this package. Allow 30 minutes for product to disperse. Test free available chlorine residual with a pool test kit. Do not enter pool until the free available chlorine residual is 1-4 ppm. Repeat treatment as needed.

ROUTINE CHLORINATION:

For best results, see "WATER BALANCE" section above before treatment. Throughout the pool season, adjust and maintain pH at 7.2-7.6. Check available chlorine with a suitable test kit. Do not reenter pool until the free available chlorine residual is 1-4 ppm. Add 3-5 ounces of this product per 10,000 gallons of pool water every other day or as often as needed to maintain 1-4 ppm free available chlorine. Follow "HOW TO USE" directions on this package.

SHOCK TREATMENT / SUPERCHLORINATION:

For best results, see "WATER BALANCE" and "HOW TO USE" sections above before treatment. Every 7 days, or as necessary to prevent pool problems, shock treat / super chlorinate the pool by adding 12-24 ounces of this product per 10,000 gallons of water to provide 5-10 ppm available chlorine. Additional shock treatments may be required to correct problems which are caused by visible algae, high bathing loads, heavy wind and rainstorms. Additional shock treatments may also be required to correct problems such as unpleasant odors and eye irritation. Check the available chlorine with a suitable test kit. DO NOT reenter pool until the free available chlorine residual is 1-4 ppm.

ALGAE CONTROL:

Follow "SHOCK TREATMENT / SUPERCHLORINATION" directions on this label. Add this product as close as possible to any algae on the sides or bottom of the pool. Do not enter pool until the free available chlorine residual is 1-4 ppm. If necessary, repeat the treatment. To prevent possible staining or bleaching, take the following steps immediately after treatment: Thoroughly clean pool by brushing surface of algae growth, vacuum and cycle through filter. For preventative algae control, use your preferred hth® algacide product regularly. Follow label directions on the algacide.

WINTERIZING:

For best results, see "WATER BALANCE" section above before treatment. Gradually add 36 ounces of this product per 10,000 gallons of pool water that is clear and clean. This provides 15 ppm free available chlorine. Follow "HOW TO USE" directions on this package. Run the filter until granules are completely dissolved. Cover the pool with a pool cover. Prepare the heater, pump and filter components for winterizing by following manufacturer's directions.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Irritating to nose and throat.

- Open in a well ventilated area. DO NOT breathe dust and fumes.
- DO NOT get in eyes, on skin, or on clothing.
- Wear goggles and rubber gloves when handling this product. For additional protection of skin, wear long sleeves and long pants.
- Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.
- Remove and wash contaminated clothing before reuse.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF EMERGENCY CALL: 1-800-654-6911

PHYSICAL and CHEMICAL HAZARDS:

DANGER. If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not add water to this product. Add only into water.

- Do not allow to become wet or damp before use. Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.
- Keep all foreign matter, including other water treatment products, away from this product.
- Do not mix with other products or dissolve before use.
- Do not allow this product to contact other water treatment products. If used with a skimmer, make sure skimmer is completely clean and free of residue from other water treatment products before putting this product in a skimmer.

Strong oxidizing agent. This product can increase fire intensity.

- Keep away from heat and from flame and burning material (like a lighted cigarette).

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

STORAGE & DISPOSAL:

Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. DO NOT reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. DO NOT contaminate food or feed by storage or disposal or cleaning of equipment. FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE "EMERGENCY HANDLING".

EMERGENCY HANDLING: In case of contamination or decomposition – DO NOT reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

HELPLINE

866-HTH POOL
(484 - 7665)

Call 7 days a week with
your pool care questions.

8:00 AM - 10:00 PM EST

Visit us online:

www.hthpools.com



IN CASE OF EMERGENCY
CALL: 1-800-654-6911



9.50"