



Department of Agriculture  
STATE OF HAWAII

LICENSED



Department of Agriculture  
STATE OF HAWAII

LICENSED



Department of Agriculture  
STATE OF HAWAII

LICENSED



Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2003-2005 LIC. NO. PERIOD 2006-2008 LIC. NO. PERIOD 2009-2011 LIC. NO. PERIOD 2012-2014 LIC. NO.

# MAXFORCE<sup>®</sup> FC

## PROFESSIONAL INSECT CONTROL<sup>®</sup> ROACH BAIT STATIONS



Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO. **9346.261**

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** (SEE PRECAUTIONS ON BACK PANEL)  
FOR USE IN COMMERCIAL, INDUSTRIAL AND  
RESIDENTIAL AREAS  
CONTAINS 72 CHILD-RESISTANT BAIT STATIONS

ACTIVE INGREDIENT: Fipronil [5-  
amino-1-(2,6-dichloro-4-  
(trifluoromethyl) phenyl)-4-(1,R,S)-  
(trifluoromethyl)sulfinyl)-1H-  
pyrazole-3-carbonitrile] .....0.05%  
INERT INGREDIENTS .....99.95%

TOTAL NET WT: 3.8 OZ (108g);  
0.053 OZ (1.5g) per unit



# MAXFORCE<sup>®</sup> FC

PROFESSIONAL INSECT CONTROL<sup>®</sup> ROACH BAIT STATIONS

- For effective roach control use 4-6 bait stations per 100 square feet of horizontal surface area. Place adjacent to walls and flush in corners. Do not place more than 24 bait stations per residence. For outdoor use place stations adjacent to structure.
- Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed surfaces.
- Roaches will begin eating the bait immediately and you should expect to see fewer roaches within 3 days.
- Inspect all bait stations and replace as needed for continuous control of roaches.

© 2002 Bayer AG  
Bayer Environmental Science  
A Business Group of Bayer CropScience  
LP  
95 Chestnut Ridge Road,  
Montvale, NJ 07645  
EPA Reg. No. 432-1257  
EPA Est. No. 5813-MS-01.  
U.S. Patent Nos. DES 278,842;  
4,563,836; 5,271,180 and other  
patents pending.  
Product Code No. 48000  
0.61890.004  
12/02

TEAR HERE TO OPEN



MAXFORCE® FC Professional Insect Control Roach Bait Stations may be used for the control of small cockroaches, such as German or Brown-Banded roaches, in any area where they are a problem, such as residential, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, nursing homes, schools, daycare centers, health care facilities, aircraft, basements, laboratories, computer and electronic equipment facilities, pet shops, zoos, buses, boats and trains. MAXFORCE® FC Professional Insect Control Roach Bait Stations have an odorless bait that roaches eat even in the presence of other foods and is packaged in a child-resistant bait station. The patented transparent red top enables you to monitor bait consumption while providing roaches their preferred environment, darkness, because roaches do not see light in the red spectrum.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Place MAXFORCE® FC Professional Insect Control Roach Bait Stations in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations.
2. The bait stations can be stuck to a vertical surface by peeling off the protective strip to expose adhesive.
3. For effective roach control use 4-6 bait stations per 100 square feet of horizontal surface area. Place adjacent to walls and flush in corners. Do not place more than 24 bait stations per residence. For outdoor use place stations adjacent to structure.
4. **Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed surfaces.**
5. Roaches will begin eating the bait immediately and you should expect to see fewer roaches within 3 days.
6. Inspect all bait stations and replace as needed for continuous control of roaches.

PRECAUTIONARY STATEMENTS:  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.  
**CAUTION:** Wash thoroughly with soap and water after handling bait stations.


STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage and disposal.  
STORAGE: Store in a cool dry area out of reach of children. DISPOSAL: Wrap bait stations in several layers of newspaper and discard in trash.

Maxforce website address:  
[www.bayerprocentral.com](http://www.bayerprocentral.com)

© 2002 Bayer AG  
Bayer Environmental Science  
A Business Group of Bayer CropScience LP  
95 Chestnut Ridge Road,  
Montvale, NJ 07645  
EPA Reg. No. 432-1257  
EPA Est. No. 5813-MS-01.  
U.S. Patent Nos. DES 278,842;  
4,563,836; 5,271,180 and other  
patents pending.

Product Code No. 48000  
0.61890.004  
12/02

PROFESSIONAL INSECT CONTROL ROACH BAIT STATIONS



KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** (SEE PRECAUTIONS ON BACK PANEL)  
FOR USE IN COMMERCIAL, INDUSTRIAL AND  
RESIDENTIAL AREAS  
CONTAINS 72 CHILD-RESISTANT BAIT STATIONS  
ACTIVE INGREDIENT: Fipronil [5-  
amino-1-(2,6-dichloro-4-  
(trifluoromethyl) phenyl)-4-(1,3,5-  
(trifluoromethyl)sulfinyl)-1H-  
pyrazole-3-carbonitrile] .....0.05%  
INERT INGREDIENTS .....99.95%  
TOTAL NET WT: 3.8 OZ (108g);  
0.633 OZ (1.5g) per unit

**MAXFORCE®**  
**FC PROFESSIONAL INSECT CONTROL**  
**ROACH BAIT STATION**

**THIS SIDE DOWN OR AGAINST SURFACE.**  
**NOTE: Do not remove or puncture label.**

**MAXFORCE® FC PROFESSIONAL**  
**INSECT CONTROL ROACH BAIT STATION**  
ACTIVE INGREDIENT: Fipronil\* . . . . . 0.05%  
OTHER INGREDIENTS: . . . . . 99.95%  
**DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATIONS**  
**CAUTION:** Wash thoroughly with soap and water after handling.  
\*CAS NO. 120068-37-3 For questions or comments  
about MAXFORCE, call toll free 1-800-331-2867.  
EPA Reg. No. 432-1253 EPA Est. No. 3012-MS-01  
**SEE OUTER PACKAGE FOR COMPLETE DIRECTIONS AND PRECAUTIONS**  
Placement Date \_\_\_\_\_ 638933.508J3

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.  
**DISPOSAL:** Wrap used bait station in several layers of newspaper  
and discard in trash.  
© Bayer AG, 2003 Bayer Environmental Science, A Business Group  
of Bayer CropScience, 95 Chestnut Ridge Rd, Montvale, NJ 07645  
NET WT. 0.05 OZ. (1.5g)



PROFESSIONAL INSECT CONTROL® ROACH BAIT STATIONS

# ROACH BAIT STATIONS

**FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS**

**ACTIVE INGREDIENT:**

Fipronil* [5-amino-1-(2,6-dichloro-4-(trifluoromethyl) phenyl)-4-(1,R,S)-(trifluoromethyl) sulfinyl)-1H-pyrazole-3-carbonitrile] .....	0.05%
Other Ingredients: .....	99.95%
<b>TOTAL:</b> .....	<b>100.00%</b>

\*CAS NO 120068-37-3

**CONTAINS: 72 Child-Resistant Bait Stations**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION: SEE PRECAUTIONS BELOW**

Fipronil kills insects by blocking the gaba regulated chloride channel (based on in-vitro binding data in rat brain preparations and insect electrophysiology studies).

This product contains Fipronil, [a [new] active ingredient] which kills roaches by ingestion. In the process of ingestion, fipronil [the active ingredient] acts by blocking the GABA (Gamma Amino Butyric Acid) receptor chloride channel. Once chloride ions cannot pass through the channel, depolarization ensues resulting in continued release of excitatory transmitters and hyperexcitation of the neuron.

This product may be used for the control of small cockroaches, such as German or Brown-Banded roaches, in any area where cockroaches are a problem, such as residential, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, schools, daycare centers, nursing homes, health care facilities, laboratories, computer and electronic equipment facilities, pet shops, zoos, basements, buses, boats, trains and aircraft. The patented transparent red top enables you to monitor bait consumption while providing roaches their preferred environment, darkness, because roaches do not see light in the red spectrum. This product has an odorless bait that roaches eat even in the presence of other foods and is packaged in a child-resistant bait station.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**

**CAUTION:** Wash thoroughly with soap and water after handling bait stations.

**STORAGE AND DISPOSAL:**

Do not contaminate water, food or feed by storage and disposal. **STORAGE:** Store in a cool dry area out of reach of children. **DISPOSAL:** Wrap bait stations in several layers of newspaper and discard in trash.

Maxforce website address: [www.bayerprocentral.com](http://www.bayerprocentral.com)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Place MAXFORCE® FC Professional Insect Control Roach Bait Stations in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations.
2. The bait stations can be stuck to a vertical surface by peeling off the protective strip to expose adhesive.
3. For effective roach control use 4-6 bait stations per 100 square feet of horizontal surface area. Place adjacent to walls and flush in corners. Do not place more than 24 bait stations per residence. For outdoor use place stations adjacent to structure.
4. **Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed surfaces.**
5. Roaches will begin eating the bait immediately and you should expect to see fewer roaches within 3 days.
6. Inspect all bait stations and replace as needed for continuous control of roaches.

**TOTAL NET WEIGHT  
3.8 oz (108 g)  
0.053 oz (1.5 g) per unit**



Bayer Environmental Science  
A Business Group of Bayer CropScience LP  
95 Chestnut Ridge Road  
Montvale, NJ 07645  
Maxforce is a registered trademark of Bayer AG.  
8/03

EPA Reg. No. 432-1257  
EPA Est. No. 5813-MS-01  
Product Code No. 48000