Slider position this
way to expand

< EASY OPEN

Resealable Bag

Slider position this
way to close
CLOSE < BUT EASY TO OPEN >

Department of Agriculture
STATE OF HAWAII

LICENSED

9387.213

PERIOD 2011-2013 LIC. NO.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

Scotts®

Turf Builder®

WITH PLUS 2® WEED CONTROL

Con control de malezas PLUS 2®

Kills Dandelions and Other Major Lawn Weeds+

Elimina dientes de león y otras malezas principales del césped+

Builds Strong, Deep Roots

Desarrolla raíces fuertes y profundas

Improves Lawn's Ability to Absorb Water & Nutrients

Mejora la habilidad del césped para absorber agua y nutrientes

28-0-3 COVERS 5,000 SQ FT
NET WT./PESO NETO 14.64 lb (6.64 kg)

KEEP OUT OF REACH OF CHILDREN
CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN

Scotts® Turf Builder®

WITH PLUS 2® WEED CONTROL

Won't Burn Lawn Guaranteed!

Visit our website: www.scotts.com

EPA Reg. 538-270 (5M)
Turf BuilderI with Plus
2 Weed Control

Scotts & Your Environment

We care.
Scotts® products are designed with care to grow thicker, greener lawns.

Because Green is Good™.
A healthy lawn cleans the air, produces oxygen and prevents runoff and soil erosion.

You can make a difference.
Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.

Tips for Lawncare Success:

- **Feed regularly for your best lawn.** Regular feedings of Scotts® Turf Builder® will help build a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- **Mow your lawn high.** Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- **Leave the grass clippings on your lawn.** This recycles the plant nutrients back into the soil.
- **Conserve water.** Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

Plan your feeding schedule. Choose the right product for your lawn.

ANY SEASON	EARLY SPRING February-April	LATE SPRING April-June	SUMMER June-August	FALL September-November
Apply any season if weeds or bugs are not a problem: Scotts® Turf Builder®I Lawn Fertilizer	**To prevent crabgrass:** Scotts® Turf Builder® with Halts® Crabgrass Preventer	**To kill weeds:** Scotts® Turf Builder®I with Plus 2® Weed Control	**To kill bugs:** Scotts® Turf Builder® with SummerGuard®	Scotts® Turf Builder® WinterGuard® **To kill fall weeds:** Scotts® Turf Builder®I WinterGuard® with Plus 2® Weed Control

Well-fed lawns are more efficient at using available water.
Feeding with Scotts® helps build a thick lawn with more roots to better absorb water and nutrients. This helps protect your lawn against heat, drought and other stresses.

Get expert advice for your lawn NOW!
Want information on what to use and when?
Sign up today to get free expert advice specifically for your lawn.

Visit our website: **www.scotts.com**
Consumer Helpline: **1-800-543-TURF (8873)**

FOR BEST RESULTS, APPLY TO A WET LAWN

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year. A minimum of 30 days between applications is required.

Application
- **Apply when weeds are actively growing** (when daytime temperatures are consistently above 60ºF).
- **Apply on a calm day.**
- **Apply to moist grass.** To help particles stick to weed leaves, the grass should be thoroughly watered or wet from dew before applying this product.
- **On bahia and centipede lawns, wait until after the second mowing of the year but NOT before mid-March.** In the fall, DO NOT treat centipede after the first of October and DO NOT treat bahia after the first of November.
- **Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine, floratam, dichondra, carpetgrass or Ilppia lawns.** On bermudagrass, bahia, centipedegrass, zoysia lawns, under certain conditions, some temporary discoloration may result.

Precautions
Do not allow product to contact people or pets directly or through drift. Keep people and pets off lawn during application. Do not allow people or pets to enter treated areas until dusts have settled. Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

Watering or Rain
Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product. This product should not be applied if rain is expected within the next 24 hours.

IMPORTANT
What to Expect
Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for control.
This product will not prevent weed seeds from producing new plants.

Extreme Temperatures
Avoid applying when temperatures are consistently above 90° F.

Seeding/Sodding
Wait until the new grass has been mowed at least four times before applying Scotts® Turf Builder®I with Plus 2® Weed Control.
If you are planning to seed or sod, you should wait at least one month after you have applied Scotts® Turf Builder®I with Plus 2® Weed Control.

Instrucciones

Es una violación a la ley Federal usar este producto de forma inconsistente con su etiqueta.
Este producto brinda 680 g de 2,4-D por acre por aplicación. El máximo número de aplicaciones al voleo por área de tratamiento es de dos por año. Espere al menos 30 días entre las aplicaciones.

Aplicación
- **Se debe aplicar en cualquier momento en que las malezas estén creciendo activamente** (cuando las temperaturas del día estén arriba de 15 °C consistentemente).
- **Se debe aplicar en un día tranquilo.**
- **Se debe aplicar a grama húmeda.** Para ayudar a que las partículas se adhieran a las hojas de las malezas, la grama debe estar completamente regada o mojada con rocío antes de aplicar este producto.
- **En céspedes bahía y ciempiés, espere hasta el segundo corte de césped del año pero NO antes de mediados de marzo.** En otoño, NO trate el césped ciempiés después del 1 de octubre y NO trate el césped bahía después del 1 de noviembre.
- **No se debe usar este producto en flores, arbustos, plantas frutales ni verduras, ni en céspedes agrotis palustris, San Agustín y oreja de ratón.** En céspedes grama Bermuda, bahía, ciempiés y zoysia puede ocurrir alguna decoloración temporal.

Precauciones
No deje que el producto entre en contacto con personas o mascotas, en forma directa o a través de la derivación del producto. Mantenga a las personas y mascotas fuera del jardín durante la aplicación. No permita que las personas o las mascotas ingresen al área tratada hasta que el producto se haya asentado. No aplique el producto directamente o cerca de aguas, drenajes de tormenta, canalones, alcantarillas o zanjas de drenaje. No aplique el producto a menos de 7,5 metros de ríos, estanques de peces, lagos, arroyos, embalses, pasos, estuarios, bahías y océanos. No aplique el producto cuando haya viento. Aplique este producto directamente a su césped o jardín y barra hacia el área tratada el producto que caiga sobre la entrada de automóviles, la vereda, los canalones o la calle. Para evitar el escurrimiento, no riegue en exceso el área tratada ni aplique el producto cuando llueve ni cuando se esperan lluvias para ese día.

Riego o lluvia
No debe regar en las siguientes 24 horas después de la aplicación. El agua lavará el herbicida de las hojas de las malezas y reducirá la efectividad de este producto. No se debe aplicar este producto si se espera lluvia dentro de las siguientes 24 horas.

IMPORTANTE
Qué debe esperar
Los tallos y hojas de las malezas se empezarán a retorcer y a poner rizados en pocos días, pero puede ser necesario un mes o más para obtener un control completo. Este producto no previene que las semillas de las malezas produzcan nuevas plantas.

Temperaturas extremas
Debe evitar aplicarlo cuando las temperaturas estén arriba de 32° C grados consistentemente.

Siembra/Colocación de tepes
Espere a que la nueva grama haya sido cortada por lo menos cuatro veces antes de aplicar Scotts® Turf Builder®I with Plus 2® Weed Control.
Si tiene planeado sembrar o colocar tepes, deberá esperar por lo menos un mes después de haber aplicado Scotts® Turf Builder®I with Plus 2® Weed Control.

Spreader Settings Covers 5,000 sq. ft.

This package applies 2.9 lbs. of product per 1,000 sq. ft.

Scotts® Broadcast/Rotary Spreaders
Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts® spreader. Shut off spreader or stop each time you reach a header strip. Each pass should be within 5 feet of each other to ensure an overlap.
Scotts Basic™, Standard™, Deluxe™ EdgeGuard®, Lawn Pro® or SpeedyGreen® — **3 1/4**

Scotts EasyGreen® Each pass should be within 30" of each other to ensure an overlap. — **27**

Scotts® Drop Spreaders
Make sure spreader wheel completely overlaps previous wheel marks.
Scotts AccuGreen®
For additional spreader settings, please call 1-800-543-TURF (8873). — **5 1/2**

Posiciones del esparcidor Cubre 464 metros cuadrados

Este paquete aplica 1.3 kg cada 93 m².

Esparcidores al voleo/giratorios de Scotts
Aplique franjas guía. Luego aplique el producto en la dirección más larga del césped. Para obtener los mejores resultados, utilice un esparcidor Scotts®. Apague el esparcidor o deténgase cada vez que llegue a una franja guía. Cada pasada debe ser a menos de 1,5 metros de la otra para asegurar un traslape.
Scotts Basic™, Standard™, Deluxe™ EdgeGuard®, Lawn Pro® o SpeedyGreen® — **3 1/4**

Scotts EasyGreen® Cada pasada debe ser a menos de 76 cm de la otra para asegurar un traslape. — **27**

Esparcidores de goteo Scotts
Asegúrese de que la rueda del esparcidor traslape completamente las marcas previas de ruedas.
Scotts AccuGreen®
Para conocer las posiciones adicionales del esparcidor, comuníquese al 1-800-543-TURF (8873). — **5 1/2**

First Aid & Environmental Information

KEEP OUT OF REACH OF CHILDREN
CAUTION

Precautionary Statements
Hazards to Humans and Domestic Animals
CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes and socks and chemical-resistant gloves made of any waterproof material.

First Aid
- **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters.
This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.
Application around a cistern or well may result in contamination of drinking water or groundwater.

Storage and Disposal
- **PESTICIDE STORAGE:** Store in a cool, dry place. Reseal opened bag by folding top down and securing.
- **PESTICIDE CONTAINER DISPOSAL: IF EMPTY:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Primeros auxilios e información ambiental

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCION

Avisos de Precaución
Riesgos para humanos y animales domésticos
Precaución: Nocivo si se absorbe por la piel. Dañino si se traga. Produce una irritación de los ojos moderada. Evite el contacto con la piel, ojos o ropa. Evite inhalar el polvo. Use una camisa de mangas largas, pantalones largos, medias y zapatos, y guantes resistentes a los productos químicos hechos de algún material impermeable.

Primeros Auxilios
- **SI CAE EN LA PIEL O EN LA ROPA:** Quite la ropa contaminada. Enjuague la piel inmediatamente con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
- **SI SE INHALA:** Lleve a la persona al aire fresco. Si la persona no respira llame al 911 o a una ambulancia, luego aplique respiración artificial, preferiblemente de boca a boca, si es posible.
- **SI ENTRA EN LOS OJOS:** Mantenga el ojo abierto y enjuague con agua despacio y con cuidado de 15 a 20 minutos. Si tuviera lentes de contacto, quítelos después de lavarse con agua los primeros 5 minutos y después continúe enjuagando el ojo. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Tenga a la mano el envase del producto o la etiqueta cuando llame al centro de control de envenenamiento o al médico, o al buscar tratamiento.

RIESGOS AMBIENTALES: Este pesticida es tóxico para los peces y animales invertebrados acuáticos, y puede afectar de manera adversa a plantas que se desean conservar. No lo aplique directamente en el agua, en áreas donde hay agua superficial o en áreas entre mareas por debajo de la marca de marea alta promedio. El desplazamiento o el escurrimiento del producto pueden ser peligrosos para los peces en aguas adyacentes a las áreas tratadas. No contamine el agua cuando elimine las aguas residuales del lavado o enjuague de los equipos. Este producto químico tiene propiedades y características asociadas con las sustancias químicas detectadas en aguas subterráneas. La utilización de este producto químico en áreas donde los suelos son permeables, en particular donde el manto freático es superficial, puede derivar en la contaminación de las aguas subterráneas. La aplicación en torno a una cisterna o a un pozo puede provocar la contaminación del agua potable o las aguas subterráneas.

Almacenamiento y Eliminación
- **ALMACENAMIENTO DEL PESTICIDA:** Conserve en un lugar fresco y seco. Cierre la bolsa abierta doblando la parte superior y asegurándola.
- **ELIMINACION DEL ENVASE DE PESTICIDA: SI ESTA VACÍO:** Envase no rellenable. No reusar ni rellenar este envase. Tírelo a la basura o, si está disponible, ofrézcalo para reciclaje. **SI ESTA PARCIALMENTE LLENO:** Llame a su agencia de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en ningún drenaje interior o exterior.

Guaranteed Analysis

Turf Builder®I with Plus 2® Weed Control	28-0-3	F 643
Total nitrogen (N)		28%
5.2% ammoniacal nitrogen		
12.7% urea nitrogen		
9.3% other water soluble nitrogen‡		
0.8% water insoluble nitrogen		
Soluble potash (K_2O)		3%
Sulfur (S)		7%
7% combined sulfur (S)		

Derived from: methyleneureas, potassium sulfate, ammonium sulfate, urea.
‡Contains 6.7% slowly available methyleneidurea and dimethylenetriurea nitrogen.
+ Including white clover, chickweed, plantain and ragweed.
+ Entre ellas: trébol blanco, álsine, llantén y ambrosías.

Questions / Information

SMG Listed NYSE
The Scotts Company
14111 Scottslawn Rd.
Marysville, Ohio 43041

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-sc.com
Información relacionada con el contenido y con los niveles de metales en este producto se encuentra disponible en Internet en http://www.regulatory-info-sc.com

© 2010 Licensed by The Scotts Company LLC.
World rights reserved. Made in U.S.A.
U.S. Patent No. 5,102,440
EPA Reg. No. 538-270 EPA Est. No. 538-OH-1
†CAS #94-75-7 ††CAS #16484-77-8

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

ADVERTENCIA: Conforme a los límites de la ley aplicable, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

Scotts No-Quibble Guarantee®
If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Si por cualquier razón usted, el consumidor, no está satisfecho después de usar este producto, tiene derecho a que se le devuelva su dinero. Simplemente envíenos su comprobante de venta y nosotros le enviaremos rápidamente por correo un cheque de reembolso.

PROOF OF PURCHASE
P32405-2 I VID-PP

0 32247 32405 2

TURF BUILDER WITH PLUS 2
WEED CONTROL SM 32405-2

EPA Reg. 538-270 (5M)
Turf BuilderI with Plus 2 Weed Control



Kills Dandelions and Other Major Lawn Weeds+

Elimina dientes de león y otras malezas principales del césped+

Builds Strong, Deep Roots

Desarrolla raíces fuertes y profundas

Makes The Most Of Every Drop™

Water Smart®

Improves Lawn's Ability to Absorb Water & Nutrients

Mejora la capacidad del césped para absorber agua y nutrientes

DO NOT USE ON ST. AUGUSTINEGRASS, FLORATAM, DICHONDRA, LIPPIA, CARPETGRASS OR BENTGRASS LAWNS.
NO USE EN CESPEDES SAN AGUSTIN, FLORATAM, DICHONDRA, LIPIA, GRAMA ALFOMBRA NI AGROSTIS.

[I] Zero-Phosphorus Formula

32405
2

28-0-3 COVERS 5,000 SQ FT
NET WT./PESO NETO 14.64 lb (6.64 kg)

ACTIVE INGREDIENTS:

2,4-D†*	1.18%
Mecoprop-p††**	0.59%
OTHER INGREDIENTS:	98.23%
TOTAL:	100.00%

*0,0118 lbs 2,4-D acid equivalent per pound of product
**0,0059 lbs MCPP-p acid equivalent per pound of product

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCION CONSULTE EL PANEL POSTERIOR PARA CONOCER AVISOS DE PRECAUCION ADICIONALES.

Scotts®

Turf Builder[I]®

WITH **PLUS 2® WEED CONTROL**

Won't Burn Lawn Guaranteed!

.25" se

Visit our website: www.scotts.com

EPA Reg. 538-270 (5M)
Turf BuilderI with Plus 2 Weed Control

Scotts® & Your Environment

We care.
Scotts® products are designed with care to grow thicker, greener lawns.

Because Green is Good™.
A healthy lawn cleans the air, produces oxygen and prevents runoff and soil erosion.

You can make a difference.
Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.

Tips for Lawncare Success:

- **Feed regularly for your best lawn.** Regular feedings of Scotts® Turf Builder® will help build a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- **Mow your lawn high.** Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- **Leave the grass clippings on your lawn.** This recycles the plant nutrients back into the soil.
- **Conserve water.** Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

Plan your feeding schedule. Choose the right product for your lawn.

ANY SEASON	EARLY SPRING February-April	LATE SPRING April-June	SUMMER June-August	FALL September-November
Apply any season if weeds or bugs are not a problem: Scotts® Turf Builder®I Lawn Fertilizer	**To prevent crabgrass:** Scotts® Turf Builder® with Halts® Crabgrass Preventer	**To kill weeds:** Scotts® Turf Builder®I with Plus 2® Weed Control	**To kill bugs:** Scotts® Turf Builder® with SummerGuard®	Scotts® Turf Builder® WinterGuard® **To kill fall weeds:** Scotts® Turf Builder®I WinterGuard® with Plus 2® Weed Control

Water Smart

Well-fed lawns are more efficient at using available water.
Feeding with Scotts® helps build a thick lawn with more roots to better absorb water and nutrients. This helps protect your lawn against heat, drought and other stresses.

Get expert advice for your lawn NOW!
Want information on what to use and when?
Sign up today to get free expert advice specifically for your lawn.

Visit our website: **www.scotts.com**
Consumer Helpline: **1-800-543-TURF (8873)**

FOR BEST RESULTS, APPLY TO A WET LAWN

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
This product applies 1.5 pounds of 2,4-D per acre per application. The maximum number of broadcast applications per treatment site is two per year. A minimum of 30 days between applications is required.

Application

- **Apply when weeds are actively growing** (when daytime temperatures are consistently above 60°F).
- **Apply on a calm day.**
- **Apply to moist grass.** To help particles stick to weed leaves, the grass should be thoroughly watered or wet from dew before applying this product.
- **On bahia and centipede lawns, wait until after the second mowing of the year but NOT before mid-March.** In the fall, DO NOT treat centipede after the first of October and DO NOT treat bahia after the first of November.
- **Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine, floratam, dichondra, carpetgrass or lippia lawns.** On bermudagrass, bahia, centipedegrass, zoysia lawns, under certain conditions, some temporary discoloration may result.

Precautions

Do not allow product to contact people or pets directly or through drift. Keep people and pets off lawn during application. Do not allow people or pets to enter treated areas until dusts have settled. Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn or garden, and sweep any product landing on the driveway, sidewalk, gutter, or street, back onto the treated area. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

Watering or Rain

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product. This product should not be applied if rain is expected within the next 24 hours.

IMPORTANT

What to Expect

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for control.
This product will not prevent weed seeds from producing new plants.

Extreme Temperatures

Avoid applying when temperatures are consistently above 90° F.

Seeding/Sodding

Wait until the new grass has been mowed at least four times before applying Scotts® Turf Builder®I with Plus 2® Weed Control.
If you are planning to seed or sod, you should wait at least one month after you have applied Scotts® Turf Builder®I with Plus 2® Weed Control.

Instrucciones

Es una violación a la ley Federal usar este producto de forma inconsistente con su etiqueta.
Este producto brinda 680 g de 2,4-D por acre por aplicación. El máximo número de aplicaciones al voleo por área de tratamiento es de dos por año. Espere al menos 30 días entre las aplicaciones.

Aplicación

- **Se debe aplicar en cualquier momento en que las malezas estén creciendo activamente** (cuando las temperaturas del día estén arriba de 15 °C consistentemente).
- **Se debe aplicar en un día tranquilo.**
- **Se debe aplicar a grama húmeda.** Para ayudar a que las partículas se adhieran a las hojas de las malezas, la grama debe estar completamente regada o mojada con rocío antes de aplicar este producto.
- **En céspedes bahía y ciempiés, espere hasta el segundo corte de césped del año pero NO antes de mediados de marzo.** En otoño, NO trate el césped ciempiés después del 1 de octubre y NO trate el césped bahía después del 1 de noviembre.
- **No se debe usar este producto en flores, arbustos, plantas frutales ni verduras, ni en céspedes agrotis palustris, San Agustín y oreja de ratón.** En céspedes grama Bermuda, bahía, ciempiés y zoysia puede ocurrir alguna decoloración temporal.

Precauciones

No deje que el producto entre en contacto con personas o mascotas, en forma directa o a través de la derivación del producto. Mantenga a las personas y mascotas fuera del jardín durante la aplicación. No permita que las personas o las mascotas ingresen al área tratada hasta que el producto se haya asentado. No aplique el producto directamente o cerca de agua, drenajes de tormenta, canaletas, alcantarillas o zanjas de drenaje. No aplique el producto a menos de 7.6 metros de ríos, estanques de peces, lagos, arroyos, embalses, pasos, estuarios, bahías y océanos. No aplique el producto cuando haya viento. Aplique este producto directamente a su césped o jardín y barra hacia el área tratada el producto que caiga sobre la entrada de automóviles, la vereda, las canaletas o la calle. Para evitar el escurrimiento, no riegue en exceso el área tratada ni aplique el producto cuando llueve ni cuando se esperan lluvias para ese día.

Riego o lluvia

No debe regar en las siguientes 24 horas después de la aplicación. El agua lavará el herbicida de las hojas de las malezas y reducirá la efectividad de este producto. No se debe aplicar este producto si se espera lluvia dentro de las siguientes 24 horas.

IMPORTANTE

Qué debe esperar

Los tallos y hojas de las malezas se empezarán a retorcer y a poner rizados en pocos días, pero puede ser necesario un mes o más para obtener un control completo. Este producto no previene que las semillas de las malezas produzcan nuevas plantas.

Temperaturas extremas

Debe evitar aplicarlo cuando las temperaturas estén arriba de 32° C grados consistentemente.

Siembra/Colocación de tepes

Espere a que la nueva grama haya sido cortada por lo menos cuatro veces antes de aplicar Scotts® Turf Builder ®I with Plus 2® Weed Control.
Si tiene planeado sembrar o colocar tepes, deberá esperar por lo menos un mes después de haber aplicado Scotts® Turf Builder ®I with Plus 2® Weed Control.

der Settings Covers 5,000 sq. ft.

Posiciones del esparc

EPA Reg. 538-270 (5M)
Turf BuilderI with Plus 2 Weed Control

Spreader Settings Covers 5,000 sq. ft.

This package applies 2.9 lbs. of product per 1,000 sq. ft.

Scotts® Broadcast/Rotary Spreaders

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts® spreader. Shut off spreader or stop each time you reach a header strip. Each pass should be within 5 feet of each other to ensure an overlap.

Scotts Basic™, Standard™, Deluxe™ EdgeGuard®, Lawn Pro® or SpeedyGreen® — **3 1/4**

Scotts EasyGreen® Each pass should be within 30" of each other to ensure an overlap. — **27**

Scotts® Drop Spreaders

Make sure spreader wheel completely overlaps previous wheel marks.

Scotts AccuGreen® — **5 1/2**

For additional spreader settings, please call 1-800-543-TURF (8873).

Posiciones del esparcidor Cubre 464 metros cuadrados

Este paquete aplica 1.3 kg cada 93 m².

Esparcidores al voleo/giratorios de Scotts

Aplique franjas guía. Luego aplique el producto en la dirección más larga del césped. Para obtener los mejores resultados, utilice un esparcidor Scotts®. Apague el esparcidor o deténgase cada vez que llegue a una franja guía. Cada pasada debe ser a menos de 1.5 metros de la otra para asegurar un traslape.

Scotts Basic™, Standard™, Deluxe™ EdgeGuard®, Lawn Pro® o SpeedyGreen®

Scotts EasyGreen® Cada pasada debe ser a menos de 76 cm de la otra para asegurar un traslape.

Esparcidores de goteo Scotts

Asegúrese de que la rueda del esparcidor traslape completamente las marcas previas de ruedas.

Scotts AccuGreen®

Para conocer las posiciones adicionales del esparcidor, comuníquese al 1-800-543-TURF (8873).

First Aid & Environmental Information

KEEP OUT OF REACH OF CHILDREN

CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes and socks and chemical-resistant gloves made of any waterproof material.

First Aid

- **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Storage and Disposal

- **PESTICIDE STORAGE:** Store in a cool, dry place. Reseal opened bag by folding top down and securing.
- **PESTICIDE CONTAINER DISPOSAL: IF EMPTY:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Primeros auxilios e información ambiental

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCION

Avisos de Precaución

Riesgos para humanos y animales domésticos

Precaución: Nocivo si se absorbe por la piel. Dañino si se traga. Produce una irritación de los ojos moderada. Evite el contacto con la piel, ojos o ropa. Evite inhalar el polvo. Use una camisa de mangas largas, pantalones largos, medias y zapatos, y guantes resistentes a los productos químicos hechos de algún material impermeable.

Primeros Auxilios

- **SI CAE EN LA PIEL O EN LA ROPA:** Quite la ropa contaminada. Enjuague la piel inmediatamente con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
- **SI SE INHALA:** Lleve a la persona al aire fresco. Si la persona no respira llame al 911 o a una ambulancia, luego aplique respiración artificial, preferiblemente de boca a boca, si es posible.
- **SI ENTRA EN LOS OJOS:** Mantenga el ojo abierto y enjuague con agua despacio y con cuidado de 15 a 20 minutos. Si tuviera lentes de contacto, quítelos después de lavarse con agua los primeros 5 minutos y después continúe enjuagando el ojo. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Tenga a la mano el envase del producto o la etiqueta cuando llame al centro de control de envenenamiento o al médico, o al buscar tratamiento.

RIESGOS AMBIENTALES: Este pesticida es tóxico para los peces y animales invertebrados acuáticos, y puede afectar de manera adversa a plantas que se desean conservar. No lo aplique directamente en el agua, en áreas donde hay agua superficial o en áreas entre mareas por debajo de la marca de marea alta promedio. El desplazamiento o el escurrimiento del producto pueden ser peligrosos para los peces en aguas adyacentes a las áreas tratadas. No contamine el agua cuando elimine las aguas residuales del lavado o enjuague de los equipos. Este producto químico tiene propiedades y características asociadas con las sustancias químicas detectadas en aguas subterráneas. La utilización de este producto químico en áreas donde los suelos son permeables, en particular donde el manto freático es superficial, puede derivar en la contaminación de las aguas subterráneas. La aplicación en torno a una cisterna o a un pozo puede provocar la contaminación del agua potable o las aguas subterráneas.

Almacenamiento y Eliminación

- **ALMACENAMIENTO DEL PESTICIDA:** Conserve en un lugar fresco y seco. Cierre la bolsa abierta doblando la parte superior y asegurándola.
- **ELIMINACION DEL ENVASE DE PESTICIDA: SI ESTA VACIO:** Envase no rellenable. No reusar ni rellenar este envase. Tírelo a la basura o, si está disponible, ofrézcalo para reciclaje. **SI ESTA PARCIALMENTE LLENO:** Llame a su agencia de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en ningún drenaje interior o exterior.

Guaranteed Analysis

Turf Builder®I with Plus 2® Weed Control	28-0-3 F 643
Total nitrogen (N)	28%
5.2% ammoniacal nitrogen	
12.7% urea nitrogen	
9.3% other water soluble nitrogen‡	
0.8% water insoluble nitrogen	
Soluble potash (K_2O)	3%
Sulfur (S)	7%
7% combined sulfur (S)	

Derived from: methyleneureas, potassium sulfate, ammonium sulfate, urea.
‡Contains 6.7% slowly available methylenediurea and dimethylenetriurea nitrogen.
+ Including white clover, chickweed, plantain and ragweed.
+ Entre ellas: trébol blanco, álsine, llantén y ambrosías.

Questions / Information

SMG Listed NYSE
The Scotts Company
14111 Scottslawn Rd.
Marysville, Ohio 43041

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-sc.com

Información relacionada con el contenido y con los niveles de metales en este producto se encuentra disponible en Internet en http://www.regulatory-info-sc.com

© 2010 Licensed by The Scotts Company LLC. World rights reserved. Made in U.S.A.
U.S. Patent No. 5,102,440
EPA Reg. No. 538-270 EPA Est. No. 538-OH-1
†CAS #94-75-7 ††CAS #16484-77-8

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

ADVERTENCIA: Conforme a los límites de la ley aplicable, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

Scotts No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Si por cualquier razón usted, el consumidor, no está satisfecho después de usar este producto, tiene derecho a que se le devuelva su dinero. Simplemente envíenos su comprobante de venta y nosotros le enviaremos rápidamente por correo un cheque de reembolso.

PROOF OF PURCHASE
P32405-2 I VID-PP

0 32247 32405 2

TURF BUILDER WITH PLUS 2
WEED CONTROL SM 32405-2

32405
2



Scotts®

Turf Builder® I

WITH PLUS 2® WEED CONTROL

Water Smart®

Improves Lawn's Ability to Absorb Water & Nutrients

32405
2



Scotts®

Turf Builder® I

WITH PLUS 2® WEED CONTROL

Water Smart®

Improves Lawn's Ability to Absorb Water & Nutrients

EPA Reg. 538-270 (5M)
Turf BuilderI with Plus 2 Weed Control