



GROUP 3 | 14 HERBICIDES

For sale to and use by professional applicators only. Not for sale to or use by homeowners/consumers.



LICENSED

Jewel™



LICENSED



LICENSED

PERIOD 2014-2016 LIC. NO.

9388.64
Disc.

Pre-Emergent Herbicide

Provides preemergence control of weeds in container and field grown ornamentals.

PERIOD 2011-2013 LIC. NO.

PERIOD 2008-2010 LIC. NO.

95905

Jewel™

Pre-Emergent Herbicide

P95905

ACTIVE INGREDIENTS:

Oxadiazon†	2.00%
Pendimethalin††	1.25%
OTHER INGREDIENTS:	96.75%
TOTAL	100.00%

† CAS # 19666-30-9

†† CAS # 40487-42-1

EPA Reg. No. 58185-94

EPA Est. No. 539-OH-1*

8378-IN-1*

Superscript is the first letter of run code on end of container

CAUTION

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Harmful if swallowed. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYE: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. Call poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks, and
- Chemical resistant gloves

In addition, mixers and loaders must wear a chemical-resistant apron. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240] (d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing or PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

SEE ATTACHED LABELING FOR DIRECTIONS FOR USE AND ADDITIONAL PRECAUTIONARY STATEMENTS



PROFESSIONAL HORTICULTURE

Manufactured for:
Scotts-Sierra Crop Protection Company
14111 Scottslawn Rd.
Marysville, OH 43041
www.scottsprohort.com



Net Weight 50 lb (22.68 kg)


95905

Jewel





Jewel™ 95905



Jewel™

Pre-Emergent Herbicide

95905

IMPORTANT NOTICE FROM THE SCOTTS COMPANY LLC AND SCOTTS-SIERRA HORTICULTURAL PRODUCTS COMPANY ("SCOTTS").

PLEASE READ BEFORE USE

By using this product, user or buyer accepts the conditions, disclaimer of warranties and limitations of liability. Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once for full refund.

CONDITIONS: This product has been researched to provide necessary data to support its uses listed on the label. The directions for use of this product are believed to be adequate and the user or buyer must always follow the label directions carefully and exercise judgment and caution when using this product under their growing conditions. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, unsatisfactory or substandard results or other unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of Scotts. All such risks shall be assumed by the user or buyer.

WARRANTY: This product corresponds to all claims and descriptions set forth on the label and, subject to the conditions set forth above, is reasonably fit for use for any purpose for which it is intended. Scotts recognizes that the rights and remedies of the user or buyer are subject to the provisions of the applicable state law, but makes no other warranties or representations, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Scotts is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Subject to the user's or buyer's rights and remedies under the applicable state law, Scotts disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: Subject to the user's or buyer's rights and remedies under the applicable state law, the exclusive remedy of the user or buyer and the liability of Scotts or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid by the user or buyer for the quantity of this product involved at Scotts' election, the replacement of the product. Subject to the user's or buyer's rights and remedies under the applicable state law, any and all claims or actions related to the use or handling of this product must be commenced within one (1) year from the date the product was purchased.

ATTENTION: This product contains a chemical known to the State of California to cause cancer.

P95905



07/11/08

For sale to and use by professional applicators only. Not for sale to or use by homeowners/consumers.



GROUP 3 | 14 HERBICIDES

JewelTM

Pre-Emergent Herbicide

Provides preemergence control of weeds in container and field grown ornamentals.

ACTIVE INGREDIENTS:

Oxadiazon [†]	2.00%
Pendimethalin ^{††}	1.25%
OTHER INGREDIENTS	96.75%
TOTAL	100.00%

[†] CAS # 19666-30-9

^{††} CAS # 40487-42-1

EPA Reg. No. 58185-34

EPA Est No. 538-OH-1^s

EPA Est No. 8378-IN-1^k

Superscript is the first letter of run code on end of container

CAUTION

KEEP OUT OF REACH OF CHILDREN

Net Weight: 50 lb (22.68 kg)

If you have questions regarding the use of this product, call TOLL FREE 1-800-492-8255

© 2008 The Scotts Company LLC. Jewel TM is a trademark of OMS Investments, Inc., used under license.



Manufactured for Scotts-Sierra Crop Protection Company
14111 Scottslawn Rd. • Marysville, OH 43041
www.scottsprohort.com

Stock #

95905

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

CAUTION. Harmful if swallowed. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks, and
- Chemical-resistant gloves

In addition, mixers and loaders must wear a chem-

ical-resistant apron.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing or PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

**FOR SALE TO, USE AND STORAGE
BY COMMERCIAL NURSERY,
CUT FLOWER FOLIAGE AND LANDSCAPE
PERSONNEL ONLY.**

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH ITS LABELING.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

GENERAL INFORMATION

Jewel™ Pre-emergent Herbicide is a granular herbicide with a combination of two active ingredients designed to control a broad spectrum of weeds in established landscape, field grown, and container-grown ornamental plants, including perennials. This product will not control established weeds. When applied according to the label directions, Jewel™ Pre-emergent Herbicide will prevent weed germination, depending on conditions. This product works well as a stand-alone product or as part of a rotational program to provide year-round weed control.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170.

This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Shoes plus socks
- Chemical-resistant gloves made of any waterproof material

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forest, nurseries or greenhouses.

Keep all people, children, and pets out of the treated areas until dusts have settled.

RESISTANCE MANAGEMENT

Unlike insects and disease causing organisms, weed populations develop resistance very slowly so the most common form of resistance encountered in nurseries and landscapes is inherent natural resistance. Though inherent, natural resistance poses the same threat as any form of resistance that develops on site. This inherent, natural resistance is often only associated with a particular herbicide compound and usually not to an entire "group" or class of herbicides. Due to the relatively small number of pre-emergent herbicide classes available, and the fact that evidence of cross-resistance within pre-emergent herbicide classes is uncommon, it is likely that rotating herbicides with different active ingredients, even if they are in the same group, will provide satisfactory weed control without causing the development of cross-resistance within the herbicide group.

Jewel™ Pre-emergent Herbicide is a combination product composed of a Group 3 and a Group 14 herbicide. Any weed population may contain or develop plants naturally resistant to Jewel™ Pre-emergent Herbicide and to other Group 3 and 14 herbicides. Weed species with acquired resistance to Jewel™ Pre-emergent Herbicide may eventually dominate the weed population if Group 3 or 14 herbicides are used repeatedly in the same field or in successive years as the primary method of weed control. This may result in partial or total loss of control of those species by Jewel™ Pre-emergent Herbicide or other Group 3 or 14 herbicides.

To reduce the chance of herbicide resistance, consider the following:

- Base herbicide use on a comprehensive IPM program that focuses on prevention, thorough sanitation and the use of non-selective post emergent herbicides where possible, as well as other recognized IPM techniques.
- When possible on the same weed species, alternate applications of Jewel™ Pre-emergent Herbicide with non-Group 3 or Group 14 herbicides.
- Use herbicides from different target site of action Groups registered for the same use that have different sites of

action, and are both effective at the tank mix or pre-pack rate on the weeds of concern.

- Monitor treated weed populations for loss of field efficacy.
- Contact your local extension specialist, certified crop advisors, and/or manufacturer for herbicide resistance management and/or integrated weed management recommendations for specific crops and resistant weed biotypes.
- Contact The Scotts-Sierra Crop Protection Company at 800-492-8255 or www.scottsprohort.com for further information or to report suspected resistance.

PRECAUTIONS/LIMITATIONS

- Do not apply to wet foliage.
- Do not apply product in enclosed greenhouses or polyhouse structures, as ornamental injury may occur.
- Do not apply in windy conditions that affect distribution of the product.
- Do not till or blend Jewel™ Pre-emergent Herbicide into soil or potting media or apply product directly to bare roots.
- The user assumes responsibility for any crop damage or other liability from the use of this product on ornamental plant species not recommended on this label.
- Avoid contamination of water for irrigation and domestic use.
- Avoid application to cement, stone, clothing or shoes. If contact occurs, brush off particles to prevent staining. If necessary, rinse with water.
- Not for use on vegetables. Do not use on fruit trees that will bear fruit within one year of application.
- This product does not control established weeds.

CONTAINER APPLICATION RECOMMENDATIONS

- Apply this product to dry foliage only.
- Remove established weeds from potted liners prior to transplanting into containers.

- After planting, irrigate with approximately ½ to 1 inch of water to firm potting media around root system.
- After two regular irrigation applications and after foliage has dried, broadcast product evenly over container growing area.
- Jewel™ Pre-emergent Herbicide should be applied at the recommended rate with a properly calibrated spreader, which will assure accurate, even particle distribution.
- For best results, water immediately (½ to 1 inch) after application to remove granules from plant foliage and activate the herbicide.
- Do not destroy the chemical barrier by disturbing the growing media (such as by pulling weeds).
- Allow at least 2-4 months span between any two applications of Jewel™ Pre-Emergent Herbicide or a rotational partner such as OH2® or Rout®.
- Always read the entire product label prior to application to make sure the rotational partner is suited for the crop and use site.

FIELD GROWN NURSERY AND LANDSCAPE APPLICATION RECOMMENDATIONS

- Apply this product to dry foliage only.
- In newly planted areas, irrigate with approximately ½ to 1 inch of water from irrigation or rainfall to firm soil around the root system of transplants.
- Prior to applying Jewel™ Pre-emergent Herbicide in existing landscapes or field nurseries, remove established weeds from areas to be treated with light cultivation, post-emergent herbicide, or an appropriate combination of both.
- This herbicide should be applied at the recommended rate with a properly calibrated spreader, which will assure accurate, even particle distribution.
- For best results, water immediately (½ to 1 inch) after application to remove granules from plant foliage and activate the herbicide. If no irrigation is available, try to time the application prior to expected rainfall. Failure to activate the herbicide with irrigation or rainfall may result in poor weed control.

- Do not destroy the chemical barrier by disturbing the soil (such as by pulling weeds, raking or tilling) within the effective period of control for this product.
- Allow at least 2-4 months span between any two applications of Jewel™ Pre-Emergent Herbicide or a rotational partner such as OH2® or Rout®.
- Always read the entire product label prior to application to make sure the rotational partner is suited for the crop and use site.

The ornamental plants on the following list have been tested and shown to be safe when treated with **Jewel™ Pre-emergent Herbicide**. Only one or two varieties of each species were tested.

Other species in a genus or different varieties in the same species may respond differently. Be cautious when treating annual plants.

Jewel™ Pre-emergent Herbicide may be used on plant species not listed on this label. All species and varieties of ornamental plant types have not been tested. If a user wishes to make an application to a similar ornamental plant type not listed on the label, it is suggested that a trial application be performed first. **THE USER ASSUMES RESPONSIBILITY FOR ANY CROP DAMAGE OR OTHER LIABILITY.** Do not treat plants grown for food or feed. Do not use treated plants for food or feed.

A trial application should be made by applying Jewel™ Pre-emergent Herbicide to a small number of plants (20 or more) and grown under conditions similar to those which will be treated full scale. Wait 7 days before monitoring for injury symptoms.

Plants that have been found to be tolerant to Jewel™ Pre-emergent Herbicide

There is limited data to support application to annuals.

TREES

Apple (*Malus spp.*)
Crabapple (*Malus spp.*)
Arborvitae (*Thuja spp.*)
Ash (*Franxinus spp.*)
Bald Cypress (*Takodium distichum*)
Leyland Cypress (*Cupressocyparis leylandii*)
Cedar (*Thuja spp.*)
Cedar, Red (*Juniperus virginia*)
Cedar, Atlas (*Cedrus atlantica*)
Dogwood (*Cornus spp.*)
Elm (*Ulmus japonica*)
Fir, Douglas (*Pseudotsuga menziesii*)
Gingko (*Gingko biloba*)
Holly (*Ilex spp.*)
Lilac (*Syringa spp.*)
Magnolia (*Magnolia spp.*)
Maple (*Acer spp.*)
Oak (*Quercus spp.*)
Palm (several)
Pine (*Pinus spp.*)
Poplar (*Populus spp.*)
Redwood, Dawn (*Metasequoia glyptostoboides*)

SHRUBS

Bamboo (*Bambina spp.*)
Barberry (*Berberis spp.*)
Boxwood (*Buxus spp.*)
Butterfly Bush (*Buddleia davidii*)
Camellia (*Camellia spp.*)
Deutzia (*Deutzia gracilis*)
Escallonia (*Escallonia spp.*)
Euonymus (*Euonymus spp.*)
Forsythia (*Forsythia intermedia*)
Fothergilla (*Fothergilla gardenii*)
Gardenia (*Gardenia jasminoides*)
Honeysuckle (*Diervilla / Lonicera spp.*)
Holly (*Ilex spp.*)
Hydrangea (*Hydrangea arborescens*)
Juniper (*Juniperus spp.*)
Laurel (*Prunus spp.*)
Laurel (*Kalmia latifolia*)
Luecothoe (*Luecothoe spp.*)
Lilac (*Syringae spp.*)
Lily of the Nile (*Agapanthus spp.*)
Grape Holly (*Mahonia aquafolium*)
Mock Orange (*Pittosporum tobira*)
Mock Orange (*Philadelphus virginialis*)
Myrtle (*Mutus communis*)
Nandina (*Nandina domestica*)
Oleander (*Nerium oleander*)
Osmanthus (*Osmanthus spp.*)
Photinia, Fraser (*Photinia fraseri*)
Privet (*Lygustrum spp.*)
Pyracantha (*Pyracantha coccinea*)
Rose (*Rosa spp.*)
Sweet Pepperbush (*Clethra spp.*)
Yew (*Taxus spp.*)

Perennial and Annual Ornamentals and Groundcovers

Acacia (*Acacia redolens*)
Ageratum (*Ageratum spp.*)
Ajuga (*Ajuga spp.*)
 (*Aquilegia spp.*)
Artemisia (*Artemisia schmidtiana*)
Asters (*Aster spp.*)
Astilbe (*Astilbe spp.*)
Baby's Breath (*Gypsophilia spp.*)
Bee Balm (*Monarda didyma*)
Bergenia (*Bergenia spp.*)
Blanket Flower (*Gaillardia spp.*)
Blue Wild Indigo (*Baptisia australis*)
Campanula (*Campanula carpatica*)
Canna Lilies (*Canna spp.*)
Cat Mint (*Nepeta fassenii*)
Coneflower (*Rudbeckia spp.*)
Coreopsis (*Coreopsis lanceolata*)
Echinacea (*Echinacea purpurea*)
Epimedium (*Epimedium spp.*)
Eupatorium (*Eupatorium rogosum*)
Dianthus (*Dianthus deltoides*)
Yellow Foxglove (*Digitalis grandiflora*)
Gaillardia (*Gaillardia spp.*)
Gazania, Trailing (*Gazania leucolaena*)
Gazania (*Gazania spp.*)
Geraniums (*Pelargonium spp.*)
Gladiolas (*Gladiolus spp.*)
Gaura (*Gaura lindheimeri*)
Hosta (*Hosta spp.*)
Heuchera (*Heuchera micantha*)
Ice Plant (*Carpobrotus edulis*)
Ivy (*Hedera spp.*)
Jasmine (*Jasminium mesnyi*)
Jasmine Primrose (*Trachelospermum spp.*)
 (*Lamium galabardii*)
Leopards-Bane (*Doronicum cordatum*)
 (*Lavandula angustifolia*)
Liatris (*Liatris spicata*)
Lily (*Lilium orientalis*)
 (*Miscanthus sinensis*)
Pachysandra (*Pachysandra terminalis*)
Penstemon (*Penstemon barbatus*)
Peony (*Paeonia spp.*)
Periwinkle (*Vinca spp.*)
Phlox (*Phlox subulata*)
Potentilla (*Potentilla spp.*)
Rudbeckia (*Rudbeckia fulgida*)
Russian Sage (*Perovskia atriplicifolia*)

Salvia (*Salvia nemorosa*)
Scabiosa (*Scabiosa spp.*)
St. Johnswort (*Hypericum spp.*)
Veronica (*Veronica spicata*)
Wisteria (*Wisteria sinensis*)
Yarrow (*Achillea millefolium*)

Ornamental Grasses

Blue Fescue (*Festuca ovina*)
Calamagrostis (*Calamagrostis acutiflora*)
Purple Fountain (*Pennisetum rubrum*)

Plants that have shown injury from Jewel™ Pre-emergent Herbicide

Begonia (*Begonia* spp.)
Campanula (*Campanula persicifolia*)
Dianthus (*Dianthus caryophyllus*)
(*Calluna* spp.)
(*Carex* spp.)
(*Catharanthus roseus*)
Chrysanthemum (*Chrysanthemum* spp.)
Clematis (*Clematis* spp.)
Delphinium (*Delphinium* spp.)
(*Echinacea* spp.)
Heather (*Calluna* spp.)
Lupines (*Lupinus* spp.)
(*Ligustrum vicaryi*)
(*Oenothera missouriensis*)
(*Heuchera* spp.)
Geranium (*Geranium sanguinea*)
(*Monarda* spp.)
Phlox (*Phlox paniculata*)
Sedum (*Sedum brevifolium*)
Shasta Daisy (*Leucanthemum maximum*)
Petunia (*Petunia* spp.)
Marigolds (*Tagetes* spp.)
Vinca (*Vinca minor*)
Zinnia (*Zinnia* spp.)

Jewel™ Pre-emergent Herbicide provides preemergence control of the following broad-leaf weeds and grasses:

When applied as described on the label, Jewel™ Pre-emergent Herbicide controls these weeds

Grassy Weeds

Annual Bluegrass (*Poa annua*)
Annual Sedge (*Cyperus compressus*)
Barnyardgrass (*Echinochloa crusgalli*)
Crabgrass, Large (*Digitaria sanguinalis*)
Crabgrass, Smooth (*Digitaria ischaemum*)
Fall Panicum (*Panicum dichotomiflorum*)
Field Sandbur (*Cenchrus incertus*)
Foxtail, Bristly (*Setaria verticillata*)
Foxtail, Green (*Setaria viridis*)
Foxtail, Yellow (*Setaria lutescens*)
Goosegrass (*Eleusine indica*)
Ripgut Bromegrass (*Bromus catharticus*)
Wild Oats (*Avena fatua*)

Broadleaf Weeds

Bittercress (*Cardamine pensylvanica*)
Bristly Oxtongue (*Picris echioides*)
Carpetweed (*Mollugo verticillata*)
Cheeseweed (*Malva parviflora*)
Common Chickweed (*Stellaria media*)
Common Groundsel (*Senecio vulgaris*)
Fiddleneck (*Amsinckia intermedia*)
Fireweed (*Epilobium angustifolium*)
Knotweed, Prostrate (*Polygonum aviculare*)
Lambsquarters (*Chenipodium album*)
Niruri (*Phyllanthus niruri*)
Oxalis (*Oxalis stricta*)
Purslane (*Portulaca oleracea*)
Pigweed (*Amaranthus retroflexus*)
Shepardspurse (*Capsella bursa-pastoris*)
Sow Thistle (*Sonchus oleraceus*)
Speedwell (*Veronica* spp.)
Spiny Amaranth (*Amaranthus spinosus*)
Spotted Catsear (*Hyopochaeris radicata*)
Spurge, Prostrate (*Euphorbia maculata*)
Spurge, Roundleaf (*Euphorbia cordifolia*)
Yellow Woodsorrel (*Oxalis stricta*)

APPLICATION RATE

Do not exceed 100 lbs per acre per application.

Application Rate Table				
Per	Square Foot	100 Square Feet	1000 Square Feet	Per Acre
Metric	1 G	100 G	1 KG	45.4 KG
Pounds (Lbs)		0.23	2.3	100
Lbs of Active Ingredient per Acre				2.0 lbs (Oxadiazon) 1.25 lbs (Pendimethalin)

APPLICATION LIMITATIONS

- Do not apply more than 4 pounds of oxadiazon per acre for a single application.
- Do not apply more than 6 pounds of oxadiazon per acre per year except in areas where there are heavy weed infestations.
- In areas of heavy weed infestations, the maximum application rate is 8 pounds oxadiazon per acre per year.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative of the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT NOTICE FROM THE SCOTTS COMPANY LLC AND SCOTTS-SIERRA HORTICULTURAL PRODUCTS COMPANY ("SCOTTS").

PLEASE READ BEFORE USE

By using this product, user or buyer accepts the conditions, disclaimer of warranties and limitations of liability. Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once for full refund.

CONDITIONS: This product has been researched to provide necessary data to support its uses listed on the label. The directions for use of this product are believed to be adequate and the user or buyer must always follow the label directions carefully and exercise judgment and caution when using this product under their growing conditions. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, unsatisfactory or substandard results or other unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of Scotts. All such risks shall be assumed by the user or buyer.

WARRANTY: This product corresponds to all claims and descriptions set forth on the label and, subject to the conditions set forth above, is reasonably fit for use for any purpose for which it is intended. Scotts recognizes that the rights and remedies of the user or buyer are subject to the provisions of the applicable state law, but makes no other warranties or representations, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Scotts is authorized to make any warranties beyond those contained herein or to modify the warranties contained therein. Subject to the user's or buyer's rights and remedies under the applicable state law, Scotts disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: Subject to the user's or buyer's rights and remedies under the applicable state law, the exclusive remedy of the user or buyer and the liability of Scotts or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid by the user or buyer for the quantity of this product involved or at Scotts' election, the replacement of the product. Subject to the user's or buyer's rights and remedies under the applicable state law, any and all claims or actions related to the use or handling of this product must be commenced within one (1) year from the date the product was purchased.

Attention: This product contains a chemical known to the State of California to cause cancer.

Manufactured for Scotts-Sierra Crop Protection Company
14111 Scottslawn Rd.
Marysville, OH 43041
www.scottsprohort.com

© 2008 The Scotts Company LLC, World rights reserved.
Made in the USA
L95905

071808

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative of the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

BASE COPY

6-1/2"



Manufactured For:
Scotts-Sierra Crop Protection Company
14111 Scottslawn Rd.
Marysville, OH 43041
www.scottsprohort.com

If you have questions regarding the use of
this product, call TOLL FREE 1-800-492-8255

© 2008 The Scotts Company LLC, World rights reserved.

Made in the USA

L95905

rev.071808