for Organic Gardening

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

9395.84
Disc.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2011-2013 LIC. NO.

Garden Safe® Brand

Insecticide

Concentrate

FOR DORMANT USE

Insecticida concentrado para uso en dormancia

Kills All Stages of Insects

- ***For Dormant & Growing Season Use***
- ***Use to Control Insects, Mites, Scales & Powdery Mildew***
- ***For Roses, Flowers, Fruits, Vegetables, Houseplants & Trees***
- ***For Use in Homes, Home Gardens & Home Greenhouses***

Active Ingredient	By Wt.
Canola Oil	96%
Other Ingredients	4%
Total	100%

This product contains 7.368 lb of active ingredient per gallon.

Net 1 pt (16 fl oz / 473 mL)

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet for additional precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCION Consulte el folleto en la parte posterior para conocer las declaraciones preventivas adicionales.

17-13779

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN. Evite el contacto con la piel o la ropa. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle o usar tabaco.

PRIMEROS AUXILIOS

SI ENTRA EN CONTACTO CON LA PIEL O LA ROPA: Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Número de la línea directa

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar a la línea directa del Centro Nacional de Información sobre Pesticidas (National Pesticide Information Center) al 1-800-858-7378 para obtener información sobre tratamiento médico de urgencia.

Riesgos para el medio ambiente: Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por alcantarillas pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando haga buen tiempo cuando no se pronostique lluvia en las siguientes 24 horas, asegurará que ni el viento ni la lluvia sople o quite el pesticida de la zona de tratamiento. Enjuagar el equipo de aplicación encima de la zona tratada ayudará a evitar el escurrimiento a masas de agua o sistemas de drenaje.

STOP. Read entire label before use. PEEL HERE
ALTO. Lea toda la etiqueta antes de usar. ABRA AQUÍ

Garden Safe® Brand

Insecticide

Concentrate

FOR DORMANT USE

Insecticida concentrado para uso en dormancia

- ***Kills All Stages of Insects***
- ***For Year-Round Use***
- ***Dormant & Growing Season Insect Spray***
- ***For Roses, Flowers, Fruits, Vegetables, Houseplants & Trees***

The Garden Safe® Promise • Satisfaction guaranteed or your money back! If you apply Garden Safe® Brand Insecticide Concentrate for Dormant Use as directed and you are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.

WARRANTY STATEMENT • To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. To the fullest extent permitted by law, the seller shall not be liable for damages caused by buyer's use of product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

Questions or Comments? Call 1-800-257-3379 or visit our website at www.gardensafe.com
¿Preguntas o comentarios? Llame al 1-800-257-3379.

Distributed by Schultz Company, PO Box 4406
Bridgeton, MO 63044-0406
EPA Reg. No. 67702-4-39609
EPA Est. Nos. 9688-MO-1(U), 39754-WI-1(R), 11623-GA-1(CK), 79533-WI-1(BT), 58996-MO-1(AE), 39609-MO-1(BM)
Circled letter is first letter of lot number.
17-13780 © 2011
Made with Vegol™, a trademark of W. Neudorff GmbH KG.
Manufactured under license of W. Neudorff GmbH KG, Germany.

NEUDORFF®

PROOF OF PURCHASE

FPO UPC

0 72845 93188 7

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Please read entire label. Use only as directed. Shake well before each use. Thoroughly wet all parts of the pests and plants. Repeat treatment in one to two weeks if needed.

PESTS/SITES AND APPLICATION INSTRUCTIONS

DIRECTIONS FOR MIXING

For 2% formulation: Mix 4 tsp of concentrate with 1 qt water (or 2 fl oz of concentrate with 3 qt water). Shake well before each use and stir or shake diluted spray frequently during use. Apply 1 qt of formulation for 3 sq yd.

Apply at a rate of 2% formulation. Using hand-held trigger sprayers, hand sprayers or backpack sprayers, thoroughly spray insect pests with diluted product until plants are wet. Repeat treatment in one to two weeks if needed. Apply 1 qt of formulation for 3 sq yd. This container will cover 648 sq ft.

Controls:

Adelgids	Aphids	Mites
Leafhoppers	Mealybugs	Scale
Phylloxera	Psyllids	Immature plant bugs
Sawfly larvae	Whitefly	Powdery mildew

For use on:

VEGETABLES

Beans	Curcurbits	Potatoes
Cabbage	Melons	Soybeans
Corn	Peas	Tomatoes

FRUITS AND NUTS

Apples	Figs	Nuts
Cherries	Grapes	Raspberries
Citrus	Pears	Strawberries

ORNAMENTAL AND SHADE TREES

Birch Evergreens Holly Oak

HOUSEPLANTS

Flowering, Foliage and Bedding Plants

POWDERY MILDEW CONTROL

For control of powdery mildew on fruits, vegetables, roses, shrubs, houseplants and ornamentals: Thoroughly apply to both upper and lower leaf surfaces. Continue every 7-14 days as needed until disease is eliminated.

DIRECTIONS FOR DORMANT USE

Controls egg stages of pests present in dormant season and scale insects, mites and mealybugs on dormant shrubs (such as roses), evergreens, woody plants, fruit trees and shade trees. For dormant use, apply a 2% formulation. Mix 4 tsp of concentrate with 1 qt water (or 2 fl oz concentrate with 3 qt water). Thoroughly wet the dormant plants or trees.

USE PRECAUTIONS

Oil removes the glaucous (blue) bloom from such evergreens as Colorado Blue Spruce and Koster Spruce. Use caution on blooms and buds and on oil-sensitive plants such as Chamaecyparis, Cryptomeria, Japanese Holly, Red Cedar and Smoke Tree. If concerned about sensitivity of plants, test spray a portion of the plant and wait several days to determine if burn occurs before spraying larger areas.

Do not combine with sulfur and do not follow a previous application of sulfur or apply sulfur following an application of this material until sufficient time has elapsed for safety (at least 30 days).

When used in combination with or immediately before or after spraying, this product may increase the phytotoxicity of dinitro compounds; fungicides such as Captan, Folpet, Karathene and Morestan; or copper compounds. If in doubt, treat a small area with a combination spray and wait several days to determine if burn occurs.

Do not use Garden Safe® Brand Insecticide Concentrate for Dormant Use spray when temperatures are above 90°F. When temperatures drop below 32°F during the night, do not spray tree and vine crops until daytime temperatures have warmed to a point above 35°F and crops are free from moisture due to melting frost or heavy dews.

Use of Garden Safe Brand Insecticide Concentrate for Dormant Use on citrus after October 1 is capable of increasing the tree's susceptibility to cold damage.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

DISPOSAL: • If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Hotline Number

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact the National Pesticide Information Center hotline at 1-800-858-7378 for emergency medical treatment information.

Environmental Hazards: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

Lea toda la etiqueta. Use sólo como se indica. Agite bien antes de cada uso. Moje bien todas las partes de los insectos nocivos y las plantas. Repita el tratamiento en una o dos semanas si es necesario.

INSECTOS NOCIVOS/LUGARES E INSTRUCCIONES DE APLICACIÓN

INSTRUCCIONES PARA MEZCLAR

Para fórmula al 2%: Mezcle 4 cdtas. de concentrado con ¼ de galón de agua (o 2 onzas líquidas de concentrado con ¾ de galón de agua). Agite bien antes de cada uso y remueva o agite el rocío diluido frecuentemente durante el uso. Aplique ¼ de galón de la fórmula en 3 yardas cuadradas.

Aplique a una dosis de 2% de fórmula. Use rociadores manuales o rociadores de mochila para rociar completamente los insectos nocivos con el producto diluido hasta que las plantas estén mojadas. Repita el tratamiento en una a dos semanas si es necesario. Aplique

¼ de galón de la fórmula en 3 yardas cuadradas. Este envase cubre una superficie de 648 pies cuadrados.

Controla:

adélgidos	áfidos	escamas
saltarillas	cochinillas rosadas	estados inmaduros de hemípteros
filoxera	psílidos	oidio
larvas de la mosca de la sierra	moscas blancas	
	ácaros	

Para usar en:

HORTALIZAS

frijoles	cucurbitáceas	papas
col	melones	soya
maíz	chícharos verdes	tomates

FRUTAS Y NUECES

manzanas	higos	nueces
cerezas	uvas	frambuesas
cítricos	peras	fresas

ÁRBOLES ORNAMENTALES Y PARA SOMBRA

abedul siempre verdes acebo roble

PLANTAS DE INTERIORES

plantas con flores, de follaje y de macizos

PARA EL CONTROL DEL OIDIO

Para el control del oidio en frutas, hortalizas, rosas, arbustos, plantas de interiores y ornamentales: Aplique muy bien cubriendo tanto la superficie superior como la inferior de la hoja. Continúe aplicando cada 7 a 14 días, según sea necesario, hasta eliminar la enfermedad.

INSTRUCCIONES PARA USO EN DORMANCIA

Controla las etapas de huevo de los insectos nocivos presentes en la temporada de dormancia y escamas, los ácaros y las cochinillas rosadas en arbustos en dormancia (por ej. rosas), siempre verdes, plantas leñosas, árboles frutales y árboles para sombra. Para uso en la etapa de dormancia, aplicar la fórmula al 2%. Mezcle 4 cdtas. de concentrado con ¼ de galón de agua (o 2 onzas líquidas de concentrado con ¾ de galón de agua). Moje completamente las plantas o árboles en dormancia.

PRECAUCIONES SOBRE EL USO

El aceite elimina el color azulado de los árboles siempre verdes como el abeto azul de Colorado y el abeto Koster. Tenga cuidado con las flores y brotes en plantas sensibles al aceite como ciprés, criptomeria, acebo japonés, cedro rojo y árbol del humo. Si le preocupa la sensibilidad de las plantas, rocíe una parte de la planta y espere varios días para determinar si se queman antes de rociar zonas más grandes.

No use junto con azufre y no aplique este producto después de una aplicación de azufre, ni aplique azufre después de aplicar este producto hasta que haya transcurrido un período suficiente por seguridad (mínimo 30 días).

Este producto puede aumentar la fitotoxicidad de los compuestos de dinitro, de los fungicidas como Captan, Folpet, Karathene y Morestan, o de los compuestos de cobre cuando se lo usa junto con o inmediatamente antes o después de rociar. Si tiene dudas, trate una zona pequeña con un rocío de la mezcla y espere varios días para determinar si se queman.

No use el insecticida concentrado para uso en dormancia Garden Safe® Brand para rociar cuando las temperaturas sean superiores a 90°F. Cuando las temperaturas sean menores a 32°F durante la noche, no rocíe los árboles ni la vid hasta que la temperatura diurna llegue a un mínimo de 35°F y las plantas no tengan humedad debido a heladas o rocío fuerte.

El uso del insecticida concentrado para uso en dormancia Garden Safe Brand en cítricos después del 1º de octubre puede aumentar la susceptibilidad del árbol al daño por frío.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO: Guarde este producto en su envase original en un lugar de almacenamiento seguro fuera del alcance de los niños y a los animales domésticos.

ELIMINACIÓN: • Si está vacío: Envase no rellenable. No vuelva a usar ni a rellenar este envase. Tírelo en la basura u ofrézcalo para reciclar, si existe esa opción.

Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Hotline Number
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact the National Pesticide Information Center hotline at 1-800-858-7378 for emergency medical treatment information.

WARRANTY STATEMENT • To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. To the fullest extent permitted by law, the seller shall not be liable for damages caused by buyer's use of product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

Questions or Comments? Call 1-800-257-3379 or visit our website at www.gardensafe.com

PRIMEROS AUXILIOS

SI ENTRA EN CONTACTO CON LA PIEL O LA ROPA: Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Número de la línea directa
Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar a la línea directa del Centro Nacional de Información sobre Pesticidas (National Pesticide Information Center) al 1-800-858-7378 para obtener información sobre tratamiento médico de urgencia.

GARANTÍA • Hasta el grado que sea compatible con la legislación pertinente, el vendedor garantiza que este producto corresponde a la descripción química en esta etiqueta y es razonablemente apto para los propósitos que se establecen en esta etiqueta solamente cuando se siguen las indicaciones en condiciones de uso normales. Hasta el grado máximo permitido por la ley, el vendedor no será responsable por los daños causados por el uso del producto que haga el comprador sin seguir las instrucciones de la etiqueta, o bajo condiciones de uso que no sean las normales, o bajo condiciones que no puedan ser razonablemente previstas por el vendedor. Hasta el grado que sea compatible con la legislación pertinente, el vendedor no otorga ninguna otra garantía, ya sea expresa o implícita.
¿Preguntas o comentarios? Llame al 1-800-257-3379.

Distributed by Schultz Company
PO Box 4406, Bridgeton, MO 63044-0406
EPA Reg. No. 67702-4-39609 EPA Est. Nos. 9688-MO-1 U, 39754-WI-1 R, 11623-GA-1 CK, 79533-WI-1 BT, 58996-MO-1 AE, 39609-MO-1 BM. Circled letter is first letter of lot number. 17-13780 © 2011