ACID SANITIZER FP™

Spartan®

Active Ingredients:

Octyl decyl dimethyl ammonium chloride	3.0750%
Didecyl dimethyl ammonium chloride	1.5375%
Dioctyl dimethyl ammonium chloride	1.5375%
Alkyl (C_{14},50%; C_{12}, 40% C_{16}, 10%) dimethyl benzyl ammonium chloride	4.1000%
Inert Ingredients:	89.7500%
TOTAL	100.0000%

EPA Reg. No. 10324-67-5741
EPA Est. No. 5741-OH-1

Acid Sanitizer FP Gal

7 53727 03246 4

Multi-Purpose No-Rinse Acid Food Contact Sanitizer For Food Handling and Process Areas, Restaurants and Institutional Kitchen Use

Acid Sanitizer FP for use in: Restaurants and institutional kitchens, Meat/poultry processing plants. This product may be used on washable hard, non-porous surfaces such as: Food preparation and storage areas, glass, metal, stainless steel, glazed porcelain, glazed ceramic, sealed granite, sealed marble, plastic, chrome and vinyl (test surfaces for compatibility first).

This product has been cleared by the EPA in 40CFR180.940(a) for use on food contact surfaces in public eating places, dairy processing equipment and food processing equipment and utensils at a concentration of 200-400 ppm active in the presence of 500 ppm hard water ($CaCO_3$).

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

See side panel for additional precautionary statements and first aid statements.

Sold by: **Spartan Chemical Company, Inc.**
1110 Spartan Drive, Maumee, Ohio 43537
1-800-537-8990 / Medical Emergency: 888-314-6171 / www.spartanchemical.com

#3154 NET CONTENTS: 1 U.S. Gallon / 3.79 Liters

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2008-2010 LIC. NO.

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2011-2013 LIC. NO.

RECEIVED
JUL - 6 2010

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2014-2016 LIC. NO. 9400.41

ACID SANITIZER FP™

FOOD CONTACT SANITIZING

PERFORMANCE: At a minimum of 1 and a maximum of 2 ounces per 4 gallons, 200-400 ppm, this product eliminates 99.999% of the following bacteria in 60 seconds in 500 ppm hard water calculated as CaCO3 according to the AOAC Germicidal and Detergent Sanitizing Action of Disinfectants test. Campylobacter jejuni, Escherichia coli, Escherichia coli 0157:H7, Listeria monocytogenes, Salmonella enterica, Shigella dysenteriae, Shigella flexneri, Staphylococcus aureus, Yersinia enterocolitica.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Sanitizing of Food Processing Equipment and Other Hard Non-porous Surfaces in Food Processing Locations, Dairies,Restaurants and Bars Directions: For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, eating utensils, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard non-porous surfaces.
NO POTABLE WATER RINSE IS ALLOWED.

Prior to application, remove gross food particles and soil by a pre-flush or pre-scrape and when necessary, presoak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner, followed by a potable water rinse before applications of the sanitizing solution.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from room or carefully protected.

A potable water rinse is not allowed following use of the product as a sanitizer on previously cleaned hard food contact surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains.

Apply a solution of 1 to 2 ounces of this product in 4 gallons of water or equivalent use dilution, 200-400 ppm active to precleaned, hard, non-porous surfaces thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. For spray applications, use a coarse spray, pump or trigger sprayer. Spray 6 to 8 inches from surface. Rub with brush, sponge, or cloth. Do not breathe spray. With spray applications cover or remove all food products. Surfaces must remain wet for at least 1 minute followed by adequate draining and air-drying. A fresh solution must be prepared at least daily or when use solution becomes visibly dirty. For mechanical application use solution may not be reused for sanitizing applications. Do not rinse after use as a sanitizer.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. NO POTABLE WATER RINSE IS ALLOWED after use as a sanitizer.

Dishes, silverware, glasses, cooking utensils, eating utensils and other similar size food processing equipment can be sanitized by immersion in a 1 to 2 ounce of this product per 4 gallons of water solution, 200-400 ppm active, or equivalent use dilution. NO POTABLE WATER RINSE IS ALLOWED.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Harmful if inhaled. Avoid breathing spray mist. Do not get into eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS
Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities in accordance with local, state and federal regulations.
RESIDUE REMOVAL INSTRUCTIONS: Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Sold by: SPARTAN CHEMICAL COMPANY, INC., 1110 Spartan Drive, Maumee, OH 43537 / 1-800-537-8990 / www.spartanchemical.com

© SCC 4/10

RECEIVED
JUL - 6 2010
Pesticides Branch