



STATE OF HAWAII
Department of Agriculture

ACCEPTED 9426.496

LICENSE NO:



Ovitrol

Plus

Contains PRECOR®
Insect Growth Regulator
Plus Pyrethrins, an adulticide

FLEA, TICK & BOT SPRAY

Kills and repels fleas, ticks, lice,
flies, mosquitoes and gnats

Kills flea eggs

2
Month
Protection

ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6)	0.27%
Pyrethrins (CAS #8003-34-7)	0.20%
Piperonyl Butoxide (CAS #51-03-6)	0.37%
N-octyl Bicycloheptene Dicarboximide (CAS #113-48-4)	0.62%
OTHER INGREDIENTS:	98.54%
TOTAL	100.00%

**Ovitrol Plus
may be
reapplied
weekly**

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional
Precautionary Statements

68403H

NET CONTENTS:
1 PT (16 fl oz)

1.8125"

1.8125"

1.8125"

1.9375"

2.75"

3"

treat

face, dampen a cloth with spray and rub on face and head, being careful to avoid eyes. Repeat every 2 months for continuous fly infestation prevention. If your horse/pony becomes reinfested, Ovitrol® Plus may be reapplied weekly. This product is not to be used on horses destined for slaughter. **For Prevention of Hatch of Horse Botfly Eggs:** Spray any infested areas directly at the first sign of visible eggs, paying particular attention to legs, shoulders, flanks, neck, and topline. Spray to the point of dampness but not to the point of run-off of the spray. For a high degree of botfly egg control, spray animals every 3-5 days during the botfly season.

STORAGE and DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:**

Call

your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS - CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. May cause dermal sensitization (skin allergy). **HAZARDS TO ANIMALS - CAUTION:** Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Some cats may be sensitive to products containing pyrethrins. Excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful. May cause dermal sensitization (skin allergy).

FIRST AID: Call a poison control center or doctor immediately for treatment advice.

- If in eyes**
 - Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- If on skin or clothing**
 - Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
- If swallowed**
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by the poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.



OVITROL® PLUS FLEA, TICK & BOT SPRAY

with Precor® Insect Growth Regulator

- Kills and repels: fleas, ticks, lice, flies, mosquitoes, and gnats
- Quickly kills adult fleas plus kills their hatching eggs for up to 2 months
- Kills and repels Lyme disease-carrying ticks
- Prevents botfly eggs from hatching
- Rapid action formula

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS, PUPPIES, CATS, KITTENS, HORSES AND PONIES

In case of emergency or for product use information, call 1-800-766-7661.

www.vet-kem.com



Wellmark International
 1501 East Woodfield Road, 200V
 Schaumburg, Illinois 60173

EPA Reg. No. 2724-404
 EPA Est. No. 2724-TX-1

©2001-2008 Wellmark International

Made in USA

68405C

2.0625"

2.0625"

2.0625"

2.1875"

Page 6

Page 7

Page 8

Front Cover
Page 1

1.9375"

1.8125"

1.8125"

1.8125"

2.75"

3"

**HOW
OVITROL® PLUS FLEA, TICK &
BOT SPRAY WORKS:** Ovitrol® Plus controls

fleas, flea larvae, ticks, lice, mosquitoes, gnats, house flies, stable flies, horn flies, face flies, and horse bots. Botfly eggs and flea eggs sprayed with Ovitrol® Plus will not hatch into adults.

Ovitrol® Plus combines the adult flea killing power of pyrethrins with the long-lasting egg-killing power of PRECOR® Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a Siphotrol® premise product. Effective flea control requires treatment of your pets, house, and yard.

Ovitrol® Plus contains PRECOR® Insect Growth

Regulator, which effectively kills botfly eggs that have been glued to the hairs on the forelegs, shoulders, and faces of horses, by adult botflies (*Gastrophilus* spp.). If left untreated, botfly larvae emerge from these eggs and are taken into the mouth of the horse. After botfly larvae are swallowed, they attach to the stomach and small intestinal linings in tremendous numbers, where they can remain for months before passing out in the feces. Adult botflies emerge from pupae in the soil to begin the cycle all over again. Botflies have been implicated as a cause of some stomach and intestinal conditions in horses.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **SHAKE WELL BEFORE USING.**

FOR DOGS AND CATS: For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or

damp animal to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover animal's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. With cloth, rub into face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals. Apply at the rate of 1 or 2 squeezes of the trigger sprayer [0.10 fluid ounce] per pound of body weight. For larger dogs, spray until damp, not saturated. Do not allow animals, cats in particular, to become chilled. Repeat every 2 months for continuous home flea infestation prevention. If your pet becomes reinfested with adult fleas from outside sources, Ovitrol® Plus may be reapplied weekly. **For Ticks:** Make sure spray



thoroughly wets individual ticks.

FOR PUPPIES AND KITTENS: For Fleas:

Leaving the eyes, nose, and mouth exposed, treat puppies and kittens weighing less than 3 pounds by wrapping the animal in a towel that has been lightly sprayed with Ovitrol® Plus, for 5 to 10 minutes. Or lightly spray a brush or cotton ball and work thoroughly into the hair coat. Fleas may then be removed from the coat by picking or combing. Puppies and kittens over 3 pounds may be treated the same as dogs and cats as described above. Repeat every 2 months for continuous home flea infestation prevention. If your pet becomes reinfested with adult fleas from outside sources, Ovitrol® Plus may be reapplied weekly. Do not allow animal to become chilled. **Do not use on puppies and kittens under 12 weeks of age.**

FOR HORSES AND PONIES: For Flies: Remove excess dirt and dust by brushing coat. Apply spray directly to horse's coat, giving particular attention to legs, shoulders, flanks, neck, and topline. To

2.1875"

2.0625"

2.0625"

2.0625"

Page 2

Page 3

Page 4

Page 5

.4375"

1.8125"

.4375"

2.75"

Have
the product container or label
with you when calling a poison control
center, doctor, or veterinarian or going for
treatment. You may also contact 1-800-766-7661
for emergency medical treatment information.

PHYSICAL HAZARDS: Combustible. Do not use or
store near heat or open flame.

For more information, or in case of emergency, call
1-800-766-7661.

www.vet-kem.com

Ovitrol, PRECOR, Siphotrol and VET•KEM are
registered trademarks of Wellmark International.



CENTRAL

Garden & Pet

3"

**Base
Label**

2.6875"