STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.
9426.505

Do Not Varnish This Area

ZODIAC® FleaTrol™
Flea & Tick Collar
for Small Dogs

CENTRAL Garden & Pet

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Buckle collar around dog's neck. Fit collar snug enough to prevent placement of the dog's leg or lower jaw through the collar, yet loose enough to be rotated about the neck. Generally, 2 or 3 fingers should fit between the collar and dog's neck.
2. Leave 2-3 extra inches on the collar for adjustment, cut off excess length and dispose of in trash.
3. Check periodically and adjust fit if necessary, especially when puppies are rapidly growing.
4. May be used in addition to regular collar. Replace collar when effectiveness diminishes.

WHAT TO EXPECT

FOR FLEAS:

1. This ZODIAC® collar is designed to kill adult fleas. **2.** Protection against fleas will be achieved within a few days, providing continuous protection for up to 5 months. **3.** Replace collar every 5 months or sooner if needed.

FOR TICKS:

1. Protection against adult and immature ticks will be achieved within a few days, providing continuous protection for up to 5 months. **2.** Adult ticks will be killed over the entire pet. Dead ticks will fall off or may be easily removed. **3.** Replace collar every 5 months or sooner if needed.

STORAGE and DISPOSAL: Storage: Store in original unopened container away from children. **Disposal:** Do not reuse container or collar. Dispose of in trash. If collar is temporarily removed, wrap in paper or plastic; do not allow children to have access to collar.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS-CAUTION: Do not get dust or collar in mouth, harmful if swallowed. Do not get dust in eyes, will cause temporary pupillary constriction.* The dust released by this collar is a cholinesterase inhibitor. **NOTICE: This product contains propoxur, a chemical known to the State of California to cause cancer.**

Humans: Do not open package until ready to use. Do not allow children to handle this collar. Dust will form on this collar during storage. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling collar.

Animals: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. **DO NOT USE ON PUPPIES UNDER 12 WEEKS OF AGE.** Do not use this product on dogs simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water.

FIRST AID	
Call a poison control center or doctor immediately for treatment advice	
If swallowed	• Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on skin or clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-950-4783 for emergency medical treatment information.	
NOTE TO PHYSICIAN/VETERINARIAN: Contains an N-methyl Carbamate that inhibits cholinesterase. * Atropine and *homatropine are antidotal only if symptoms of cholinesterase inhibition are present.	

To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Satisfaction guaranteed or your money back. In case of emergency or for product use information, call 1-800-950-4783 or visit our Web site: www.zodiacpet.com

FleaTrol and Zodiac are trademarks of Wellmark International. Central Garden & Pet and the Central Garden & Pet design are trademarks of Central Garden & Pet Company.
©2004-2011 Wellmark International
Product Code: 44230D RM#: 300510251 11-1139

EPA Reg. No. 2724-254
EPA Est. No. 2724-TX-1

Wellmark International
1501 East Woodfield Road 200W
Schaumburg, Illinois 60173

ZODIAC® FleaTrol™ Flea & Tick Collar
FOR SMALL DOGS

ZODIAC® FleaTrol™

UP TO 5 MONTHS PROTECTION

Flea & Tick Collar

FOR SMALL DOGS

For Dogs & Puppies With Necks Up To 15"

KILLS

Fleas Ticks

Kills Fleas Which May Transmit Tapeworms
Works In As Little As 24 Hours
Works Even After Temporary Wetting

ACTIVE INGREDIENT:
Propoxur (CAS #114-26-1) 10%
OTHER INGREDIENTS: 90%
TOTAL: 100%

NET WEIGHT: .69 OZ (19.8 g)

DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR
CAUTION
See Back Panel for Additional Precautionary Statements

ZODIAC® FleaTrol™ Flea & Tick Collar
FOR SMALL DOGS

0 41535 44230 9

Do Not Varnish This Area
Lot Code Prints Here

4C plus PMS 288 PMS 143