



STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.

9426.507

DISC.

ZODIAC
FleaTrol™
BreakAway®
Flea & Tick Collar
for Cats

CENTRAL
Garden & Pet

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS.
DIRECTIONS FOR USE:
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
1. Buckle collar around cat's neck. Thread flat end of the collar through buckle hole and tighten as necessary, so that at least two ridges are covered by the buckle. Since the plastic buckle is molded into the collar, the possibility of neck irritation and buckle failure is reduced. Fit collar snug enough to prevent placement of the cat's leg or lower jaw through the collar, yet loose enough to be rotated about the neck.
2. Leave 1-2 extra inches on the collar for adjustment, cut off excess length and dispose of in trash.
3. Check periodically and adjust fit if necessary, especially when kittens are rapidly growing.
4. May be used in addition to regular collar. Replace collar when effectiveness diminishes. To release the collar, squeeze buckle between thumb and finger and pull sharply.

UNIQUE FEATURE: This collar is designed to stretch under the weight of an average size adult cat. It helps the cat to free itself ("breakaway") if the collar gets snagged on a fixed object. If the collar is fitted improperly, so that it is loose enough for a cat to work the collar over its leg or jaw, this release feature may not stretch adequately to allow the extra room necessary for the cat to free itself.

STORAGE and DISPOSAL: Storage: Store in original unopened container away from children. Disposal: Do not reuse container or collar. Dispose of in trash. If collar is temporarily removed, wrap in paper or plastic; do not allow children to have access to collar.

WHAT TO EXPECT
FOR FLEAS:
1. This ZODIAC® collar is designed to kill adult fleas. 2. Protection against fleas will be achieved within a few days, providing continuous protection for up to 5 months. 3. Replace collar every 5 months or sooner if needed.
FOR TICKS:
1. Protection against adult and immature ticks will be achieved within a few days, providing continuous protection for up to 5 months. 2. Adult ticks will be killed over the entire pet. Dead ticks will fall off or may be easily removed. 3. Replace collar every 5 months or sooner if needed.

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS-CAUTION: Do not get dust or collar in mouth, harmful if swallowed. Do not get dust in eyes, will cause temporary pupillary constriction. The dust released by this collar is a cholinesterase inhibitor. **NOTICE: This product contains propoxur, a chemical known to the State of California to cause cancer.**
Humans: Do not open package until ready to use. Do not allow children to play with this collar. Dust will form on this collar during storage. Wash hands thoroughly with soap and water after handling collar.
Animals: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing cats. **DO NOT USE ON KITTENS UNDER 12 WEEKS OF AGE.** Do not use this product on cats simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water.

FIRST AID
Call a poison control center or doctor immediately for treatment advice.
If swallowed
• Call a poison control center or doctor immediately for treatment advice.
• Have person sip a glass of water if able to swallow.
• Do not induce vomiting unless told to do so by the poison control center or doctor.
• Do not give anything by mouth to an unconscious person.
If in eyes
• Hold eye open and rinse slowly and gently with water for 15-20 minutes.
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-950-4783 for emergency medical treatment information.

NOTE TO PHYSICIAN/VETERINARIAN: Contains an N-methyl carbamate that inhibits cholinesterase. *Atropine and *homatropine are antidotal only if symptoms of cholinesterase inhibition are present.

To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

Satisfaction guaranteed or your money back. In case of emergency or for product use information, call 1-800-950-4783 or visit our Web site: www.zodiacpet.com

©2004-2011 Wellmark International
Product Code: 43910C RIM#: 300510255 11-1137

EPA Reg. No. 2724-275
EPA Est. No. 2724-TX-1

1501 East Woodfield Road 200W
Schaumburg, Illinois 60173

Wellmark International

Breakaway, Fleatrol and ZODIAC are trademarks of Wellmark International. Central Garden & Pet and the Central Garden & Pet design are trademarks of Central Garden & Pet Company.

ZODIAC
FleaTrol™

BreakAway
Flea & Tick Collar
FOR CATS

KILLS FLEAS & TICKS FOR UP TO 5 MONTHS

ZODIAC
FleaTrol™

BreakAway
Flea & Tick Collar
FOR CATS

Unique Breakaway Feature

KILLS Fleas Ticks

Works in as little as 24 hours

ACTIVE INGREDIENT:
Propoxur (CAS #114-26-1) 10%
OTHER INGREDIENTS: 90%
TOTAL: 100%

NET WEIGHT: .37 OZ (10.5 g)

DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR CAUTION
See Back Panel for Additional Precautionary Statements

ZODIAC
FleaTrol™
BreakAway
Flea & Tick Collar
FOR CATS

ZODIAC
FleaTrol™
BreakAway
Flea & Tick Collar
FOR CATS



0 41535 43910 1

4CP ■ PMS 288 ■ PMS 143