Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO. 9436.31

FINAL DATE: 10/03/05

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.
DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Wear protective eyewear (goggles, face shield or safety glasses). Wear protective clothing and rubber gloves. Avoid contamination of food. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
STORAGE: Do not store on side. Avoid creasing or impacting of side walls. Store securely in closed original container. Avoid storage at temperature extremes or in sunlight. Avoid shipping or storing below freezing. If product freezes, thaw at room temperature and shake gently to remix components. Use locked storage in an area that will prevent cross-contamination of other pesticides, fertilizer, food and feed. Store in locked area inaccessible to children.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: Do not reuse empty container. Replace cap and discard container in trash. Securely wrap original container in several layers of newspaper and discard in trash.

Questions? Comments? Please call toll-free 1.800.432.8226

Distributed by
COLGATE-PALMOLIVE COMPANY
Morristown, NJ 07962-1928 USA
www.colpalcommercial.com

P9825182

0 35110 04117 9

35110-04117

AJAX® EXPERT™

DISINFECTANT CLEANER/SANITIZER

Cleaner–Disinfectant–Sanitizer–Fungicide–Deodorizer–Virucide*

CONCENTRATE

ACTIVE INGREDIENTS
Alkyl (60% C_{14}; 30% C_{16}; 5% C_{12}; 5% C_{18}) dimethyl benzyl ammonium chloride.....2.37%
Alkyl (68% C_{12}; 32% C_{14}) dimethyl ethylbenzyl ammonium chloride.....2.37%
INERT INGREDIENTS.....95.26%
TOTAL 100.00%

EPA Reg. No. 61178-1-4582
EPA Est. No. 73203-MN-1

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
See side panel for Precautionary Statements.

4

STATEMENT OF PRACTICAL TREATMENT - FIRST AID
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

1 GALLON (3.78 L)

1ST PANEL (UPC)
VIEW LEFT TO RIGHT

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC. NO. 9436.31

LICENSED
HAWAII
DEPT. OF AGRICULTURE
Period 2006-2008 No. 9436.31

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

2ND PANEL (FRONT)
VIEW LEFT TO RIGHT

RECEIVED
NOV 25 2005
Pesticides Branch

PRINTS BLACK AND PANTONE 186 RED

DIE (Do Not Print) | PANTONE 186 CV | PANTONE 146 CV | BLACK

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
To be used in hospitals in the following areas as a disinfectant: operating rooms, patient care rooms & facilities, recovery, anesthesia, ER, radiology, X-ray cat labs, newborn nurseries, orthopedics, respiratory therapy, surgi-centers, labs, blood collection rooms, central supply, housekeeping & janitorial rooms, nursing homes, doctor's offices & labs, dentists offices & labs (dental operatories).
This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.
In addition, this product may be used as a disinfectant in Hotels/Motels, Lifecare Retirement Communities, Day Care Centers, Acute Care Institutions, Schools, Health Clubs, Rest Rooms, Shower Rooms, Bathrooms, Restaurants, and Industries.
This product can be used to disinfect the following inanimate, hard, non-porous non-food environmental surfaces: walls, floors, sink tops, toilet bowls, table tops, counters, countertops, tables, chairs, benches, telephones, bed frames, cabinets, bathtubs, and urinals.
Restaurants, Cafeterias, Bars: Use a potable rinse on the following specific food contact surfaces: counters, tables, picnic tables, appliances and/or stovetops. This product should not be used to disinfect or clean utensils, glassware, dishes and cookware.
DISINFECTION: Add two ounces of this product per gallon of water. Remove gross filth or heavy soil. For heavily soiled areas, a precleaning step is required. Apply solution with a cloth, mop, sponge or hand pump trigger sprayer such that all surfaces remain wet for 10 minutes. Let air dry. Prepare a fresh solution for each use. This product is effective in hard water up to 300 ppm hardness (calculated as $CaCO_3$) and in the presence of organic soil (5% blood serum).
This product, in the presence of a 98% organic soil load, diluted 1:64 (2 ounces per gallon) in 791 ppm Hard Water, demonstrated efficacy within 10 minutes against the following organisms: Staphylococcus aureus, Salmonella choleraesuis. Note that the organisms referenced in the above statement are not associated with blood spills. For blood spills, the surface must be thoroughly cleaned before applying the disinfectant.
DISINFECT TOILET BOWLS: Flush toilet and add 2 ounces of this product directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.
SANITIZATION - NON-FOOD CONTACT SURFACES: Remove all gross filth or heavy soil prior to applying sanitizing solution. To sanitize walls, floors and other hard, non-porous surfaces in such areas as schools, institutions, and industries, use a mop, cloth or immerse item in a solution containing 2 ounces per gallon so as to wet all surfaces thoroughly for 1 minute. Drain or air dry. Prepare a fresh solution daily or when solution gets visibly dirty.
FUNGICIDE: At 2 ounces per gallon, this product is effective against the pathogenic fungus *Tricophyton mentagrophytes* in 5% organic soil load. **Contact time-10 minutes.** surfaces where the fungus is found: shower areas & stalls, bathroom floors, bathroom benches.

See Directions for Use (continued) on back panel

3RD PANEL
VIEW LEFT TO RIGHT

Directions for Use (continued)
This product, in the presence of a ~ 100% organic soil load, diluted 1:64 (2 ounces per gallon) in 395 ppm Hard Water, demonstrated efficacy within 10 minutes against the following pathogenic fungus: *Tricophyton mentagrophytes.*
Note that the organism referenced in the above statement is not associated with blood spills. For blood spills, the surface must be thoroughly cleaned before applying this product.
CLEANING AND DEODORIZATION: This product deodorizes garbage storage areas, empty garbage bins and cans, toilet bowls and any other odor-causing areas. Mix 2 ounces per gallon of water and apply solution to surfaces. Be sure to thoroughly wet surfaces, allow to air dry.
VIRUCIDAL*: When used on inanimate, hard, non-porous, environmental surfaces at 2 ounces per gallon of water for a 10 minute contact time (5% organic soil), except for Poliovirus type 1 (Chat strain): which requires a 30 minute contact time (5% organic soil) and HIV-1 which requires only a 30 second contact time. This product, in the presence of a 98% organic soil load, diluted 1:64 (2 ounces per gallon) in 400 ppm Hard Water, demonstrated efficacy within 10 minutes against the following virus: Human Coronavirus. Note that the organism referenced in the above statement is not associated with blood spills. For blood spills, the surface must be thoroughly cleaned before applying this product.
***KILLS HCV, HBV AND HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HCV (Hepatitis C Virus), HBV (Hepatitis B Virus) or HIV-1 (AIDS virus).
SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HCV, HBV AND HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:
PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks or eye coverings.
CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.
DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.
CONTACT TIME: Leave surfaces wet for 30 seconds for HIV-1 and 10 minutes for HCV and HBV. The contact time for the viruses, fungi and bacteria listed on this label is 10 minutes except for Poliovirus Type 1 (Chat strain) which is 30 minutes.
This product is effective against the following microorganisms:
Contact time is 10 minutes unless noted as below.

Aspergillus niger
Candida albicans
Staphylococcus aureus (Toxic shock)
Streptococcus pyogenes
Acinetobacter calcoaceticus var. lwoffii
Klebsiella pneumoniae
Proteus mirabilis
Proteus vulgaris
Pseudomonas aeruginosa
Yersinia enterocolitica
Serratia marcescens
Campylobacter jejuni
Escherichia coli
Escherichia coli strain 0157:H7
Listeria monocytogenes
Salmonella choleraesuis
Enterococcus faecalis-
Vancomycin Resistant (VRE)
Enterococcus faecium
(Vancomycin Resistant - VRE)
Staphylococcus aureus (Methicillin-MRSA)
Staphylococcus epidermidis
Salmonella typhi
Trichophyton mentagrophytes
(Pathogenic Fungi)
HBV (Hepatitis B Virus)
HCV (Hepatitis C Virus)
Herpes Simplex type 2 Virus
HIV-1 (AIDS virus)
Human Coronavirus
Poliovirus type 1 (Chat strain)
30 minutes contact time
Feline Calicivirus

4TH PANEL
VIEW LEFT TO RIGHT