



LICENSED

PERIOD 2012-2014 LIC. NO.



LICENSED

PERIOD 2015-2017 LIC. NO.

DISCONTINUED

9454.109

Ref. #4

81041194

backs and spray for 1 - 2 sec/hog. Do not spray directly toward animal's face or eyes. Repeat application daily or as necessary.

MUD DAUBER AND WASP NESTS: Spray mist directly on insects and their nests from approximately 2 ft distance. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

FLEAS: GENERAL VOLUMETRIC TREATMENT: Hold aerosol 36" above floor and direct spray toward floor and lower walls at a rate of 10 sec/100 ft² making sure that all floor areas are contacted. Change litter before application. Keep area closed for 15 min. Remove animals before spraying. Open and ventilate before reoccupying. Repeat treatment after 7 days or as necessary.

KENNELS AND CATTERIES: Remove animals before spraying. Ventilate after treatment is complete.

FLYING INSECTS (Cluster Flies, Flies, Fruit Flies, Gnats, Mosquitoes, Small Flying Moths): GENERAL VOLUMETRIC TREATMENT: Close all windows and doors and direct fog upward at a rate of 1 - 3 sec/1,000 ft³. Disperse in all locations. Keep area closed for 15 min. Open and ventilate before reoccupying. Repeat treatment as necessary.

FOR EXPOSED ADULT AND LARVAL STAGES OF - Carpet Beetles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Grain Mites, Granary Weevils, Red Flour Beetles, Rice Weevils and Sawtoothed Grain Beetles: Contact as many insects as possible. Inject into cracks and crevices of pantries, cabinets and other places where insects harbor. Apply around cartons, containers and other areas where these insects tend to congregate. GENERAL VOLUMETRIC TREATMENT: Apply 20 sec/1,000 ft³ of space. Repeat treatment weekly or as insects appear. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

OUTDOOR GROUND APPLICATION: Flies, Gnats and Mosquitoes in open areas near buildings and in campgrounds. Best results are obtained when wind speed is 5 MPH or less. Apply at a rate of 60 - 80 sec/acre. Spray in wide swaths across area to be treated. Allow spray drift to penetrate dense foliage. Repeat treatment as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! If empty: Offer for recycling, if available. If partially filled: Call your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

Manufactured for:
Whitmire Micro-Gen Research Laboratories, Inc.®
by BASF Corporation
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
© 2011 Whitmire Micro-Gen Research Laboratories, Inc.®


81041194

30487419

120306-80

CLEAR ZONE®

FARM FLY SPRAY



KILLS AND REPELS

Flies • Gnats • Mosquitoes

Ants, Carpet Beetles, Centipedes, Cigarette Beetles, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Deer Flies, Drugstore Beetles, Face Flies, Fleas, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Hornets, Horn Flies, Horse Flies, House Flies, Lice, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Small Flying Moths, Sow Bugs, Spiders, Stable Flies and Wasps

FOR USE IN AND AROUND, BUT NOT LIMITED TO: Dairy Farms (including Milk House, Milk Parlor, Loafing Sheds, and Holding Lot), Hog Operations, Horse Stables, Poultry Operations, Beef Cattle Operations, Kennels and Farms, Campgrounds, Catteries and Horse Barns

ACTIVE INGREDIENTS:

Pyrethrins, a botanical insecticide 0.5%
Piperonyl Butoxide, Technical* 4.0%

OTHER INGREDIENTS: 95.5%

* Equivalent to 3.2% (butylcarbityl)(6-propylpiperonyl) ether and 0.8% related compounds **TOTAL: 100.0%**

EPA Reg. No. 499-323 EPA Est. No. 7969-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.

NET WEIGHT: 1 lb, 9 oz (25 oz)

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 -20 min. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF INHALED: Remove victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-832-HELP(4357).

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Do not remain in treated area and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes or clothing. Wash thoroughly after using and before smoking or eating. Do not contaminate water, food or foodstuffs. Remove all pets and birds. Cover fish tanks or remove before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

For best results product should be used when air temperature is above 60°F. If temperature is below 60°F, store at room temperature until a temperature of above 60°F is reached.

DAIRY FARM USE: Milking Parlor and Milk Room - Close all windows and doors. Direct fog upward and in all directions at a rate of 1 - 3 sec/1,000 ft³. Keep room closed for 15 min after treatment. Open and ventilate before reoccupying. Cover milking utensils and milk to prevent contamination from spray and dead falling insects.

ANIMAL USE (Do not spray sick animals): From approximately 2 ft distance, thoroughly spray entire animal as it is being released to pasture. Do not spray directly toward animal's eyes. Spot treat withers, shoulders and back where saliva accumulates from head tossing.

STANCHION BARN USE: Walk behind animals and direct spray over backs allowing 1 sec/animal. For most effective results, apply each morning.

BEEF CATTLE OPERATIONS: In barns, close all windows and doors. Spray at the rate of 1 - 2 sec/1,000 ft³. Keep area closed for 15 min following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. Repeat application daily or as necessary.

HORSE BARN AND STABLES: Close all windows and doors. Spray at a rate of 1 - 2 sec/1,000 ft³. Keep area closed for 15 min following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. For animal application, lightly mist over the backs of horses and ponies from a distance of at least 2 ft. Repeat application daily or as necessary.

POULTRY OPERATIONS: Use only in empty poultry houses (when birds are not present). Close all windows and doors. Spray at the rate of 1 - 2 sec/1,000 ft³. Keep area closed for 15 min following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. Treat daily or as necessary.

HOG OPERATIONS: In hog houses, close all windows and doors. Spray at the rate of 1 - 2 sec/1,000 ft³. Keep area closed for 15 min after application. Ventilate the area after treatment is complete. If area cannot be closed, double the dosage. For animal application, direct spray over