



Department of Agriculture
STATE OF HAWAII

LICENSED

LICENSED

PERIOD 2015-2017 LIC. NO.

PERIOD 2012-2014 LIC. NO. 9454.149



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2006-2008 LIC. NO.

DISCONTINUED

Prescription Treatment® brand
ADVANCE®

Granular Ant Bait Formula 1

KILLS ANTS: Including many common varieties of household ants such as Acrobat, Argentine, Bigheaded, Carpenter, Crazy, Field, Fire, Harvester, Little Black, Pavement, Pharaoh, Odorous House and Thief Ants.

FOR USE IN AND AROUND: Homes, Residential Areas, Commercial and Other Structures, Non Food/Feed Areas of Commercial Buildings, Warehouses, Hotels, Food Storage Areas, Inedible Product Areas of Meat Packing Plants, Motels, Schools, Supermarkets, and Non-Occupied Patient Areas of Hospitals and Nursing Homes, Golf Courses, Parks, Lawns and Turf.

ACTIVE INGREDIENT:

Abamectin* B₁ 0.011%

OTHER INGREDIENTS: 99.989%

* U.S. Pat. 4,310,519

TOTAL: 100.000%

EPA Reg. No. 499-370 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See inside panel for First Aid, Precautionary Statements and Directions for Use.

NET WEIGHT: 12 oz.

WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570 www.wmmg.com
18-0172-62 060210-73



FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Do not contaminate kitchen utensils with this product. Pets may be attracted to this product.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Advance Granular Ant Bait is a ready-to-use product for use in controlling numerous ants both indoors and outdoors. This bait formulation combines a mixture of foods and the delayed action insecticide, abamectin. This insecticide acts to reduce the population of worker ants and can cause an immediate halt in egg production resulting in colony elimination. Avoid use of other insecticides or sprays on or near Advance.

OUTDOORS

BROADCAST APPLICATION: Use this product at a rate of 8 oz. per 1/2 acre. This is equivalent to approximately 1.8 oz. per 5,000 sq. ft., or 0.4 oz. per 1,000 sq. ft. (One tablespoon equals approximately 0.3 oz. of bait.) Apply the product as uniformly as possible. Repeat application as necessary.



AROUND STRUCTURES: Lightly sprinkle the product evenly in a band approximately 1-2 feet wide around the foundation of the building. Treat visible trails with approximately 0.3 to 1 ounce of product depending on the number of ants in the trail. Repeat application as necessary.

INDIVIDUAL COLONY TREATMENT: Use 1.5 to 2.1 oz. of product per mound. Apply product at the edge of the mound. Repeat application as necessary.

INDOORS

LOCATE ANT ACTIVITY: Follow ants back to voids. Apply product to cracks and crevices or voids where ants are active. In heavily traveled sites, use up to 1.5 ounces of product. Use a large Centrobulb® puffer or other appropriate application device to place the product into crevices or voids. Repeat application as necessary. Do not use in the food/feed areas of food/feed handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are defined as those areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. Non-food areas are defined as areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). When applying this product in the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

*Centrobulb - Registered trademark of the Centro Co.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Consult federal, state or local disposal authorities for approved alternative procedures.

STORAGE: Store in a cool, secure, dry place.

CONTAINER DISPOSAL: Empty container by using the product according to the label directions. Do not reuse! Place empty container or bag in trash or offer for recycling if available. If container or bag is partly filled, call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. NEVER PLACE UNUSED PRODUCT DOWN ANY INDOOR OR OUTDOOR DRAIN!

A Prescription Treatment® brand insecticide from:
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682 • www.wmmg.com
© 2006 Whitmire Micro-Gen Research Laboratories, Inc.

EPA Reg. No. 499-370
EPA Est. No. 499-MO-1

Peel Here

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
 Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Do not contaminate kitchen utensils with this product. Pets may be attracted to this product.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

ADVANCE Granular Ant Bait is a ready to use product for use in controlling numerous ants both indoors and outdoors. This bait formulation combines a mixture of foods and the delayed action insecticide, abamectin. This insecticide acts to reduce the population of worker ants and can cause an immediate halt in egg production resulting in colony elimination. Avoid use of other insecticides or sprays on or near ADVANCE Granular Ant Bait.

OUTDOORS

BROADCAST APPLICATION: Use this product at a rate of 8 oz. per 1/2 acre. This is equivalent to approximately 1.8 oz. per 5,000 sq. ft., or 0.4 oz. per 1,000 sq. ft. (One Tablespoon equals approximately 0.3 oz. of bait.) Apply the product as uniformly as possible. Repeat application as necessary.

Prescription Treatment[®] brand

ADVANCE[®]

Granular Ant Bait Formula 1

KILLS ANTS: Including many common varieties of household ants such as Acrobat, Argentine, Big-headed, Carpenter, Crazy, Field, Fire, Harvester, Little Black, Pavement, Pharaoh, Odorous House and Thief Ants.

FOR USE IN AND AROUND: Homes, Residential Areas, Commercial and Other Structures, Non Food/Feed Areas of Commercial Buildings, Warehouses, Hotels, Food Storage Areas, Inedible Product Areas of Meat Packing Plants, Motels, Schools, Supermarkets, and Non-Occupied Patient Areas of Hospitals and Nursing Homes, Golf Courses, Parks, Lawns and Turf.

ACTIVE INGREDIENT:

Abamectin* B₁ 0.011%

OTHER INGREDIENTS:

. 99.989%

*U.S. PAT 4,310,519

TOTAL: 100.000%

EPA Reg. No. 499-370 EPA Est. No. 499-MO-1


**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for First Aid, Precautionary Statements and Directions for Use.

NET WEIGHT: 6 lb.



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570 www.wmmg.com



AROUND STRUCTURES: Lightly sprinkle the product evenly in a band approximately 1 - 2 feet wide around the foundation of the building. Treat visible trails with approximately 0.3 to 1 ounce of product depending on the number of ants in the trail. Repeat application as necessary.

INDIVIDUAL COLONY TREATMENT: Use 1.5 to 2.1 oz. of product per mound. Apply the product at the edge of the mound. Repeat application as necessary.

INDOORS

LOCATE ANT ACTIVITY: Follow ants back to voids. Apply product to cracks and crevices or voids where ants are active. In heavily traveled sites, use up to 1.5 ounces of product. Use a large Centrobulb* puffer or other appropriate application device to place the product into crevices or voids. Repeat application as necessary.

Do not use in the food/feed areas of food/feed handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are defined as those areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. Non-food areas are defined as areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). When applying this product in the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

*Centrobulb - Reg. TM of the Centro Co.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Consult Federal, State or local disposal authorities for approved alternative procedures.

STORAGE: Store in a cool, secure, dry space.

CONTAINER DISPOSAL: Empty container by using the product according to the label directions. Do not reuse! Place empty container or bag in trash or offer for recycling if available. If container or bag is partly filled, call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. NEVER PLACE UNUSED PRODUCT DOWN ANY INDOOR OR OUTDOOR DRAIN!

A Prescription Treatment[®] brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Industrial Blvd.

St. Louis MO 63122-6682

www.wmmg.com

© 2005 Whitmire Micro-Gen Research Laboratories, Inc.