



LICENSED
 PERIOD **2012-2014** LIC. NO.



Department of Agriculture
 STATE OF HAWAII

LICENSED
 PERIOD **2015-2017** LIC. NO.
9454.173

Prescription Treatment[®] brand

Attain[®] TR

Micro Total Release Insecticide

TREATS UP TO 3,000 SQUARE FEET • FOR COMMERCIAL USE ONLY
 NOT FOR USE IN AND AROUND RESIDENTIAL AREAS

KILLS: Aphids, Armyworms, Bagworms, Caterpillars, Fungus Gnats, Mealybugs, Mites, Omnivorous Leafrollers, Plant Bugs, Scale, Thrips and Whiteflies
FOR USE IN: Commercial Greenhouses on Ornamental Plants including: Bedding Plants, Cut Flowers, Flowers, Hanging Baskets, Foliage Plants, Potted Plants, Ornamental Trees and Shrubs, Non-Bearing Vines, Non-Bearing Nut Trees, Non-Bearing Fruit Trees

ACTIVE INGREDIENT:

Bifenthrin 4.0%

OTHER INGREDIENTS: 96.0%

TOTAL: 100.0%

EPA Reg. No. 499-472 • EPA Est. No. 7969-MO-1

**KEEP OUT OF REACH OF CHILDREN
 WARNING AVISO**

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle.
 (If you do not understand the label, find someone to explain it to you in detail.)

See inside for First Aid,
 Precautionary Statements, Directions
 for Use and Storage and Disposal.

Manufactured for:
 Whitmire Micro-Gen Research Laboratories, Inc.[®]
 by BASF Corporation
 3568 Tree Court Industrial Blvd.
 St. Louis MO 63122-6682

NET WEIGHT: 2 oz
 81040411

© 2011 Whitmire Micro-Gen Research Laboratories, Inc.[®]
 111018-40

30472314



**Booklet Cover
 Applied to can
 100%
 5.5" (w) x 3" (h)**

Prescription Treatment[®] brand
Attain[®] TR

Micro Total Release Insecticide

**TREATS UP TO 3,000 SQUARE FEET • FOR COMMERCIAL USE ONLY
NOT FOR USE IN AND AROUND RESIDENTIAL AREAS**

KILLS: Aphids, Armyworms, Bagworms, Caterpillars, Fungus Gnats, Mealybugs, Mites, Omnivorous Leafrollers, Plant Bugs, Scale, Thrips and Whiteflies
FOR USE IN: Commercial Greenhouses on Ornamental Plants including: Bedding Plants, Cut Flowers, Flowers, Hanging Baskets, Foliage Plants, Potted Plants, Ornamental Trees and Shrubs, Non-Bearing Vines, Non-Bearing Nut Trees, Non-Bearing Fruit Trees

ACTIVE INGREDIENT:
Bifenthrin 4.0%
OTHER INGREDIENTS: 96.0%
TOTAL: 100.0%

EPA Reg. No. 499-472 • EPA Est. No. 7969-M0-1

**KEEP OUT OF REACH OF CHILDREN
WARNING AVISO**

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

See inside for First Aid,
Precautionary Statements, Directions
for Use and Storage and Disposal.

NET WEIGHT: 2 OZ
81040411

Manufactured for:
Whitmire Micro-Gen Research Laboratories, Inc.®
by BASF Corporation
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682

© 2011 Whitmire Micro-Gen Research Laboratories, Inc.®
111018-40 30472314



FIRST AID

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 min. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-832-HELP for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed or absorbed through skin. Avoid contact with skin. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**Pages 1 and 2
100%
each page 4.5" (w) x 3" (h)**

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PERSONAL PROTECTIVE EQUIPMENT: Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical resistance category selection chart.

APPLICATORS AND OTHER HANDLERS MUST WEAR: Long-sleeved shirt and long pants, shoes plus socks and protective eyewear. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Control of target insects is best achieved before populations reach economically damaging levels. Repeat application as necessary to achieve control using higher rates (see TOTAL RELEASE DOSAGE for proper rates) as pest pressure and foliage area increase.

Use of an alternative class of chemistry in a continuing treatment program is recommended to prevent or delay pest resistance.

NOTICE: Good greenhouse management must overrule the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers in farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains

Pages 3 and 4
100%
each page 4.5" (w) x 3" (h)

requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during restricted entry interval (REI) of 12 hr.

PPE required for early entry to treated areas that is permitted under Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, waterproof gloves, shoes plus socks and protective eyewear.

PLANT SAFETY INFORMATION: This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Therefore, before treating a large number of plants, treat a few plants and observe for plant damage and for performance prior to full scale application. Growers should collect a variety of sample plants, flowers, foliage or ornamentals of concern, place them in an empty greenhouse (or designated testing area) and activate one can of product per the Directions for Use.

PREAPPLICATION DIRECTIONS: For best results, apply during early evening when foliage is dry and greenhouse temperature is between 60°– 80°F. Canister should be at room temperature (about 65°F). Shut off all exhaust fans and close all windows, doors and ventilators. Do not place within 10 horizontal feet of any ignition source such as pilot lights, other open flames or running electrical appliances that cycle off and on. All human occupants and pets must be removed before treatment. Place cans evenly throughout the area of the greenhouse to be treated, positioned to allow uninhibited release. Low volume horizontal air flow may help optimize performance. Greenhouse must be ventilated according to the requirements of the Worker Protection Standard before reentry.

TOTAL RELEASE DOSAGE

Apply product when pest (or plant damage typical of an indicated pest) is seen. Make 1 – 3 applications/week depending on the severity of the infestation. Do not reapply product within 48 hr of a previous application.

Use one 2 oz can/3,000 ft². In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 2 oz can for 1,500 - 3,000 ft². For smaller greenhouses between 1,500 - 3,000 ft², use one 2 oz can.

TO ACTIVATE CANS: Activate each can by pressing tab down and locking it. Leave greenhouse at once. The entire contents will release automatically. In an application requiring multiple canisters, activate the canisters moving from the interior of the house toward an exit.

**Pages 5 and 6
100%
each page 4.5” (w) x 3” (h)**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Do not puncture or incinerate! **If empty:** Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

Contains no CFCs or other ozone depleting substances.
Federal regulations prohibit CFC propellants in aerosols.



CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE

Pages 7 and 8
100%
each page 4.5" (w) x 3" (h)