

DISC.

Prescription Treatment[®] brand
Fungaflo[®] TR

Dry Micro Total Release Fungicide

Treats up to 1,500 ft²

CONTROLS: Alternaria, Botrytis, Downy Mildew, Powdery Mildew, Rust
FOR USE IN: Commercial Greenhouses

ACTIVE INGREDIENT:

Imazalil 14.0%

OTHER INGREDIENTS: 86.0%

TOTAL: 100.0%

Fungaflo[®] is a registered trademark of Certis Europe.

EPA Reg. No. 499-508 • EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See inside booklet for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.


NET WEIGHT: 2 oz



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570

18-0433-02

090310-30



6 31589 00015 2



LICENSED

PERIOD **2011-2013** LIC. NO.



LICENSED

PERIOD **2014-2016** LIC. NO.

9454.223

page 1 - cover

FIRST AID

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt, long pants, socks and shoes, chemical-resistant gloves, such as Barrier Laminate or Butyl Rubber, Nitrile Rubber, Neoprene Rubber or PVC or Viton. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

page 2

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands thoroughly before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

page 3



LICENSED

PERIOD **2008-2010** LIC. NO.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Contents of container must be at room temperature before use. Therefore, cans must be stored at room temperature (above 65°F) for 24 hr before application. Make sure spray is unobstructed above units by foliage or other physical objects in order to obtain maximum distribution of fog.

Notice: Good greenhouse management must overrule the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR part 170. This Standard contains requirements for the protection of agricultural

NOTE: Continues on next page.

page 4

workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about PPE. The requirements in this box only apply to uses of this product that are covered by the WPS.

Do not enter or allow worker entry into treated areas during restricted entry interval (REI) of 24 hr.

PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, chemical-resistant gloves, such as Barrier Laminate or Butyl Rubber or Nitrile Rubber or Neoprene Rubber or PVC or Viton, shoes plus socks.

PREAPPLICATION DIRECTIONS: For best results, apply during early evening when foliage is dry and temperature is between 60° - 80°F. At lower or higher temperatures, crop injury may result, so prior to a full scale application, spray a few plants and observe for plant damage and performance. Shut off all exhaust fans and close all windows, doors and vents. Do not place cans within 10 horizontal feet of any ignition source such as pilot lights, other open flames, or running electrical appliances that cycle off and on. Keep greenhouse closed for 4 hr, preferably overnight, following treatment. All human occupants and pets must be removed before treatment. Greenhouse must be ventilated according to the requirements of the WPS before reentry.

page 5

TOTAL RELEASE DOSAGE: Initially 2 - 4 applications should be made at 7 day intervals.

Heavy disease pressure may necessitate repeat applications; however it is not recommended to apply more than twice per week.

For best control practices; do not make more than 4 consecutive applications and rotate between different classes of fungicides to avoid resistance. Up to 8 applications per crop is permitted.

DOSAGE RATE:

Disease	Number of 2 oz Cans		
	3,000 ft ²	1,500 ft ²	1,000 ft ²
Alternaria	2	1	1
Botrytis	2 - 3	2	1
Downy Mildew	2 - 3	2	1
Powdery Mildew	2 - 3	2	1
Rust	2 - 3	2	1

TO ACTIVATE CANS: Start with can farthest away from exit door. Activate each can by pressing tab down and locking it. Leave greenhouse at once. The entire contents will release automatically.

page 6

FOR USE IN GREENHOUSES ON:

Bedding plants (such as): begonias, garden mums, geraniums, marigolds and petunias

Cut flowers (such as): carnations, chrysanthemums, orchids and roses

Flowering hanging baskets (such as): fuchsia, geraniums, ivy, lantana and New Guinea impatiens

Foliage (such as): Boston fern, philodendron and schefflera

Potted flowering plants (such as): African violets, begonias, chrysanthemums, florist's azaleas, geraniums, hibiscus, kalanchoes, lilies and poinsettias

Ornamentals (such as): azalea, barberry, cotoneaster, euonymus, holly, juniper, oak, pine, rhododendron, roses, spiraea, spruce, viburnum and yew

Perennials (such as): heuchera, monarda, rudbeckia and veronica

PLANT SAFETY INFORMATION

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application. Do not use on *Matthida incanae* (stock) or hydrangea plants.

page 7

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool area away from heat or open flame.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product in accordance with the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly full, contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.
Federal regulations prohibit CFC propellants in aerosols.



A Prescription Treatment® brand product from:

Whitmire Micro-Gen Research Laboratories, Inc.®

3568 Tree Court Industrial Blvd.

St. Louis MO 63122-6682

Questions? Call 1-800-777-8570

© 2008 Whitmire Micro-Gen Research Laboratories, Inc.®

page 8

Prescription Treatment® brand

Fungaflo® TR

Dry Micro Total Release Fungicide

Treats up to 1,500 ft²

CONTROLS: Alternaria, Botrytis, Downy Mildew, Powdery Mildew, Rust

FOR USE IN: Commercial Greenhouses

ACTIVE INGREDIENT:

Imazalil 14.0%

OTHER INGREDIENTS: 86.0%

TOTAL: 100.0%

Fungaflo® is a registered trademark of Certis Europe.

EPA Reg. No. 499-508 • EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See inside booklet for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.

NET WEIGHT: 2 oz



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570

18-0433-02

090310-30



base