



Department of Agriculture
STATE OF HAWAII



Department of Agriculture
STATE OF HAWAII



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2008-2010** LIC. NO.

LICENSED

PERIOD **2014-2016** LIC. NO.

LICENSED

PERIOD **2011-2013** LIC. NO.

9454.229

DISC.

Prescription Treatment® brand
ADVANCE®
Compressed Termite Bait II - AG

- Termite Bait Cartridge (TBC)
- For use by individuals/firms licensed or registered by the state to apply termiticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the structural pest control regulatory agency of your state prior to use of this product.

ACTIVE INGREDIENT:	
Diflubenzuron	0.25%
OTHER INGREDIENTS:	99.75%
Contains 0.25 g of diflubenzuron per 100 g of formulation	
U.S. Patent No. 6,416,752	
	TOTAL: 100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN

See complete label accompanying product for First Aid, additional Precautionary Statements, Directions for Use and Storage and Disposal.

EPA Reg. No. 499-500 • EPA Est. No(s). 499-MO-1^A 499-MO-2^B
(See code in lot number)

NET WEIGHT: 4.37 oz. (124 g)



WHITMIRE MICRO-GEN
Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122
800-777-8570 • www.wmmg.com

18-0460-01

808319-40

Prescription Treatment® brand
ADVANCE®
Compressed Termite Bait II - AG

- Termite Bait Cartridge (TBC)
- For use by individuals/firms licensed or registered by the state to apply termiticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the structural pest control regulatory agency of your state prior to use of this product.

ACTIVE INGREDIENT:

Diflubenzuron 0.25%

OTHER INGREDIENTS:

Contains 0.25 g of diflubenzuron per 100 g of formulation 99.75%

U.S. Patent No. 6,416,752

TOTAL: 100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN

See complete label accompanying product for First Aid, additional Precautionary Statements, Directions for Use and Storage and Disposal.

EPA Reg. No. 499-500 • EPA Est. No(s). 499-MO-1^A 499-MO-2^B

(See code in lot number.)

NET WEIGHT: 6.56 oz. (186 g)



WHITMIRE MICRO-GEN

Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122

800-777-8570 • www.wmmg.com

18-0461-01

080319-40

Prescription Treatment® brand
ADVANCE®

Compressed Termite Bait II - AG

- Compressed Termite Bait
- For use by individuals/firms licensed or registered by the state to apply termiticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the structural pest control regulatory agency of your state prior to use of this product.

ACTIVE INGREDIENT:

Diflubenzuron 0.25%

OTHER INGREDIENTS: 99.75%

Contains 0.25 g of diflubenzuron per 100 g of formulation
U.S. Patent No. 6,416,752

TOTAL: 100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS
ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not place in any area where, because of the movement of water, it could be washed into a body of water containing aquatic life, such as ponds or streams.

Important: Before buying or using this product, read the entire label including the "Warranty" section of this label. If terms are not acceptable, return the unopened product container at once. Use this product only according to label directions.

EPA Reg. No. 499-500 • EPA Est. No(s). 499-MO-1^A, 499-MO-2^B
(See code in lot number.)

A Prescription Treatment® brand product from:
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmmg.com

© 2008 Whitmire Micro-Gen Research Laboratories, Inc.

080319-40



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570 • www.wmmg.com



ADVANCE® Compressed Termite Bait II - AG

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Read the INFORMATION and USE DIRECTIONS carefully before using.

Advance Compressed Termite Bait II - AG can be placed on the interior and/or exterior surfaces of homes or other residences, buildings, attics, floor joists, rafters, crawl spaces, decks, utility poles, trees, fences, or other items or areas where subterranean termites appear or there is evidence of subterranean termite activity. Advance Compressed Termite Bait II - AG is best placed where subterranean termite activity is known to exist or was recently active. Advance Compressed Termite Bait II - AG is designed to be used within the Advance Above Ground Station (AGS), which may be purchased from most professional pest control product distributors, and may be installed in both food/feed and non-food/non-feed areas of all types of food handling establishments. Use of Advance Compressed Termite Bait II - AG in any other station or system not approved by Whitmire Micro-Gen is prohibited. Contact Whitmire Micro-Gen at 1-800-777-8570 for assistance in using Advance Compressed Termite Bait II - AG.

INFORMATION

Advance Compressed Termite Bait II - AG contains the growth regulator, diflubenzuron, which prevents successful molting and the development of subterranean termites, and is designed to kill the subterranean termites that feed upon it and other termites to which the bait is shared or transferred. With sufficient and continued termite feeding, Advance Compressed Termite Bait II - AG, when placed inside an Advance AGS, will suppress and may eliminate satellite termite nests and their colonies. Advance Compressed Termite Bait II - AG, by itself, is not a complete or stand alone termite treatment and must be used in conjunction with an in-ground application of Advance Compressed Termite Bait II or other Whitmire Micro-Gen approved stand alone termiticide treatment.

INSTALLATION OF ADVANCE COMPRESSED TERMITE BAIT II - AG

1. **Inspect the site where subterranean termites are currently active or activity has been identified to determine where to mount the station.** The use of 3/8" screws with a head that is sufficiently large for securing the station to a target surface is recommended. In lieu of securing the

station to a surface using screws, an adhesive may be used to attach it to the target surface. Use caution when attaching station with adhesives or using caulk. Some of these materials may contain volatile compounds which can repel termites. The base of the station contains multiple termite entry/exit points and is to be mounted on a surface in such a manner where the base of the station housing abuts and runs substantially parallel to the target surface. Make sure that the target surface has enough strength to hold or support the station once installed.

2. **Determine where and how the station housing is going to be mounted.** The station housing can be mounted in any direction as long as the base of the station housing abuts the surface in which termite activity has been identified. If the station housing is being mounted over a mud tube, move to step 3. When no mud tube is present, move to step 4.
3. **Mud tubes present:** Create an opening in the mud tube that does not exceed the length or width of the station housing, depending on the final orientation of the station housing in relationship to the mud tubes. While holding the station housing in place, position the open top of the station housing facing away from the target surface. Next determine which portals (knock-outs) along the perimeter of the station housing will need to be removed to allow termite access into the station. Remove the station housing from the target surface and, with a screw driver or other suitable tool, knock out or remove the necessary plastic pieces. Place the station housing back into position with the open portals aligned with the termite mud tube(s) and secure in place. Continue on to step 5.
4. **No Mud tubes present:** When termite activity has been identified but no mud tubes are present, such as with termites appearing through small holes or openings in drywall or other materials, the station can be placed over openings within the target surface such that 1 or more openings in the base of the station housing are aligned with the openings found on the target surface. If suitable openings are not found, or to create additional openings, a drill equipped with a 3/8" bit may be used to gain access to the termite gallery. Limit disturbing the termites as much as possible while drilling. Place the station housing into position with the proper alignment and secure the station housing in place. Continue on to step 5.

5. To complete the bait installation, a bait container holding Advance Compressed Termite Bait II - AG must be inserted into the station housing. To do this, first remove the Advance Compressed Termite Bait II - AG container from its sealed plastic bag. Second, remove the protective plastic lid (cover) from the bait container and set the cover aside. Finally, place the bait container inside the station housing such that the Advance Compressed Termite Bait II - AG is positioned next to the base of the station housing and secure in place by closing the lid of the station. To prevent tampering, unwarranted or accidental access to the cartridge, secure the lid of the station housing. A plastic zip-tie strap can be used to secure the lid to the station housing.

INSPECTING ADVANCE

COMPRESSED TERMITE BAIT II - AG

The Advance AGS bait container holds >120g of Advance Compressed Termite Bait II - AG, enough to eliminate a significant termite infestation. Stations should be inspected approximately every 120 days. More frequent inspections are permitted but not required. When inspecting the station, open the lid and look for termite activity. Determine how much of the bait has been eaten. If >50% of the bait has been eaten, replace with a new bait container. Close and secure the station lid.

If no termite activity is detected within the Advance AGS, or if ≥50% of the bait still remains, reinsert the bait container or insert a new bait container into the station housing, close the lid of the station housing and secure. If at the next 120 day inspection there is no termite activity, the station housing and any remaining Advance Compressed Termite Bait II - AG can be removed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a dry storage area out of reach of children and animals.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling is not available, place container in a trash can.

PESTICIDE DISPOSAL: Product not disposed of by use according to label directions should be wrapped in paper and placed in a trash can.

WARRANTY

WARRANTY DISCLAIMER: Whitmire Micro-Gen warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions for use, subject to the inherent risks set forth below. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, Whitmire Micro-Gen MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of factors such as use of the product contrary to the label directions, adverse conditions (such as unfavorable temperatures, soil conditions, excessive rainfall, etc.), abnormal conditions (such as drought, tornadoes, hurricanes, earthquakes, etc.), presence of other materials, the manner of application or other factors, all of which are beyond the control of Whitmire Micro-Gen or the seller. All such risks shall be assumed by the Buyer and User.

LIMITATION OF REMEDIES

The exclusive remedy for losses or damages resulting from the use of this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at Whitmire Micro-Gen's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

Whitmire Micro-Gen shall not be liable for losses or damages resulting from handling or use of this product unless Whitmire Micro-Gen is promptly notified of such loss or damage in writing. In no case shall Whitmire Micro-Gen be liable for consequential or incidental damages or losses even if Whitmire Micro-Gen knew of, was advised of or should have been aware of the possibility of such damages.

The terms of the "Warranty Disclaimer" above and this "Limitation of Remedies" cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Whitmire Micro-Gen or the seller is authorized to vary or exceed the terms of the "Warranty Disclaimer" or this "Limitation of Remedies" in any manner.