


9467.42

BUG BEATER® YARD & GARDEN INSECT FOG



Insecticide
designed
for outdoor
fogging

ACTIVE INGREDIENTS

| | |
|-------------------------------------|---------|
| Pyrethrins | 0.25% |
| Piperonyl Butoxide Technical* | 2.00% |
| OTHER INGREDIENTS** | 97.75% |
| TOTAL | 100.00% |

* Equivalent to 1.6%(butylcurbitilyl)6-propylpiperonyl
ether and 0.4% related compounds.

** Contains Petroleum Distillate.

EPA Reg No. 4-376 EPA Est. No. 4-NY-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

(See back panel for additional precautionary statements)

Net Contents 40 FL. OZ. (1182.9 ML.)

XXXXXX

TRUSTED SINCE 1926

BONIDE®

- Controls most harmful garden insects



- Also controls mosquitos & biting flies
- Use on gardens, ornamentals, roses, flowers, vegetables, herbs, fruits and nuts

BUG BEATER YARD AND GARDEN INSECT FOG

INSECTICIDE DESIGNED FOR OUTDOOR FOGGING

CONTROLS: MOSQUITOES, HOUSEFLIES, GNATS, SMALL FLYING MOTHS AND MOST HARMFUL GARDEN INSECTS, INCLUDING: APHIDS, ARMYWORMS, BEETLES, CABBAGE LOOPERS, COLORADO POTATO BEETLES, CORN BORERS, CORN EARWORMS, CUTWORMS, FLEAS, GRASSHOPPERS, GYPSY MOTH CATERPILLARS AND ADULTS, HORNETS, HORSE FLIES, JAPANESE BEETLES, LEAFMINERS, MEALYBUGS, MITES, TENT CATERPILLARS, THRIPS, TICKS, TOMATO HORNWORMS, WHITEFILES AND OTHER LISTED INSECTS.

USE ON: GARDENS, ORNAMENTAL, VEGETABLES, FRUITS, FLOWERS, NUTS AND HERBS.

Store and transport in an upright position.

EPA Est. No. 4-NY-1

EPA Reg. No. 4-376

Buyers Guarantee Limited to Label Claims.

BONIDE PRODUCTS, INC.

6301 Sutliff Road

Oriskany, NY 13424

40 oz.

BN



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

OUTDOOR MOSQUITO CONTROL

To control adult mosquitoes apply as a fog or fine mist using good mechanical, thermal or compressed air equipment. For best results, treat when wind velocity does not exceed 5 miles per hour. Application in the evening or early morning is recommended.

Treat area thoroughly with particular attention around low and marshy places, shorelines, stagnant pools or ponds and shrubbery or vegetation where mosquitoes may rest. Apply at a rate of 0.5 fluid ounces per 1000 square feet.

USE ON GARDENS & ORNAMENTALS

This insecticide may be used outdoors in gardens or in greenhouses throughout the growing season or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

For best results, use throughout the growing season to prevent buildups of insect infestations. Using good mechanical, thermal or compressed air equipment, spray plants from a distance of 1 ½ to 2 feet using 7 ½ - 8 fl. oz. to cover 1000 sq. ft. To prevent injury to plants, avoid visibly wetting the foliage.

Apply in the early morning or late evening when air is still, treating all foliage with particular attention to the underside of leaves. Contact insects directly whenever possible. Repeat treatment every 7-10 days or as re-infestation occurs.

Controls (Kills) most harmful garden insects, including: Ants, Aphids, Armyworms, Asparagus Beetles, Bagworms, Beetles, Biting Flies, Blister Beetles, Cabbage Loopers, Cankerworms, Centipedes, Chiggers, Chinch Bugs, Cicadas, Clover Mites, Colorado Potato Beetles, Corn Borers, Corn Earworms, Crane Flies, Crickets, Cross-stripped Cabbage Worms, Cutworms, Diamondback Moth Caterpillars, Digger Wasps, Earwigs, Fire Ants, Firebrats, Fireworms, Flea Beetles, Fleas, Fruit Flies, Gnats, Grasshoppers, Green Bugs, Green Fruitworms, Green June Beetles, Green Peach Aphids, Gypsy Moth Caterpillars and Adults, Harlequin Bugs, Hornets, Horse Flies, House Flies, Imported Cabbage Worms, Japanese Beetles, Katydid, Lace Bugs, Leafhoppers, Leafminers, Leafrollers, Leaf-tiers, Lice, Maggots, Mealybugs, Mexican Bean Beetles, Millipedes, Mites, Moths, Pillbugs, Rootworms, Silverfish, Sowbugs, Spittlebugs, Stink Bugs, Tent Caterpillars, Thrips, Ticks, Tomato Hornworms, 12-spotted Cucumber Beetles, Webworms, Weevils, Whiteflies.

USE ON ORNAMENTALS, ROSES & FLOWERS

including: African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, dogwood, geraniums, gladioli, marigolds, roses, rubber plants, and wandering jew.

USE ON MOST GARDEN VEGETABLES, HERBS, FRUITS & NUTS

including: Almond, Apple, Apricot, Arrugula, Asparagus, Basil, Beans, Beet, Blackberry, Blackeyed peas, Blueberry, Broccoli, Brussels sprouts, Cabbage, Chamomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Collards, Corn, Cranberries, Cucumbers, Currant, Curry leaf, Eggplants, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kale, Kumquat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia nut, Mango Melon, Melons, Mint, Mustard greens, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear, Peppers, (including bell, chili), Pimento, Plum, Potatoes, Pumpkin, Radishes, Raspberry, Sage, Snap bean, Soybean, Spinach, Strawberry, Squash, Sweet bay (bayleaf), Sweet corn, Sweet potato, Swiss chard, Tangelo, Tangerine, Tomatoes, Turnips, Walnut, Watermelon, and Yam.

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool, dry area away from children and pets.

Disposal: *If empty* -- Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled* -- Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

| | |
|---|---|
| If swallowed: | Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. |
| If inhaled: | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. |
| If in eyes: | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |
| If on skin or clothing: | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on pesticide products (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378. | |
| Note to Physician: Contains petroleum distillate-vomiting may cause aspiration pneumonia. | |

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Use only as directed and do not contaminate lakes, streams, or ponds by cleaning of equipment or disposal of wastes. Do not apply when conditions favor drift from intended area of treatment.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.