



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.

9467.50

TRUSTED SINCE 1926
BONIDE

MOLETOX II

MOLE & GOPHER KILLER

POISON BAIT FOR USE AGAINST MOLES & POCKET GOPHERS IN LAWNS & OTHER NON-CROP AREAS

ACTIVE INGREDIENT:

Zinc Phosphide	2.00%
OTHER INGREDIENTS	98.00%
TOTAL	100.00%

EPA Est. No. 4-NY-1 EPA Reg. No. 4-285

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See Back Panel for Additional Precautionary Statements)

Net Weight 8 oz. (.23 kg) Packed by weight, not volume

XXXXXXXXX 697

RECEIVED

MAR 22 2007

Pesticides Branch

697

MOLETOX II®
Ready to Use

Poison bait for use against Moles and Pocket Gophers in lawns and other non-crop areas. Also helps to protect bulbs at Fall Planting.

EPA Est. No. 4-NY-1

EPA Reg. No. 4-285


Buyers Guarantee Limited to Label Claims.

BONIDE PRODUCTS, INC.

6301 Suttiff Road

Oriskany, NY 13424

BN



8 oz.

697 • PAGE 1

Conical Mounds. Remove center plug from the conical mounds with aid of a long-handled spoon and drop a teaspoonful amount of Moletox II® into the underground tunnel. Close opening with rock or sod. Do not allow loose dirt to cover bait.

Bulb Protection (fall planted). Pack about one-quarter inch of soil against each bulb. Place several baits at sides of and around the bulb. Then cover.

In cases of repeated reinfestation (usually due to high population pressure in surrounding areas), treatment of desirable areas with a soil insecticide may be advisable.

Specific directions for pocket gophers. Burrowing pocket gophers (*Thomomys* spp and *Geomys* spp) throw out low, fan shaped mounds on either side of their underground tunnel. These lateral tunnels coming to the surface are on the flat side of the fan and are plugged with soil. With a long-handled spoon carefully remove the plug. Insert a teaspoonful of Moletox II® as far down as possible. Reclose opening, being careful not to cover bait with soil.

STORAGE AND DISPOSAL

Storage: Store and transport only in an upright position, in the original container, and in a dry place inaccessible to children and pets.

Disposal: If empty—Do not reuse empty container. Place in trash or offer for recycling if available. If partially filled—Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

The buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established sale practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

697 • PAGE 3

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Keep away from humans, domestic animals, and pets. May be fatal or harmful if swallowed or inhaled. Avoid skin contact. Do not breathe dust. Avoid contamination of feed or foodstuffs. Avoid contact with acids.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and other wildlife. Do not allow bait to be exposed on soil surface. Do not apply where runoff is likely to occur. Keep out of any body of water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use restrictions: For use against moles and pocket gophers in lawns, golf courses, and other non-crop areas. Do not apply in gardens and areas where food or feed may be contaminated. Only apply the bait underground. Collect and bury all dead animals found above the ground.

Specific directions for moles. The presence of moles may be indicated by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows, or by damage to bulbs.

Surface Ridges. Prior to treatment determine which burrows are active according to one of the following two methods. Either press down a small section of the tunnel or remove a one inch section of the tunnel's roof. Mark these sections and recheck in 24 hours. The burrow is considered active if the flattened runway has been raised up or if the roof has been repaired. Only treat active burrows.

Carefully punch a hole in the top of active tunnels, drop a teaspoonful amount of Moletox II® and carefully close the hole with sod or stone. Do not collapse the runway again or allow loose soil to cover the bait. After a few days check to see if the burrows are still active according to one of the two methods described above. If so, repeat treatment.

697 • PAGE 2

FIRST AID

Any person applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness should be seen by a physician immediately. Have the label with you when obtaining treatment advice.

If swallowed Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.
Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor.

If on skin or clothing Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.

If inhaled Move person to fresh air. If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.

If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.

697 • PAGE 4

Bonide Products, Inc.
offers a complete line of
gardening products.
Insect Control,
Disease Control,
Weed Control, Repellents,
Specialty Fertilizers
and Plant Nutrients.

Ask your local garden center
about these additional Bonide®
Mole and Gopher Control
products:

Bonide® Moletox® Baited-gel

-The patented syringe
injector system allows you to
deliver pre-measured doses
of bait directly into the tunnel.

One syringe covers up to
10,000 sq. ft.

697 • PAGE 5

Mole Trap

- These easy to set traps
may be used over and over,
providing effective,
economical mole control.
Sturdy metal construction
lasts for years.

Rodent Smoke Bombs

- An effective,
quick and reliable product for
Moles, Gophers,
Woodchucks, Rats, Skunks,
and Ground Squirrels.
The smoke will penetrate
deeply into tunnels
to do the job.

697 • PAGE 7

Bonide® MOLEMAX®

Mole & Vole Repellent

- A granular product that
provides an effective means
of repelling burrowing
animals from desirable turf
and ornamental areas. Can
also be used when planting
bulbs to prevent rodent
depredation.

Bonide® Shotgun®

Mole & Gopher Repellent

- Packaged in a
Ready-To-Spray Hose-End
container, the 1 quart bottle
covers 10,000 sq.ft.
and lasts for up to 30 days.

697 • PAGE 6

Some Bonide® products
are not available or
registered for use in
some states. Ask your
local garden center which
products are available in
your area.

Thank You for buying
Bonide® Products.

697 • PAGE 8