



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2014-2016** LIC. NO.

**9467.84**

171829



Won't Harm  
Lawn Grasses\*

\*When Used as Directed

Ready to Use No Mixing,  
No Pouring, Aim at  
Weed and Spray

**ACTIVE INGREDIENTS**

2, 4-D, dimethylamine salt (CAS No. 2008-39-1)	0.61%
Mecoprop-p, dimethylamine salt (CAS No. 65423-09-4)	0.14%
Dicamba, dimethylamine salt (CAS No. 2300-66-5)	0.07%

**OTHER INGREDIENTS:** 99.19%

**TOTAL:** 100.00%

EPA Est. No. 4-NY-1 EPA Reg. No. 4401-35925

**THIS PRODUCT CONTAINS**

0.50% 2,4-dichlorophenoxyacetic acid equivalent,  
 0.12% (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent,  
 0.05% 3,6-dichloro-o-anisic acid equivalent.  
 Isomer Specific by AOAC Methods.

Green Thumb®

**READY TO USE**

**Lawn Weed  
Killer**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** (See back panel for additional  
Precautionary Statements and First Aid)

Net Contents 32 FL OZ (946 ML.)



## Ready to Use Lawn Weed Killer

- **Kills** Dandelion, Clover, Chickweed, Oxalis, and many other broadleaf weeds
- **Use** on all types of Lawns - Use to Spot Treat Weeds
- **Won't harm lawn grasses\***  
\*when used as directed
- **Starts working overnight**

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

Store and transport in an upright position.  
EPA Reg. No. 4-401-85925 EPA Est. No. 4-NY-1  
Buyers guarantee limited to label claims.

©Bonide Products, Inc. All Rights Reserved

Manufactured for and Distributed  
by True Value® Company  
Chicago, IL 60631-3505  
© 2013 True Value Company  
Made in USA



### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### PRECAUTIONS AND RESTRICTIONS

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed specified dosage. This product is intended for spot spraying individual weeds only.
- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

### WHAT IT IS & HOW TO USE IT

This product contains Trimec® turf herbicide, a combination of three proven weed killers 2,4-D, mecoprop and dicamba. Together they control a wide range of broadleaf lawn weeds; some of which are listed on this label.

Use to "spot treat" weeds in the lawn. For best results, apply when weeds are actively growing. Do not water within 24 hours after spraying. Use as is. Do not mix. Do not dilute. Aim at weed and spray. Only a short burst is needed. Overspraying only wastes the product and may cause damage to grasses such as centipedegrass, St. Augustinegrass, and Floratam. Effects begin to show after a few days and weeds gradually die. Up to 4 weeks may be required for complete kill. Repeat in 30 days if necessary. The number of spot treatments is limited to 2 per year.

### CONTROLS - WEEDS

Annual yellow	Bulbous buttercup	Clover, white	Heartleaf drymary
sweetclover	Bull thistle	Cockle	Heath aster
Aster	Bullnettle	Cocklebur	Hedge bindweed
Austrian fieldcress	Burclover	Common mullein	Hedge mustard
Bedstraw	Burdock	Creeping charlie	Henbit
Beggarticks	Burning nettle	Creeping jenny	Hoary cress
Betony, Florida	Burweed	Cudweed	Hoary plantain
Bindweed, field	Buttercup	Curly dock	Hoary vervain
Bird vetch	Buttonweed	Daisy, English	Horsenettle
Bitter wintercress	Canada thistle	Daisy fleabane	Jimsonweed
Bittercress, hairy	Carolina	Daisy, oxeye	Knawel
Bitterweed	geranium	Dandelion	Knotweed
Black-eyed Susan	Carpetweed	Dichondra	Kochia
Black medic	Catchweed	Dogfennel	Lambsquarters
Black mustard	bedstraw	Dollarweed	Lespedeza
Blackseed plantain	Catnip	False dandelion	Mallow
Blessed thistle	Catsear	Falseflax	Matchweed
Bloodflower	Chickweed,	False sunflower	Mexicanweed
milkweed	common	Fiddleneck	Milk vetch
Blue lettuce	Chickweed,	Florida pusley	Morningglory
Blue vervain	mouseear	Frenchweed	Mouseear
Bracted plantain	Chicory	Galinsoga	hawkweed
Bristly oxtongue	Cinquefoil	Goldenrod	Mugwort
Broadleaf dock	Clover, crimson	Ground ivy	Musk thistle
Broadleaf plantain	Clover, hop	Gumweed	Mustard
Broomweed	Clover, red	Hairy fleabane	Narrowleaf
Buckhorn	Clover, strawberry	Hawkweed	plantain
Buckhorn plantain	Clover, sweet	Healall	Narrowleaf vetch

CONTROLS - WEEDS Cont.			
Nettle	Ragweed	Stinging nettle	Wild carrot
Orange hawkweed	Red sorrel	Strawberry, India	Wild four-o'clock
Oriental cocklebur	Redroot pigweed	mock	Wild garlic
Oxalis	Redstem filaree	Tall nettle	Wild geranium
Parsley-piert	Rough cinquefoil	Tall vervain	Wild lettuce
Parsnip	Rough fleabane	Tansy ragwort	Wild marigold
Pearlwort	Russian pigweed	Tansy mustard	Wild mustard
Pennycress	Russian thistle	Tanweed	Wild onion
Pepperweed	Scarlet pimpernel	Thistle	Wild parsnip
Pigweed	Scotch thistle	Trailing	Wild radish
Pineywoods	Sheep sorrel	crownvetch	Wild rape
bedstraw	Shepherdspurse	Tumble mustard	Wild strawberry
Plains coreopsis	Slender plantain	Tumble pigweed	Wild sweet potato
Plantain	Smallflower	Velvetleaf	Wild vetch
Poison ivy	galinsoga	Venice mallow	Woodsorrel
Poison oak	Smooth dock	Virginia	Woolly croton
Pokeweed	Smooth pigweed	buttonweed	Woolly
Poorjoe	Sorrel	Virginia creeper	morningglory
Prairie sunflower	Sowthistle	Virginia	Woolly plantain
Prickly lettuce	Spanishneedles	pepperweed	Wormseed
Prickly sida	Speedwell	Wavyleaf	Yarrow
Prostrate knotweed	Spiny amaranth	bulbthistle	Yellow rocket
Prostrate pigweed	Spiny cocklebur	Western clematis	Yellowflower
Prostrate spurge	Spiny sowthistle	Western salsify	pepperweed
Prostrate vervain	Spotted catsear	White mustard	Yellow sweetclover
Puncturevine	Spotted spurge	Wild aster	and other broad-
Purslane, common	Spurweed	Wild buckwheat	leaf weeds

STORAGE AND DISPOSAL	
<b>PESTICIDE STORAGE:</b> Store in original container in a locked storage area inaccessible to children and pets.	
<b>PESTICIDE DISPOSAL AND CONTAINER HANDLING:</b> Nonrefillable container. Do not reuse or refill this container. <i>If Empty</i> - Do not reuse this container. Place in trash or offer for recycling if available. <i>If Partly Filled</i> - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.	
FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a <u>poison control center or doctor for treatment advice.</u></li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>Call a <u>poison control center or doctor immediately for treatment advice.</u></li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a <u>poison control center or doctor for treatment advice.</u></li> </ul>
<b>HOT LINE NUMBER:</b> Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS
<b>HAZARDS TO HUMANS AND DOMESTIC ANIMALS</b>
<b>CAUTION</b> - Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt, long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.
<b>Environmental Hazards</b>
This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.
This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

LIMITED WARRANTY AND DISCLAIMER
For use only as directed. To the extent consistent with applicable law, the manufacturer neither makes nor intends any express or implied warranties, including any warranty of merchantability or fitness for a particular purpose, which are hereby expressly disclaimed. To the extent consistent with applicable law, in no case shall the manufacturer be liable for incidental, consequential, or special damages resulting from the use or handling of this product. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.
For information on pesticide products (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.