

**ACCEPTED**LICENSE NO. **9472.66****azera**<sup>®</sup>   
Gardening**FOR ORGANIC GARDENING**

- Kills listed pests on contact or by ingestion
- Contains Pyrethrins, a botanical insecticide derived from chrysanthemums
- Kills a broad spectrum of listed insects including aphids, whiteflies, leafminers and caterpillars
- Quick knock-down, and kill
- Kills larval, pupae, and adult stages of listed insects
- For use on ornamentals, and in greenhouses
- One pint makes up to 16 gallons

**ACTIVE INGREDIENTS:**

Azadirachtin .....	1.20%
Pyrethrins .....	1.40%

**OTHER INGREDIENTS**

.....	97.40%
.....	100.00%

MGK<sup>®</sup> - Registered trademark of McLaughlin Gormley King Company  
Contains: 0.10 lbs. of azadirachtin and 0.11 lbs. of pyrethrins per gallon.

**KEEP OUT OF REACH  
OF CHILDREN  
CAUTION  
PRECAUCIÓN**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail).

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with plenty of soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear protective eye-wear. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes and safety gloves (such as barrier laminate, nitrile rubber, neoprene rubber or Viton).

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate. See Directions for Use for additional precautions and restrictions.

**PHYSICAL OR CHEMICAL  
HAZARDS**

**Combustible:** Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SEE INSIDE BOOKLET FOR DIRECTIONS FOR USE**

Manufactured by:



8810 Tenth Avenue North  
Minneapolis, MN 55427


**EPA Reg. No. 1021-1872**

Rev. 0515-0715

**EPA Est. No. 1021-MN-2**

F2905-107MGK

**NET CONTENTS  
1 GALLON**



PF-46626-2

PULL HERE TO OPEN / PRESS TO RESEAL

**FIRST AID**

<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.</p>	

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with plenty of soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear protective eyewear. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes and safety gloves (such as barrier laminate, nitrile rubber, neoprene rubber or Viton).

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate. See Directions for Use for additional precautions and restrictions.

**PHYSICAL OR CHEMICAL HAZARDS**

**Combustible:** Do not use or store near heat or open flame.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### RESTRICTIONS:

- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until vapors, mists and aerosols have dispersed.
- Do not wet plants to the point of runoff or drip.
- Do not apply directly to or near water, storm drains or drainage ditches. Do not apply when windy.
- Rinse applicator over lawn or garden area only.
- To avoid possible harm to honey bees, it is advisable to apply in the early morning or late evening hours.
- Do not apply more than 1 time per day.
- Do not apply more than 10 times per season.
- In case of extreme pest pressure, do not reapply within 24 hours.
- Do not reapply within 3 days except under extreme pest pressure.
- Do not make applications during rain.
- Not for use in outdoor residential misting systems.

### Directions for Use:

**Phytotoxicity:** AZERA® GARDENING has been evaluated for phytotoxicity on a wide range of plants. However, since testing on all varieties of all plants is not feasible, nor is testing of all possible combinations or sequences of pesticide sprays including fertilizers, surfactants and adjuvants. Before making tank mix combinations with AZERA® GARDENING, or before making widespread applications, it is recommended to treat a limited number of plants and observe for phytotoxicity over a 10-day period. It is further recommended that spray equipment used to apply AZERA® GARDENING be thoroughly cleaned before use.

**Mode of Action:** AZERA® GARDENING kills target pests quickly by contact or ingestion. It also kills listed insects by interfering with the molting process and as a adulticide. It is effective on all larva stages, pupae, and adults.

**pH:** The pH should be adjusted to a pH of 5.5-7.0.

**Honey Bees:** To avoid possible harm to honey bees, it is advisable to apply in early morning or late evening hours.

**RATE CHART:**

		<i>Most commonly used rate</i>	<i>Rates for treating high populations of adults and/or hard to kill insects</i>	
<b>AZERA® GARDENING</b>	<b>1 Pint per acre</b> 16 fl. oz.	<b>2 Pints per acre</b> 32 fl. oz.	<b>3 Pints per acre</b> 48 fl. oz.	<b>3.5 Pints per acre</b> 56 fl. oz.
Acres per Quart	2	1	0.67	0.57
Acres per Gallon	8	4	2.7	2.3

**DILUTION RATES:**

<b>Conventional Equipment</b>	In sufficient water for thorough coverage. Dilution in a minimum of 30 gallons of water per acres is recommended.
<b>Hand sprayers</b>	<b>1 - 2 fl. oz. of AZERA® GARDENING per gallon of water</b>
<b>Greenhouse</b>	Dilute 53–107 fl. oz. with 100 gallons of water for applications with conventional hydraulic sprayers or 1 to 2 fl. oz. per one gallon of water or applications with compressed sprayers. Use 2.3 gallons of spray solution per 1,000 sq. ft.

**MIXING DIRECTIONS:****USED ALONE:**

- Mix only enough for immediate use.
- Shake AZERA® GARDENING well before using.
- Dilute AZERA® GARDENING in sufficient water to obtain thorough coverage.
- Fill clean spray tank  $\frac{1}{2}$  to  $\frac{3}{4}$  of the water to be sprayed and begin agitation.
- Add the appropriate amount of AZERA® GARDENING to the spray tank.
- Fill the tank with the remaining water and agitate thoroughly.
- Adjust spray solution to pH of 5.5–7.0, if outside of that range.
- Apply product promptly after mixing.
- Complete coverage of all leaf surfaces is essential for optimum results.
- If the mixture is not applied immediately after mixing, agitate before application.

**APPLICATION DIRECTIONS:**

Spraying should begin when listed insects first appear. Do not wait until plants are heavily infested. Repeat application as required to maintain effective kill, but not more than every 5–7 days. For foliar application, apply AZERA® GARDENING in sufficient spray volume and with adequate spray pressure to ensure complete and thorough coverage of all plant surfaces including both the top and bottom of leaves. Do not wet plants to the point of runoff or drip. Do not apply when wind speed favors drift beyond the area intended for treatment. When pest pressure is extreme or plant canopy is dense, use higher specified rates and do not reapply within 24 hours. If possible apply in the early morning, or evening hours. The reduced UV exposure and lower temperatures will increase the performance and reduce the impact on pollinators.

**To Kill the Following Listed Insects:**

**Aphids including:**

Alfalfa Aphids, Apple Aphids, Artichoke Aphids, Bean Aphids, Black Bean Aphids, Black Maringed Aphids, Black Peach Aphids, Blue alfalfa Aphids, Cabbage Aphids, Cotton/Melon Aphids, Cowpea Aphids, European Asparagus Aphids, Filbert Aphids, Foxglove Aphids, Green Peach Aphids, Lettuce Aphids, Lettuce Root Aphids, Melon Aphids, Pea Aphids, Potato Aphids, Rose Aphids, Spotted Alfalfa Aphids and Willow Carrot Aphids.

**Armyworms, Caterpillars and Loopers including:**

Alfalfa Caterpillars, Artichoke Plume Moths, Bagworms, Beet Armyworms, Black Cutworms, Budworms, Cabbage Loopers, Cankerworms, Carpenterworms, Citrus Cutworms, Corn Earworms, Cross-striped Cabbageworms, Cutworms, Diamondback moths, Eastern Tent Caterpillars, Fall Armyworms, Fall Cankerworms, Fall Webworms, Filbert Worms, Fireworms, Forest Tent Caterpillars, Garden Webworms, Grapeleaf Skeletonizers, Grapefruit Worms, Green Fruitworms, Hickory Shuckworms, Hornworms, Imported Cabbageworms, Lawn Armyworms, Lesser Webworm Loopers, Melonworms, Navel Orangeworms, Oriental Fruit Moths, Pecan Nut Case bearers, Rindworms, Saltmarsh Caterpillars, Sod Webworms, Southern Armyworms, Soybean Loopers, Tent Caterpillars, Tobacco Budworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Walnut Caterpillars, Webworms, Western Grapeleaf Skeletonizers, Western Yellowstriped Armyworms and Yellowstriped Armyworms.

**Beetles and Weevils including:**

12-spotted Cucumber Beetles, Alfalfa Weevils, Asparagus Beetles, Bean Beetles, Bean Leaf Beetles, Black Vine Weevils, Blister Beetles, Boll Weevils, Carrot Weevils, Chestnut Weevils, Clover Weevils, Colorado Potato Beetles, Cucumber Beetles, Darkling Beetles (lesser mealworms), Egyptian Alfalfa Weevils, Elm Leaf Beetles, Flea Beetles, Fuller Rose Beetles, Grape Bud Beetles, Japanese Beetles, June Beetles, Mexican Bean Beetles, Navel Orangeworms (NOW), Pecan Weevils, Pink Bollworms, Potato Flea Beetles, Rice Weevils, Rose Chafers, Sawtoothed Grain Beetles, Strawberry Beetles, Twig Girdlers and all other beetles and weevils.

**Leafrollers:**

Blueberry Leafrollers, Filbert Leafrollers, Fruittree Leafrollers, Grape Leafrollers, Oblique Banded Leafrollers, Omnivorous Leafrollers, Orange Tortrix and Western Avocado Leafrollers.

**Borers such as:**

Branch and Twig Borers, European Corn Borers, Pacific Flatheaded Borers, Peach Tree Borers, Peach Twig Borers, Shot-hole Borers and Squash Vine Borers.

**Flies:**

Australian Sod Flies, Caribbean Fruit Flies, Crane Flies, Fruit Flies, Fungus Gnats, Hessian Flies, Mediterranean Fruit Flies, Melon Flies, Mushroom Flies, Olive Fruit Flies, Oriental Fruit Flies, Sawflies, Shore Flies, Vinegar Flies and Walnut Husk Flies.

**Leafhoppers & Sharpshooters:**

Aster Leafhoppers, Beet Leafhoppers, Glassy-winged Sharpshooters, Grape Leafhoppers, Potato Leafhoppers, Three-Cornered Alfalfa hoppers and Variegated Leafhoppers.

**Leafminers:**

Citrus Leafminers, Holly Leafminers, Serpentine Leafminers and Vegetable Leafminers.

**Moths:**

Artichoke Plume Moths, Codling Moths, Diamondback Moths, European Pine Tip Moths, Grape Berry Moths, Gypsy Moths (adult & larvae), Indian Meal Moths, Mediterranean Flour Moths, Pine Tip Moths and Tussock Moths.

**Whiteflies:**

Greenhouse Whiteflies, Silverleaf Whiteflies and Sweetpotato Whiteflies.

**Other:**

Ants (except Pharaoh, Harvester, Carpenter and Fire Ants), Apple Maggots, Billbugs, Brown Marmorated Stinkbugs, Cabbage Maggots, Clover Mites, Crickets, Cutworms, Dichondra Flea Beetles, Earwigs, European Chafers, False Chinch Bugs, Firebrats, Garden Symphylan, Garden Tortrix, Glassy-winged Sharpshooters, Grape Phylloxera, Grasshoppers, Harlequin Bugs, Katydid, Lace Bugs, Leaf-tiers, Leaf-footed Plant Bugs, Lice, Lygus, Mealybugs (all), Midges (plant pests), Millipedes, Northern Masked Chafers, Onion Maggots, Plant Bugs, Proba Bugs, Scale Insects, Silverfish, Skippers, Soft Scales, Southern Masked Chafers, Sowbugs, Spider Mites, Spiders (except Black Widow and Brown Recluse Spiders), Spittle Bugs, Springtails, Squash Bugs, Stink Bugs, Tarnished Plant Bugs, Western Boxelder Bugs and Wireworms.

**Psyllids:**

Pear Psylla

**Thrips:**

Avocado Thrips, Citrus Thrips, Flower Thrips, Greenhouse Thrips, Thrips Palmi and Western Flower Thrips.

**FOR USE ON VEGETABLES, FRUITS, HERBS AND SPICES IN RESIDENTIAL GARDENS:**

**ROOT AND TUBER VEGETABLES:** Including: Arracacha, Arrowroot, Purple Arrowroot, Japanese Artichokes, Jerusalem Artichokes, Garden Beets, Sugar Beets, Edible Burdock, Edible Canna, Carrots, Cassava (bitter or sweet), Celeriac, Celery Root, Chayote (root), Chervil (turnip rooted), Chicory, Chufa, Dasheen (Taro), Ginger, Ginseng, Horseradish, Jicama, Leren, Parsley (turnip rooted), Parsnips, Potatoes, Radishes, Japanese Radishes (Daikon), Rutabaga, Salsify (oyster plant, black, Spanish), Skirret, Sweet Potatoes, Tanier, Turmeric, Turnips, Yam Beans (Jicama, manioc pea), Yams (true).

**LEAVES OF ROOT AND TUBER VEGETABLES:** Including: Beets (garden), Beets (sugar), Burdock (edible), Carrots, Cassava (bitter and sweet), Celeriac (celery root), Chervil (turnip-rooted), Chicory, Dasheen (taro), Parsnips, Radishes, Radishes (oriental, Daikon), Rutabaga, Salsify (black), Sweet potatoes, Tanier, Turnips, Yams (true).

**BULB VEGETABLES:** Including: Garlic, Great-headed Garlic, Leeks, Onions (bulb and green), Shallots, Welch.

**LEAFY VEGETABLES:** Including: Amaranth (Leafy Amaranth, Chinese Spinach, Tampala), Arugula, Cardoon, Celery, Chinese Celery, Celtuce, Chervil, Corn Salad, Chrysanthemum (edible-leaved), Chrysanthemum (garland), Cress (garden, water), Upland Cress (yellow rocket, winter cress), Dandelion, Dock (sorrel), Endive (escarole), Fennel (Florence), Leeks, Lettuce (head and leafy), Mustard Greens, Orach, Parsley, Purslane (garden & winter), Radicchio, Rhubarb, Spinach, Fine Spinach (Malabar, Ceylon), Spinach (New Zealand), Swiss Chard, Turnip Greens, Watercress.

**BRASSICA (COLE) LEAFY VEGETABLES:** Including: Broccoli, Chinese Broccoli (Gai Lan), Broccoli raab (Rapini), Brussels Sprouts, Cabbage, Chinese Cabbage (Bok Choy), Chinese Cabbage (Napa), Chinese Mustard Cabbage (Gai Choy), Cauliflower, Cavallo broccolo, Collards, Kale (Flowering, Chinese), Kohlrabi, Mizuna, Mustard Greens, Mustard Spinach, Rape Greens.

**LEGUME VEGETABLES (SUCCULENT OR DRIED):** Including: Adzuki Beans, Field Beans, Kidney Beans, Lima Beans, Moth Beans, Mung Beans, Navy Beans, Pinto Beans, Rice Beans, Runner Beans, Snap Beans, Tepary Beans, Urd Beans, Wax Beans, Asparagus Beans, Black-eyed Peas, Catjang, Chinese Longbeans, Cowpeas, Chowder Peas, Southern Peas, Yard-Longbeans, Broad Beans, (Fava Beans), Chick Peas (Garbanzo Beans), Guar, Jack Bean (Sword Bean), Lablab Bean (Hyacinth Bean), Lentils, Peas (Garden Peas, Field Peas, Sugar Snap Peas, English Pea, Snow Pea), Pigeon Peas, Soybeans, Sweet Lupin Beans, White Lupin Beans, White Sweet Lupin, Sword Bean.

**FOLIAGE OF LEGUME VEGETABLES:** Including: Plant part of any legume vegetable included in the legume vegetable group that will be used as animal feed including any variety of Beans, Field Peas, Soybeans.

**FRUITING VEGETABLES:** Including: Eggplant, Ground Cherry, Okra, Pepinos, Pepper (Bell Pepper, Chili Pepper, Cooking Peppers, Pimentos, Sweet Peppers), Tomatillo, Tomatoes.

**CUCURBIT VEGETABLES:** Including: Balsam Apple, Balsam Pear (Bitter Melon), Chayote (fruit), Chinese Waxgourd (Chinese preserving melon), Chinese Cucumber, Citron Melon, Cucumber, Gherkin, Edible Gourds, Mangoes, Melons (including hybrids, Cantaloupe, Casaba, Charentais, Crenshaw, Golden Pershaw Melon, Honeydew Melons, Honey Balls, Mango Melon, Muskmelon, Persian Melon, Pineapple Melon, Santa Claus Melon, Snake Melon), Pumpkin, Squash (summer & winter), Watermelon (OP & hybrids, seeded and seedless).

**CITRUS FRUITS:** Including: Calamondin, Citrus Citron, Citrus Hybrids, Grapefruit, Kumquats, Lemons, Limes, Mandarin (Tangerine), Orange (sweet & sour), Pummelo, Satsuma Mandarin, (Citrus spp. includes Chironja, Tangelos, Tangors), Uniq Fruit, White Sapote.

**POME FRUITS:** Including: Apple, Crabapple, Loquat, Mayhaw, Oriental Pear, Pear, Quince.

**STONE FRUITS:** Including: Apricot, Cherry (sweet & sour), Nectarine, Peach, Plum, Prune, Chickasaw Plum, Damson Plum, Japanese Plum, Plumcot, Prune.

**BERRY AND SMALL FRUIT CROPS:** Including: Blackberry, Blueberry, Boysenberries, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Guava, Grape, Huckleberry, Kiwifruit, Loganberry, Olallieberry, Raspberry (black & red), Strawberry, Youngberry.

**TREE NUTS:** Including: Almond, Beech Nut, Brazil Nut, Butternut, Cashew, Chestnut, Chinquapin, Filbert (hazelnut), Hickory nut, Macadamia Nut (Bush Nut), Pecan, Pistachio, Walnut (Black, English, Persian).

**TROPICAL FRUITS:** Including: Papaya, Black Sapote, Canistel, Mango, Sapodilla, Star Apple, Guava, Bribia.

**CEREAL GRAINS:** Including: Barley, Buckwheat, Corn (sweet and field), Millet, Proso, Oats, Pearl Millet, Popcorn, Rice, Rye, Sorghum (Milo), Teosinte, Triticale, Wheat, Wild Rice.

**FORAGE, FODDER AND STRAW OF CEREAL GRAINS:** Including: barley; buckwheat; corn (sweet and field); millet; proso; oats; pearl; popcorn; rice; rye; sorghum (milo); teosinte; triticale; wheat; wild rice.

**GRASSES FOR SEED, FORAGE, FODDER AND HAY:** Including: any grass (all Gramineae), (green or cured), except sugarcane and those listed in the cereal grains group) that will be fed to or grazed by livestock, all Pasture and Range Grasses and Grasses grown for hay and silage, Sudan Grass, Bermuda Grass, Bluegrass, Bromegrass, Fescue, Orchard, Timothy.

**NON-GRASS ANIMAL FEEDS:** Including: Alfalfa, Velvet Bean, Clover (White, Ladino, Red), Kudzu, Lespedeza, Lupine, Sainfoin, Trefoil, Crown Vetch, Milk Vetch.

**HERBS AND SPICES:** Including: Allspice, Angelica, Anise (anise seed), Anise [star], Annatto (seed), Balm (lemon balm), Basil, Borage, Burnet, Camomile, Caper buds, Caraway, Caraway [black], Cardamom, Cassia bark, Cassia buds, Catnip, Celery seed, Chervil (dried), Chicory, Chive, Chive [Chinese], Cinnamon, Clary, Clove buds, Coriander (cilantro or Chinese parsley) (leaf), Coriander (cilantro) (seed), Costmary, Culantro (leaf), Culantro (seed), Cumin, Curry (leaf), Dandelion, Dill (dill weed), Dill (seed), Fennel (common), Fennel [Florence] (seed), Fenugreek, Grains of paradise, Horehound, Hyssop, Juniper berry, Lavender, Lemongrass, Lovage (leaf), Lovage (seed), Mace, Marigold, Marjoram (includes sweet or annual marjoram, wild marjoram or oregano, and pot marjoram), Mint, Mustard (seed), Nasturtium, Nutmeg, Oregano, Mint, Paprika, Parsley (dried), Pennyroyal, Pepper [black], Pepper [white], Peppermint, Poppy (seed), Rosemary, Rue, Saffron, Sage, Savory [summer and winter], Sweet bay (bay leaf), Tansy, Tarragon, Thyme, Vanilla, Wintergreen, Woodruff, Wormwood.

**OIL SEED GROUP:** Cottonseed, Jojoba

**ADDITIONAL CROPS:** Including: Acerola, Artichoke, Asparagus, Avocado, Atemoya, Bananas, Barbados Cherry, Birdseed, Cacao, Canistel, Carob, Cherimoya, Cocoa, Coffee, Custard Apple, Dates, Durian (Jackfruit), Edible Flowers, Feijoa, Figs, Globe Artichoke, Guayule, Hops, Jaboticaba, Llama, Longan, Lychee, Mangoes, Mamey Sapote, Mushroom, Okra, Olives, Palm, Papaya, Passion fruit, Peanuts, Persimmon, Pineapple, Pomegranate, Pulasan, Rambutan, Safflowers, Sapodilla, Sesame, Soursop and Biriba, Spanish Lime, Star Apple Sugar Cane, Star Fruit, Sugar Apple, Sunflower, Tamarillo, Tea, Water chestnut and Wax Jambu.

#### **FOR USE ON GROWING PLANTS (OUTDOORS AND IN GREENHOUSES):**

**BEDDING PLANTS, FLOWERS, POTTED PLANTS AND FOLIAGE:** Including: Actinopters, Aglaonema, Allamanda, Algerian Ivy, Alocasia, Anthurium, Aphelandra, Artemisia, Aster, Aucuba Illex, Azalea, Baby's Breath, Begonia, Bougainvillea, Boston Fern, Boxwood, Brachycome, Cacti, Calabrese, Caladium, Calla, Calathea, Calendula, Carnation, Chrysanthemum, Coleus, Columbine, Dahlia, Daisy, Daylily, Delphinium, Dianthus, Dieffenbachia, Dusty Miller, Easter Lily, English Ivy, Euphorbia, Fern, Ficus, Foxglove, Freesia, Fuchsia, Gaillardia, Gardenia, Geranium, Gerbera, Gladioli, Gypsophila, Hedera, Hibiscus, Impatiens, Iris, Lily, Mandevilla, Marigold, Nasturtium, Pansy, Pelargonium, Peony, Peperomia, Petunia, Philodendron, Phlox, Photinia, Pittosporum, Pinks, Poinsettia, Pothos, Portulaca, Rosemary, Rose, Rubber plant, Salvia, Schefflera, Sedum, Sempervivum, Snapdragon, Spathiphyllum, Stock, Syngonium, Verbena, Vinca, Wandering Jew, Zinnia.

**ORNAMENTALS:** Including: African Violet, Ageratum, Arborvitae, Aster, Aucuba Illex, Azalea, Begonia, Boxwood, Cacti, Calceolaria, Calendula, Calla, Camellia, Carnation, Ceanothus, Chrysanthemum, Cineraria, Coleus, Cotoneaster, Cyclamen, Cypress, Daffodil, Dahlia, Delphinium, Dogwood, Elm, Eucalyptus, Fern, Ficus, Foliage Plants, Fuchsia, Gardenia, Geranium, Gladiolus, Gloxinia, Gypsophila, Holly, Hyacinth, Hydrangea, Iris, Ivy, Lily, Maidenhair Fern, Marigold, Narcissus, Orchid, Palm, Pansy, Peony, Pelargonium, Petunia, Philodendron, Phlox, Photinia, Pine, Pyracantha, Rhododendron, Roses, Rubber Plant, Snapdragon, Stock, Sweet Pea, Tulips, Viburnum, Wandering Jew, White Cedar, White Pine, Yew, Yucca, Zinnia

**TREES AND SHRUBS:** Including: Andromeda, Arborvitae, Ash, Austrian Pine, Azalea, Beech, Birch, Birds Nest Spruce, Blue Spruce, Boxwood, Butternut, Cedar, Chamaecyparis, Cherry, Crabapple, Cotoneaster, Cyprus, Dogwood, Douglas Fir, Elm, Euonymus, Fir, Firethorn, Forsythia, Hackberry, Hawthorn, Hemlock, Hickory, Holly, Honey Locust, Horse Chestnut, Juniper, Larch, Laurel, Lilac, Linden, London Plane, Magnolia, Mandevilla, Maple, Mimosa, Mountain Ash, Myrtle, Oak, Pachysandra, Peach, Pine, Planetree, Poplar, Privet, Quince, Spruce, Sycamore, Tulip Tree, Viburnum, Willow.

**TURF GRASS:** Including Residential Yards and other Recreational Turf Areas.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

### **PESTICIDE STORAGE:**

Store in a cool, dry place away from heat or open flame in an area that is inaccessible to children and animals.

### **PESTICIDE DISPOSAL:**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste facility.

### **CONTAINER HANDLING:**

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container  $\frac{1}{4}$  full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



# azera® Gardening



 FOR ORGANIC GARDENING

- Kills listed pests on contact or by ingestion
- Contains Pyrethrins, a botanical insecticide derived from chrysanthemums
- Kills a broad spectrum of listed insects including aphids, whiteflies, leafminers and caterpillars
- Quick knock-down, and kill
- Kills larval, pupae, and adult stages of listed insects
- For use on ornamentals, and in greenhouses
- One pint makes up to 16 gallons

**ACTIVE INGREDIENTS:**

Azadirachtin . . . . .	1.20%
Pyrethrins . . . . .	1.40%
<b>OTHER INGREDIENTS . . . . .</b>	<b>97.40%</b>
	100.00%

MGK® - Registered trademark of McLaughlin Gormley King Company

Contains: 0.10 lbs. of azadirachtin and 0.11 lbs. of pyrethrins per gallon.

## KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail).

See Inside Booklet for First Aid and Additional Precautionary Statements

EPA Reg. No. 1021-1872

EPA Est. No. 1021-MN-2

Rev. 0515-0715

F2905-107MGK

### NET CONTENTS 1 GALLON

Manufactured by:

8810 Tenth Avenue North • Minneapolis, MN 55427

