


I N S E C T I C I D E



Orthene[®]
PCO PELLETS
AMVAC[®]



American Carton Company
607 South Westera St.
Marshall, Texas 76663
Phone: 817.477.1993
Fax: 817.473.0533



Customer: AMVAC

Description: Orthene PCO Pellets

ACC File Name: AMV0005

Date: 05-28-2014

Revision Number

4

Proof Output Date

Please check all components of print (i.e. color, positioning, etc.), fill out proper information below, and return to American Carton Company. This form and any form of proof (i.e. mylar, blanking, rainbow, color key, etc.) must be returned to ACC before job will proceed any further.

DELAYING RETURN OF PROOFS MAY DELAY DELIVERY OF YOUR JOB.

OK AS IS
No responsibility for error is assumed by ACC when work is printed per customer's approval.

SHOW REVISED PROOF
If revised proofs are required, request must be made when this proof is returned.

I hereby authorize American Carton Company to proceed as indicated by my choice above.

Signature

Date




LICENSED

PERIOD 2015-2017 LIC. NO. 9521.81



AMVAC[®]

Orthene[®]
PCO PELLETS



I N S E C T I C I D E



For Use Only By
Professional Applicators

Active Ingredient By Wt. 97.4%
"Accephate" 97.4%
Inert Ingredients 2.6%
Total 100.0%
"O,S-Dimethyl acetylphosphoramide"thioate
U.S. Pat. No. 6,013,272
EPA Reg. No. 5481-3873
EPA Est. 39578-TX-01

KEEP OUT OF REACH OF CHILDREN CAUTION
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS, STORAGE AND DISPOSAL, AND DIRECTIONS FOR USE.

NET WEIGHT 14 OUNCES (10/1.4 OUNCE PACKETS) 12570 2011128



AMV0005

FIRST AID

If swallowed: Call a poison control center or doctor immediately for treatment advice.
• Have person sip a glass of water if able to swallow.
• Do not induce vomiting unless told to do so by a poison control center or doctor.
• Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes.
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
• Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing.
• Rinse skin immediately with plenty of water for 15-20 minutes.
• Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air.
• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
• Call a poison control center or doctor for further treatment advice.

EMERGENCY INFORMATION

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY: For Medical Emergencies phone: 1-888-681-4261
For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC 1-800-424-9300
For Product Use Information phone: AMVAC 1-888-462-6822

NOTE TO PHYSICIAN
Accephate is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition appear, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine but should not be used alone.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION: Harmful if swallowed. Do not enter or allow others to enter treated areas until sprays have dried.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Mixers, Loaders, Applicators and Other Handlers must wear: Long sleeved shirt and long pants, chemical-resistant gloves such as Butyl rubber > 14 mils. Nitrile rubber > 14 mils and Neoprene > 14 mils and shoes plus socks.

In addition, all Mixers and Loaders and all Applicators using low pressure hand wand application equipment must wear: A NIOSH-approved dust mask (filtering respirator with NIOSH/NIOSH approved number prefix TC-21C or a NIOSH-approved respirator with any N, R, or HE filter).

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Cover or soil-incorporate spills. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

This product and its degrade are highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Not for use in feed processing areas in feed handling establishments.

This product is not for indoor residential use.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions.
THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY

(continued)
AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.
AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

TANK MIXES

NOTICE: Tank mixing or use of this product with any other product which is not specifically and expressly authorized by the label shall be the exclusive risk of user, applicator and/or application advisor.
Read and follow the entire label of each product to be used in the tank mix with this product.

GENERAL INFORMATION

Use Orthene[®] PCO Pellets for residual pest control in the areas listed by application as a 0.75% or 1.0% spray. Use the 0.75% rate for control of light infestations on non-porous surfaces and the 1.0% spray to reduce heavy infestations. Activity on porous surfaces may be limited. Repeat treatment as needed except where indicated otherwise.

SPRAY DRIFT MANAGEMENT
Do not apply this product in a manner that allows spray to drift and contact humans, animals or other non-target sites. A variety of factors including weather conditions, (e.g., wind direction, wind speed, temperature, relative humidity) and method of application can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

DIRECTIONS
Apply within Industrial, Institutional, and Commercial Buildings including Restaurants, Warehouses, Stores, Hospitals, Hotels, Manufacturing Plants and Ships. Apply as an outdoor treatment for control of the listed ants and other insects listed in the outdoor use directions. Note: Outdoor applications made to turfgrass are restricted to treatment of fire ant and harvester ant mounds. Agitate or shake spray container to ensure thorough dissolution.

Desired Concentration W/Wt	Grams Product in 1 Gal Water	Ounces Product in 1 Gal Water	No. Of Packets in 1 Gal Water
1/2%	19.5	0.7	1/2
3/4%	29.3	1.0	3/4
1%	39.0	1.4	1

Cockroaches, Ants (excluding fire, harvester, carpenter and pharaoh), Crickets, Fleas and Firebrats: Apply as a coarse, low pressure spot spray, crack and crevice spray or with a paint brush to localized areas where these pests are found or normally occur including corners of rooms and closets, around television sets and radios, along and behind baseboards; around and under sinks, dishwashers, washing machines, refrigerators, stoves and cabinets; areas where plumbing enters or leaves the room; or other areas inhabited by these pests.
NOTE: A period of 3 to 7 days may be necessary for Orthene PCO Pellets to reach its maximum effect on cockroaches.

Earwigs, Pillbugs and Sowbugs: Apply as a coarse, low pressure spot spray to areas around doors and windows, storage areas, baseboards and other areas where these pests may enter or be found.

Pantry Pests - Exposed Stages (Confused Flour Beetle, Indian Meal Moth, and Trogoderma): Apply Orthene PCO Pellets at 1.0% as a spot application to pantry and cupboard shelves where food containers suspected of being infested are stored. Prior to spraying, remove all foodstuffs,

shaving paper and utensils. Do not replace the food packages until the surface has dried. Replace shaving paper. Infested food packages should be destroyed.

Wasps (Outdoor): Apply Orthene PCO Pellets as a spot application at 0.5% to 1.0% to the nest, nest entrance and surrounding areas where the wasps alight. Wasps are generally less active early and late in the day, so it is advisable that nests should be treated during these times. Do not apply with low pressure hand-wand equipment.

Perimeter Treatment: To control Ants (excluding carpenter, fire, harvester and pharaoh ants), Cockroaches, Pillbugs and Earwigs, apply Orthene PCO Pellets at 0.5% to 1.0% to a band of soil 6 to 10 ft adjacent to the structure, also to a height of 2 to 3 ft on the foundation where pests may be active or may find entrance. Also, apply as a residual spray or with a paint brush to surfaces of buildings, window frames, shutters, entry ways, screens, eaves, patios, garages, carports, around garbage areas and other areas where these pests congregate. Do not apply with low pressure hand-wand equipment. **NOTE:** When making Perimeter Treatments, only foraging ants will be controlled. Not for use on residential turf as a perimeter treatment.

Ants, Fire and Harvester (excluding carpenter and pharaoh ants) in mounds within a treated perimeter - In order to control a mound or nest, a drench treatment is necessary. For mound drench treatment, dissolve 1 packet (1.4 oz) of Orthene PCO Pellets in 9 gals of water. Apply 1 gal of mix to each mound by sprinkling the mound until it is wet and treat a 4 ft diameter circle around the mound.

For best results, apply Orthene PCO Pellets in the early morning or late afternoon when ants are most active. Mound drench applications made under prolonged hot and dry conditions may be ineffective due to the location of ants deep within the nest.

NOTE: Grass in treated areas may be injured. **DO NOT** treat a mound more than once per season.

For Application as Spot Treatment in the Listed Structures - Spot treatments may be applied at moderate pressures (up to 25 psi) using a coarse fan tip. For spot treatments, no individual spot will exceed 2 sq ft. Mix Orthene PCO Pellets according to dilution chart. Apply as a SPOT TREATMENT using coarse fan spray to areas inhabited by cockroaches. Treat areas such as baseboards, under and behind refrigerators, stoves, dishwashing and other equipment, as well as in storage areas, closets, sinks, cabinets, around windows, doors and water pipes. Spot treatment should also include underside of drawers, shelves and other sites where cockroaches frequent or travel.

Food Handling Establishments: For use in Federally Inspected Meat and Poultry Plants and places other than private residences in which exposed food is held, processed, prepared or served.

Food Areas - Application Limited to Spot and/or Crack and Crevice Treatment Only: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (milks, dairies, edible oils, syrups). Spray concentration shall be limited to a maximum of 1.0% active ingredient. Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin-stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where labeled insects hide. Care should be taken to avoid depositing this product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. **Applications of This Product in the Food Areas of Food Handling Establishments, Other than as a Spot and/or Crack and**

Crevice Treatment are not Permitted.

Non-Food Areas - Includes garbage rooms, lavatories, floor drains (to sewer entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage). Spray concentration shall be limited to a maximum of 1.0% active ingredient. Apply to baseboard areas around water pipes and similar areas where insects hide or through which they may enter.

Serving Areas - Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held: Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. Do not apply when facility is in operation or foods are exposed. Do not allow spray or mist to contact food, foodstuffs or water supplies. Dishes and food handling utensils should be thoroughly washed in soap and water if exposed to contamination by the application of this product. Do not allow children or pets to come into contact with treated surfaces until sprays have dried.

Avoid contamination of food or food processing surfaces. **Caution:** Do not apply directly to carpet as staining may occur. Do not treat unpainted masonry floors in poorly ventilated areas such as garages or basements, especially where moisture or high humidity exists since activity on porous surfaces may be limited.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE
Keep pesticide in original container.

Do not put concentrate or dilute into food or drink containers. Store in cool, dry place.

Protect from excessive heat.

Do not store or transport near feed or food.

For help with any spill, leak, fire or exposure involving this material, call day or night 1-888-462-6822.

PESTICIDE DISPOSAL
Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited.

CONTAINER HANDLING
Non-refillable container. Do not reuse or refill this container. Completely empty bag into application equipment. After insuring that both used packets and outer containers are empty, crush and dispose of in trash container.

© 2011 AMVAC Chemical Corporation. All Rights Reserved.

AMVAC and the BEAKER logo are registered trademarks in the US and some other countries and owned by AMVAC Chemical Corporation.

Orthene is a registered trademark owned by DMS Investments, Inc.

CHEMTREC is a registered trademark of the American Chemistry Council, Inc.

Manufactured for:

AMVAC Chemical Corporation
4100 E. Washington Blvd.
Los Angeles, CA 90023-4406
Made in U.S.A.