

Turfcide® 400

**FLOWABLE
TURF FUNGICIDE**



LICENSED

PERIOD **2013-2015** LIC. NO.

9521.84

ACTIVE INGREDIENT: (% by weight)

Pentachloronitrobenzene (PCNB)..... 40.0%

INERT INGREDIENTS:..... 60.0%

TOTAL: 100.0%

Contains 4 lbs. of Pentachloronitrobenzene per U.S. gallon
Contains petroleum distillates, xylene or xylene range
aromatic solvents

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que
se la explique a usted en detalle.

(If you do not understand the label, find someone
to explain it to you in detail.)

**SEE INSIDE BOOKLET FOR ADDITIONAL
PRECAUTIONARY STATEMENTS
AND DIRECTIONS FOR USE.**

EPA Reg. No. 5481-8992

EPA Est. No. 5481-ID-001



**4100 E. Washington Blvd.
Los Angeles, CA 90023 U.S.A
1-888-462-6822**

Net Contents:
2.5 Gallons

12488
20130307

FIRST AID

If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
If swallowed:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.

EMERGENCY INFORMATION

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:

For Medical Emergencies phone:..... 1-888-681-4261

For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC 1-800-424-9300

For Product Use Information phone: AMVAC 1-888-462-6822

NOTE TO PHYSICIAN

Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category E on an EPA chemical resistance category selection chart.

Applicators and other handlers (other than mixers and loaders) must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves such as barrier laminate, or nitrile rubber, or neoprene rubber or viton
- Shoes plus socks

Mixers and Loaders Must Wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves such as barrier laminate, or nitrile rubber, or neoprene rubber or viton
- Shoes plus socks
- For exposures in enclosed areas: A respirator with an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE prefilter.
- For exposure outdoors: Dust/Mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any N, R,P or HE filter.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Requirements

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves such as barrier laminate or nitrile rubber, or neoprene rubber, or viton
- Shoes plus socks

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow others to enter treated areas until area has been irrigated and turf has dried.

APPLICATION INFORMATION

Turfcide 400 is a preventive fungicide labeled for control of certain soil borne diseases of non-residential turf (golf course tees, greens and fairways, sod farms, industrial parks, and professional and college athletic fields). Best results are achieved when used in a preventive program following specified rates and application directions. Carefully read, understand and follow label directions.

Restrictions

- Use of Turfcide 400 is prohibited on
 - golf course roughs;
 - residential sites including lawns, yards, and ornamental plants and gardens around homes and apartments;
 - grounds around day care facilities;
 - school yards;
 - parks (except industrial parks);
 - playgrounds; and
 - athletic fields (except professional and college athletic fields under the conditions listed below).
- Do not apply this product by air.
- Do not graze treated areas or feed clippings to livestock.
- Turfcide 400 may only be used on professional and college athletic fields for the following diseases: gray snow mold and pink snow mold. See Use and Rate Requirements for Non-Residential Turf table for additional information.
- For all Non-Residential Turf use applications, Mixers and Loaders cannot handle more than 150 gallons product per day (equivalent to 600 lbs. a.i./day).
- Use of any hand-held application equipment is prohibited.
- Apply by ground boom application only.
- For Sodfarm applications, applicators cannot handle more than 425 gallons of product per day (equivalent to 1,700 lbs ai/day).

COMPATIBILITY

For broad spectrum disease control, this product can be tank mixed with compatible products. Follow more restrictive labeling or precautions on the label of any tank mix product. Do not exceed dosage rates on any label. This product cannot be mixed with any product containing a label prohibition against such mixing. Do not tank mix with other chemicals unless prior use has proven compatibility.

TURF

Turfcide 400 is a fungicide for the prevention and control of certain soil borne diseases on

- golf course tees, greens, and fairways,
- sod farms, and industrial parks and professional and college athletic fields where turf is grown.

Restrictions: Turfcide 400 may only be used on professional and college athletic fields for the following diseases: gray snow mold and pink snow mold. See the Use and Rate Requirements for Turf table for additional directions for professional and college athletic fields.

For best results use Turfcide 400 as a preventive application before diseases appear, however, if you do not apply as a preventive treatment, then apply Turfcide 400 at first sign of disease.

Following application, water areas treated with Turfcide 400 in order to move material down to the soil level. If treated area is subjected to flooding or unusually heavy rainfall, or if disease is severe or reappears, treat the area again.

See Use and Rate Requirements for Non-Residential Turf table for retreatment intervals.

Under certain growing conditions, a temporary discoloration of the grass may occur. This causes no harm and will disappear in a short time.

USE AND RATE REQUIREMENTS FOR NON- RESIDENTIAL TURF*

DISEASE	TURF TYPE	FL. OZ. PRODUCT PER 1000 SQ. FT	APPLICATION DIRECTIONS
Brown Patch (<i>Rhizoctonia solani</i>)	Warm climate grasses such as: St. Augustine Bermuda	16 to 24	Mix specified amount in 1 to 10 gals of water and apply a single application in the Spring or Fall at first indication of disease. If disease is severe or reappears, retreat area in 3 to 4 weeks later. After application, immediately irrigate with 1/4 inch water.
	Dichondra	16 to 24	Mix specified amount in 5 to 10 gals of water and treat as above. After application, immediately irrigate with 1/4 inch water.

DISEASE	TURF TYPE	FL. OZ. PRODUCT PER 1000 SQ. FT	APPLICATION DIRECTIONS
Brown Patch (<i>Rhizoctonia solani</i>)	Cool climate grasses such as: Bluegrass Ryegrass Fescue Bent	5 to 6	<p>Mix specified amount in 1 to 10 gals of water and apply at first sign of disease.</p> <p>Repeat every 7 to 10 days during warm, damp weather.</p> <p>For control of existing infections, apply at higher rates as soon as symptoms appear.</p> <p>Do not apply at daytime temperatures of 85° or higher.</p> <p>After application, immediately irrigate with 1/4 inch water.</p> <p>Mowing may not occur in treated area until one day after application.</p>
Melting Out/ Leaf Spot** (<i>Drechslera spp.</i> , <i>Biopolaris spp.</i> , <i>Exserohilum spp.</i>) Dollar Spot** (<i>Sclerotinia homeocarpa</i>)	All	11 to 16	<p>Mix specified amount in 1 to 10 gals of water and apply as a preventive application in the spring or fall of each year.</p> <p>For control of existing infections, apply at higher rates as soon as symptoms appear.</p> <p>Do not apply at daytime temperatures of 85°F or higher.</p> <p>After application, immediately irrigate with 1/4 inch water.</p> <p>Mowing may not occur in treated area until one day after application.</p>

DISEASE	TURF TYPE	FL. OZ. PRODUCT PER 1000 SQ. FT	APPLICATION DIRECTIONS
Gray Snow Mold*** <i>(Typhula spp.)</i> Pink Snow Mold*** <i>(Microdochium nivale)</i>	Cool climate grass	12 to 16	Mix specified amount in 1 to 10 gals of water and apply one application prior to first snowfall or when temperatures remain below 60°F and extended wet conditions are expected. In the absence of snow cover, supplemental applications of 3 to 6 fl. oz. can be applied at 4 to 6 week intervals to maintain control when disease pressure is severe. Note: Turfcide 400 must be moved into the soil thatch layer to be effective. Applications must be followed by 1/4 inch of irrigation water or rainfall on day of application. If sufficient rainfall does not occur on day of application, then treated areas must be irrigated with 1/4 inch of water on day of application.

*For all Non-Residential Turf use applications, Mixers and Loaders cannot handle more than 150 gallons product per day (equivalent to 600 lbs. a.i./day). Single applications must not exceed 33 lbs ai/A, and total seasonal applications must not exceed 66 lbs ai/A.

** Use not registered by California Department of Pesticide Registration

***Conditions under which professional and college athletic fields may be treated:

- applications are limited to Fall and Winter months for pink or grey snow mold;
- no more than 3 applications may be made per season (October – March), with a minimum of 14 days between applications;
- applicators must ensure that the treated area will be idle for at least 2 days after application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep container closed when not in use. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container.

For containers 5 gallons in size or smaller:

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

Turficide is a registered trademark of Amvac Chemical Corporation.

AMVAC Chemical Corporation
4100 E. Washington Blvd.
Los Angeles, CA 90023 U.S.A.
1-888-462-6822

Turfcide® 400

FLOWABLE TURF FUNGICIDE

ACTIVE INGREDIENT: (% by weight)

Pentachloronitrobenzene (PCNB).....40.0%

INERT INGREDIENTS:..... 60.0%

TOTAL:..... 100.0%

Contains 4 lbs. of Pentachloronitrobenzene per U.S. gallon

Contains petroleum distillates, xylene or xylene range aromatic solvents

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

SEE ATTACHED BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

EPA Reg. No. 5481-8992

EPA Est. No. 5481-ID-001

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Net Contents:
2.5 Gallons

FIRST AID

If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
If swallowed:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person

EMERGENCY INFORMATION

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:

For Medical Emergencies phone:.....1-888-681-4261

For Transportation Emergencies,

including spill, leak or fire, phone: CHEMTREC1-800-424-9300

For Product Use Information phone: AMVAC1-888-462-6822

NOTE TO PHYSICIAN

Contains petroleum distillate. Vomiting may cause aspiration pneumonia.



4100 E. Washington Blvd.
Los Angeles, CA 90023 U.S.A
1-888-462-6822

12488
20130307