

.125" COPY FREE AREA

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call 1-800-222-1222, 24 hours, 7 days a week.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment wash-water or rinsate. Do not apply directly to or near water. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. See Directions for Use for additional precautions and restrictions.

STORAGE & DISPOSAL: STORAGE: Do not store near heat or open flame. Store in a cool area away from children. **DISPOSAL:** Do Not Puncture or Incinerate! **IF EMPTY:** Offer for recycling, if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions.



EPA Reg. No. 10807-462 EPA Est. No. 11623-GA-1 (O), 10807-GA-1 (M)
Postscript is the first letter of the code number on container

**For Additional Products and Information Visit
Us At www.Country-Vet.com**

Manufactured for
AMREP, INC.
990 Industrial Park Drive • Marietta, GA 30062
Questions? 800-330-7022 • Made in U.S.A.



**FARM & DAIRY
CV-80D**

for Insect Control

INSTANT KNOCKDOWN

**0.50% Pyrethrins
for Quick KILL**

KILLS & REPELS:

Flies, Mosquitoes, Small Flying Moths,
Gnats, Cockroaches, Fleas, Barn Flies, Deer Flies, Stable
Flies, Horn Flies, Horse Flies, House Flies, Face Flies, Lice,
Asian Beetles and Cluster Flies

FOR USE IN:

Beef Cattle Operations, Dairy Farms, (including Milk House,
Milk Parlor, Loading Sheds and Holding Lot), Hog Operations,
Kennels, Barns, Stables, Livestock Premises (or Quarters)
on Farms, Animal Quarters, Milkrooms and Poultry Houses



ACTIVE INGREDIENTS:

Pyrethrins 0.50%
*Piperonyl Butoxide 4.00%
INERT INGREDIENTS: 95.50%
TOTAL **100.00%**

**(butylcarbyl)(6-propylpiperonyl) ether and related compounds.*

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel for Additional Precautionary Statements.

NET WT. 18.5 oz. (1 lb. 2.5 oz.) (524.4 g)

.125" COPY FREE AREA

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS & USE RESTRICTIONS

• Apply this product only as specified on this label. • Do not contaminate food or feedstuffs. • Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosol vapors and mists have dispersed. • Do not apply more than 1 time daily. • Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics, do not spray at close range.

FOR USE ON ANIMALS: Do not spray on sick animals. Do not spray directly towards animal's eyes. Do not treat dogs or cats. **Dairy Cattle:** Thoroughly spray entire animal from approximately 2 feet distance. Spot treat withers, shoulders and back where saliva accumulates from head tossing. Thoroughly wash teats before milking. **Beef Cattle:** Thoroughly spray entire animal from approximately 2 feet distance. Repeat application daily. **Horses and Ponies:** Lightly mist over the back of horses and ponies from a distance of 2 feet. Repeat application daily. **Hogs and Swine:** Spray directly over the back of hogs for 1-2 seconds per hog. Repeat applications daily. **For Use in Milking Parlors, Milk Rooms, Barns, Horse Barns, Stables, Hog Houses, and Poultry Houses to kill or repel the listed insects.** When using this product in an enclosed area, remove animals before spraying. Cover all feed, and water troughs. Close all windows and doors. Do not remain in the treated area. After 15 minutes, ventilate treated areas. Repeat application daily. **Milking Parlors and Milk Rooms:** In Milking Parlors and Milk Rooms, cover all milking utensils and milk to prevent contamination from spray and dead or falling insects: Apply as a space spray upwards, spraying for 1-3 seconds per 1,000 cubic feet of space. **Beef Cattle Barn and Hog Barns:** Spray at a rate of 1-2 seconds per 1,000 cubic feet of space. **Stanchion Barn Use:** Walk behind animals and direct spray over backs, allowing 1 second per animal. **Poultry Houses:** Use only in empty poultry houses (when birds are not present). Apply as a space upwards at a rate of 1-2 seconds per 1,000 cubic feet. **To Kill Mud Daubers:** Apply mist directly on insects and their nests from approximately 2 feet distance. Contracted insects will fly away from the spray. Applications should be made in late evening, when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible. **To kill fleas in pet kennels and catteries:** Do not use this product to treat Dogs or Cats. Remove animals before spraying. Change litter and pet bedding before treatment. Close all doors and windows. Hold aerosol 36 inches above floor and direct spray towards floor and lower walls for 10 seconds per 100 square feet. Make sure that all floor areas are treated. **Keep treated area closed for 15 minutes, then open and ventilate and allow surfaces to thoroughly dry before reoccupying.** Repeat after 7 days. **To kill flies, gnats, and mosquitoes outdoors:** Spray while walking the length of the target area at 25 foot intervals while spraying downwind. This container treats up to one acre. Repeat treatment in 7 days. **OUTDOOR GROUND APPLICATION:** Kills and Repels Flies, Gnats, and Mosquitoes, including the Culex species which may carry the West Nile Virus, in open areas near buildings and in campgrounds. Best results are obtained when wind speed is five (5) MPH or less. Apply at a rate of 60-80 seconds per acre. Spray in wide swaths across area to be treated. Allow spray drift to penetrate dense foliage. Repeat treatment as necessary.

CONTAINS NO CFCs OR OTHER OZONE DEPLETING SUBSTANCES.
FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.

Part #34-8318CVA



Label #

3593 GLUE FLAP

7/23/09

Product #

7/11

FILM348318CVA

.125" COPY FREE AREA

I-Mark: Contrast: White on Dark - Black on Light

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9526.22

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.