

CAPTAN 400 Seed Protectant Agricultural Fungicide

LICENSED

PERIOD 2015-2017 LIC. NO.

9529.211

Contains 4 lbs. Captan and related derivatives per U.S. gallon at 68°F.

ACTIVE INGREDIENTS (% by weight):

*Captan	37.40%
Related Derivatives	0.85%
INERT INGREDIENTS:	61.75%
	TOTAL 100.00%

*N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide

E.P.A Reg. No. 264-931

E.P.A Est. 7501-ID-1

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

LICENSED

PERIOD 2012-2014 LIC. NO.

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

In case of emergency call toll free the BayerCropScience Emergency Response telephone No. 1-800-334-7577. Have a product container or label with you when calling a poison control center or doctor, or going for treatment. See additional precautionary statements.

LICENSED

PERIOD 2009-2011 LIC. NO.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco or the toilet. Remove and separately launder clothing before reuse.

LICENSED

PERIOD 2006-2008 LIC. NO.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber or neoprene rubber. If you want more options, follow the instructions for category E on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators and other handlers must wear:

- long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet
- shoes plus socks
- chemical resistant gloves made of any waterproof material such as barrier laminate, nitrile rubber or neoprene rubber
- chemical resistant apron

Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.
- AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles.

Engineering Controls

When handlers use closed systems designed by the manufacturer to enclose the pesticide to prevent it from contacting handlers or other people AND the system is functioning properly and is used and maintained in accordance with the manufacturer's written operating instructions, the handlers need only wear long-sleeve shirt, long pants, chemical resistant gloves, shoes, and socks. However, the respirator must be immediately available for use in an emergency, such as a spill or equipment breakdown.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

IMPORTANT SEED TAG INFORMATION:

The Federal Government and most states have seed laws or regulations requiring an appropriate caution statement be affixed to bags containing treated seeds, such as:

Treated Seed: Do not Use for Food, Feed or Oil Purposes.

Seed that has been treated with this product that is then packaged and offered for sale or distribution must contain the following labeling:

This bag contains seed treated with captan. To avoid possible adverse health effects, when opening this bag to load the treated seed, wear long-sleeved shirt, long pants, shoes plus socks, chemical resistant gloves, NIOSH-approved dust –mist respirator (dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C, or a NIOSH approved respirator with any N², R, P, or HE filter) and eye protection.

When using formulations that do not contain dye, to comply with 21 CFR Chapter 1, Section 2.25, all grain seed treated with an economic poison must be colored to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on agricultural establishments in hopper-box, planter-box, slurry-box or other seed-treatment applications at or immediately before planting.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE STORAGE

Store in a cool, dry location. Do not store in direct hot sunlight. After prolonged storage in intense cold, allow product to return to approximately 25°F before using.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL

Contact Bayer CropScience or your chemical supplier for container return instructions. If container is not returned in accordance with instructions, triple rinse (or equivalent). Then offer for recycling or reconditioning, or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

TREATED SEED DISPOSAL

To dispose of out-of-date or otherwise unmarketable seed which has been treated with captan for seed protectant purposes: Broadcast and lightly incorporate seed into field soils using disc or other suitable implement. If rate of captan contained on the seed is unknown, have seed analyzed by a qualified analytical laboratory to determine. Do not plant seed at a seeding rate which will result in the application of more than 32 pounds of captan per acre per year. Any resulting crop may be destroyed by chemical or mechanical means, or, if useful for food or feed purposes, may be harvested for that use.

Read all directions before using and use only as specified on this label.

DIRECTIONS: Thoroughly mix the recommended amount of Captan 400 Seed Protectant into the required amount of water for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between operations.

IMPORTANT: Before using - stir thoroughly to mix contents or use entire container at one time. Do not combine colloidal suspensions, wettable powder or emulsifiable concentrates unless previous experience assures compatibility.

PRODUCT INFORMATION:

Captan 400 Seed Protectant is a flowable concentrate especially formulated for the treatment of seed prior to storage and planting to protect seed from molds and other fungi causing storage loss and to protect seed from seedborne and soilborne fungi which cause seed decay, damping-off and seedling blights.

CAPTAN 400
Approved Application Rate
Fl. Oz. Captan 400 per 100 lbs. of Seed

SEED	RANGE
Alfalfa, clover, lespedeza, trefoil	5 – 8
Beans (snap, dry, cowpeas)	2 – 3
Beets (garden)	8 – 12
Cereal grains (for seed and seedling rots – not for bunt, smut)	
Barley, rye	2 – 3
Oats	2 – 4
Wheat	1 ½ - 4
Cole crops (broccoli, Brussels sprouts, cabbage, cauliflower)	1 – 2
Corn	
Field	1 ¼ - 2 ¾
Sweet	2 – 4
Cotton	
Acid delinted	2 ½ - 5
Reginned, fuzzy	3 ½ - 7
Cucumber, cantaloupe	2 ½ - 3
Crucifers (mustard, radish, rape, turnips)	1 – 2
Flax	2 – 3 ¼
Grasses	5 – 8 ¼
Peanuts	3 – 6
Peas, lentils	2 ½
Peppers	2 – 3
Sorghum (hulled) for kernel smut	1 ¾ - 4 ½
Soybeans	1 ½ - 2 ½
Spinach	4 – 6
Squash, pumpkin, watermelon, muskmelon	1 ½ - 2
Sugarbeet	
West	6
East	12
Sunflowers	2 – 4
Swiss chard	10 - 12

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, disclaimer of Warranties and Limitations of Liability.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Bayer CropScience, no claims are made to guarantee germination of carry-over seed.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NOTICE TO BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

NET CONTENTS: 5 gallons



**Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)**

02/09/07