



LICENSED

PERIOD 2015-2017 LIC. NO.

9529.48



LICENSED

PERIOD 2012-2014 LIC. NO.



LICENSED

PERIOD 2009-2011 LIC. NO.

FRUITONE[®] CPA

Pineapple Growth Regulator

ACTIVE INGREDIENT:

Sodium 2-(3-chlorophenoxy) propionate*8.0%

INERT INGREDIENTS92.0%

*Total 2-(3-chlorophenoxy) propionic acid equivalent 7.2% by weight or 75 grams per liter.

EPA Reg. No. 264-338

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN CAUTION

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin, eyes or clothing.

ENVIRONMENTAL HAZARD

Keep out of all bodies of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Avoid spray drift to susceptible plants as this product may injure beans, peas and ornamentals. Do not use the same spray equipment for other purposes unless thoroughly cleaned.

GENERAL INFORMATION

FRUITONE[®] CPA Pineapple Growth Regulator may be applied to evaluate reduction of crown growth and the increase in size of pineapple fruit of both plant and ratoon crops. Reducing crown growth may be especially useful on fresh market fruit. Injury during the packing and shipping operation can be reduced due to smaller crown size. Shipping costs could also be lowered due to the reduction in weight of the nonedible crown. Increased fruit size may lead to larger yields of high grade slices and chunks for the processing market.

The application of FRUITONE[®] CPA Pineapple Growth Regulator may result in delayed fruit maturity thus allowing for harvest scheduling.

DIRECTIONS FOR USE

**It is a violation of federal law to use this product in a manner inconsistent with its labeling.
Read entire label before using this product.**

Do not apply FRUITONE[®] CPA through any type of irrigation system. Be sure that use of this product conforms to all applicable laws, rules and regulations. Certain states have restrictions pertaining to application distances from susceptible crops. The applicator should become familiar with these laws, rules or regulations and follow them exactly. Apply this only as specified on this label.

GENERAL WORKER PROTECTION STATEMENTS

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Advise workers to stay out of fields during application and until sprays have dried. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: appropriate signal word (CAUTION), area treated with FRUITONE[®] CPA Pineapple Growth Regulator, date of application, appropriate protection clothing, and reentry interval if



LICENSED

PERIOD 2006-2008 LIC. NO.

applicable.

STORAGE AND DISPOSAL

STORAGE

Store above 40° F.

Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

APPLICATION INSTRUCTIONS

(A) Suggested Single Application Rates

RATE Grams a.i./Acre	FRUITONE®CPA Pints/Acre	WATER Gal./Acre
50	1.4	250
100	2.75	250
150	4.0	250

The lower rate will be effective for yield increase while the higher rate will give maximum crown inhibition and delayed fruit maturity.

Fill spray tank half full with water. With agitator running, add the required amount of FRUITONE® CPA according to the table. With continued agitation, add the remaining amount of water.

Apply as a broadcast spray over the top of the plants and fruit approximately 15 weeks prior to anticipated normal harvest. This should correspond to the stage when the last flowers on the fruit have shriveled and dried and when the pineapple crown is 3-5 cm long.

(B) Sequential Applications

RATE Grams a.i./Acre	FRUITONE® CPA Pints / Acre	WATER Gal./Acre	TIME OF APPLICATION (Flower/fruit stage)
50	1.4	250	Mid-petal
+			
50	1.4	250	Dry petal + 10-14 days

As an alternate to the above referenced sequential treatment, 50 grams of FRUITONE® CPA may be applied at dry petal with a second 50 grams applied 3 weeks later.

Follow mixing instructions given for Single Application. Apply as a broadcast spray over the top of plants and fruit.

Harvest only at optimum ripeness as evidenced by shell color development.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.



Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)
<http://www.bayercropscienceus.com>

FRUITONE is a registered trademark of Bayer.

11-18-01