

HOT SHOT®

Pest Control Concentrate

**Kills On Contact
& Keeps On Protecting**

For Residual & Contact Control
of ants, cockroaches, spiders, crickets,
silverfish, centipedes, millipedes,
earwigs & sowbugs



MAKES up to 2 GALLONS!



**Concentrate
STRENGTH**



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2012-2014** LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2015-2017** LIC. NO.

9535.390

For Industrial / Institutional / Commercial Use Only

ACTIVE INGREDIENT:

Cypermethrin** 26.0%

OTHER INGREDIENTS* ... 74.0%

100.0%

** Cis/trans ratio: 45/55 (±) 10. *Contains Xylene Range Aromatic Solvent.

KEEP OUT OF REACH OF CHILDREN

WARNING

See back for additional
precautionary statements.

PARA EL USUARIO: Si no puede leer inglés, no use este producto hasta que se le haya explicado completamente la etiqueta.
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

Net Contents 1 fl oz (29.5 mL)



Pest Control Concentrate

STOP READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Please read entire label before using this product.

Use Restrictions:

- Do not allow adults, children or pets to enter the treated area or contact treated surfaces until sprays have dried.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Exit area immediately and remain outside the treated area until sprays have dried.

FOR RESIDUAL PEST CONTROL IN AND ON buildings and structures and their immediate surroundings and on modes of transport. **PERMITTED AREAS OF USE INCLUDE** industrial buildings, houses, apartment buildings, laboratories, greenhouses and the nonfood/feed area of stores, warehouses, vessels, railcars, trucks, trailers, schools, nurseries, day camps, laih houses, seed houses, food-handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, laboratories and hospitals. Non-food areas are areas such as garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, basements, boiler rooms, garages, mop closets and storage rooms. **IN HOSPITALS:** Patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles and boxcars. Also for use in dog kennels and horse stables. **IN HORSE STABLES:** Not for application if horses will be used for food.

This product is intended for dilution with water for spray application. • Fill sprayer with the desired volume of water and add product. Close and shake before use in order to ensure proper mixing. Shake or reagate sprayer before use if spraying is interrupted. Make up only product.

PESTS	CONCENTRATION OF ACTIVE INGREDIENT	DILUTION RATE
Ants, Carpenter Ants, Centipedes, Cockroaches (maintenance), Crickets, Firebrats, Earwigs, Flies, Millipedes, Pillbugs, Silverfish, Sowbugs, Gnats, Mosquitoes, Ticks	0.1%	1/2 fl oz per 1 gal water
Cockroaches (clean-out), Fleas, Spiders, Hornets, Yellow Jackets, Wasps, Small Flying Moths	0.2%	1 fl oz per 1 gal water

INDOORS - Restrictions for Indoor Uses

- Do not use water-based sprays in conduits, motor housing junction boxes, switch boxes or other electrical equipment because of possible shock hazards.
- During any indoor surface application, do not allow dripping or runoff to occur. During any application to ceilings of a structure, cover surface below with plastic shielding or similar materials.
- Do not apply this product in any room being used as a living, eating or recovery area by patients, the elderly or the infirm when they are in the room.
- Do not apply to classrooms when in use.
- Do not apply to areas of institutions (including libraries, sports facilities, etc.) when occupants are present in the immediate treatment area.
- Do not use as a space spray.
- Use only in well-ventilated areas.
- Do not use concentrate or emulsion in fogging equipment.
- Do not use in food areas of food-handling establishments, which include areas for receiving, serving, storage (dry, cold, frozen, raw), packaging (canning, bottling, wrapping, bonding), preparing (dicing, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, dairies, edible oils, syrups). In the home, all food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.
- Do not use in warehouses while raw agricultural commodities for food or feed and/or raw or cured tobacco are being stored.
- Do not use in greenhouses where crops for food or feed are grown.
- Do not apply to pets. Remove birds and other pets before application. Cover any water inhabited by fish (such as aquariums and ornamental fish ponds) during treatment, and turn aquarium systems off.
- Do not apply to aircraft cabins.

Cockroaches, Spiders, Crickets, Silverfish and Firebrats: Apply as a coarse, low-pressure spray to areas where these pests hide, such as baseboards, corners, storage areas and closets; around water pipes, doors and windows; attics and eaves; behind and under refrigerators, cabinets, sinks, furnaces and stoves; the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices. • **Ants:** To kill ants within buildings and homes, spray trails, nests and points of entry. Spray directly on ants where possible. • **Carpenter Ants:** Make spot applications as a spray to any trails, around doors and windows, wall voids, crawl spaces and other places where ants are entering. Where possible, treat ant nest or infested wood directly. • **Wasps, Hornets and Yellow Jackets:** Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters; contacting as many insects as possible. • **Sowbugs, Pillbugs, Millipedes, Earwigs and Centipedes:** Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to barrier treatment directions to prevent infestation. • **Flies, Mosquitoes, Gnats and Small Flying Moths:** Apply directly to walls, ceilings, window screens and other flying insect resting areas as a residual surface treatment. May be used inside residential buildings as well as in and around carports, garages and storage sheds. • **To Control Fleas and Ticks:** Apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. **Do not treat pets with this product.**

OUTDOORS - Restrictions for Outdoor Uses

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- Treatment to soil or vegetation around structures
- Applications to lawns, turf and other vegetation
- Applications to building foundations up to a maximum height of 3 ft
- Broadcast application to building foundations
- Do not apply this product to edible crops

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot treatments or crack-and-crevice applications only. Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches. Do not apply when windy. Do not water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day. Rinse application equipment over treated area only.

Ants, Centipedes, Cockroaches, Crickets, Firebrats, Millipedes, Silverfish, Sowbugs, Spiders, Flies, Mosquitoes, Gnats, Small Flying Moths, Wasps, Hornets and Yellow Jackets: Apply as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, refuse dumps and garages in either hand or power sprayer. Treat other areas where these pests are found. • **To Control Fleas and Ticks:** Apply this product to areas where fleas and ticks are most likely to be found, such as, but not limited to, dog houses, kennels, runways, cracks and crevices in sidewalks, paths or patios where pets may rest. • **Barrier Treatment:** To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 ft wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 ft where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 77.5 fl oz of 0.2% spray mix (155 fl oz of 0.1% spray mix) per 1,000 sq ft.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. • **Storage:** Store product in original container and keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area. • **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance. • **Container Disposal:** Nonremovable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. • Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Causes substantial but temporary eye injury. Causes skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, or Viton. If you want more options follow the instructions for category F or G on an EPA chemical resistance category selection chart. • Mixers, loaders, applicators and other handlers must follow the following:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant footwear plus socks
- Goggles or face shield and
- Chemical-resistant gloves made of barrier laminate or Viton, section category G

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

- Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not apply pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. • This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physical and Chemical Hazards

Combustible: Do not use or store near heat or open flame. Flashpoint 140°F Min. Do not apply this diluted product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

FIRST AID

If in Eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTICE TO USER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-971-5431.

NOTICE TO PHYSICIAN

Contains petroleum distillate. May pose an aspiration pneumonia hazard. Inducing vomiting as first aid for this substance may result in increased risk of pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-971-5431.

Distributed by Spectrum Group

Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-6422

EPA Reg. No. 73499-154-8845

EPA Est. Nos. 74291-MO-1 (E), 9888-MO-1 (U), 25793-MO-1 (A),

80202-MO-1 (E), 83786-IL-1 (E), 84664-IL-1 (C)

Carded label is first letter of lot number.

16-10755 © 2012 UIC

PROOF OF PURCHASE

FPO UPC PLACEMENT

0 7121 00875 6



Pest Control Concentrate

ACTIVE INGREDIENT:

Cypermethrin **26.0%

OTHER INGREDIENTS† ...74.0%
100.0%

Net Contents 1 fl oz (29.5 mL)

KEEP OUT OF REACH OF CHILDREN

WARNING See blister card for additional precautionary statements.

**Cis/trans ratio: 45/55 (±) 10.

†Contains Xylene Range Aromatic Solvent.

**For Industrial / Institutional /
Commercial Use Only**

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-917-5431.

Distributed by Spectrum Group, Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 73049-154-8845 EPA Est. Nos. 9688-MO-1 (U), 58996-MO-1 (AE)

Circled letter is first letter of lot number. T7-14632 ©2012 UIC

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE • It is a violation of Federal law to use this product in a manner inconsistent with its labeling. • Please read entire label before using this product. • **Use Restrictions:** • Do not allow adults, children or pets to enter the treated area or contact treated surfaces until sprays have dried. • Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Exit area immediately and remain outside the treated area until sprays have dried.

**PEEL HERE
RESEALABLE LABEL**

FOR RESIDUAL PEST CONTROL IN AND ON buildings and structures and their immediate surroundings and on modes of transport. **PERMITTED AREAS OF USE INCLUDE** industrial buildings, houses, apartment buildings, laboratories, greenhouses and the nonfood/feed areas of stores, warehouses, vessels, railcars, trucks, trailers, schools, nurseries, day camps, laith houses, seed houses, food-handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, laboratories and hospitals. Non-food areas are areas such as garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, basements, boiler rooms, garages, mop closets and storage rooms (after canning and bottling). **IN HOSPITALS:** Patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles and boxcars. Also for use

in dog kennels and horse stables. **IN HORSE STABLES:** Not for application if horses will be used for food. • This product is intended for dilution with water for spray application. • Fill sprayer with the desired volume of water and add product. Close and shake before use in order to ensure proper mixing. Shake or reagitater sprayer before use if spraying is interrupted. Make up only as required.

PESTS	CONCENTRATION OF ACTIVE INGREDIENT	DILUTION RATE
Ants, Carpenter Ants, Centipedes, Cockroaches (maintenance), Crickets, Firebrats, Earwigs, Flies, Millipedes, Pillbugs, Silverfish, Sowbugs, Gnats, Mosquitoes, Ticks	0.1%	1/2 fl oz per 1 gal water
Cockroaches (clean-out), Fleas, Spiders, Hornets, Yellow Jackets, Wasps, Small Flying Moths	0.2%	1 fl oz per 1 gal water

INDOORS • Restrictions for Indoor Uses • Do not use water-based sprays in conduits, motor housing, junction boxes, switch boxes or other electrical equipment because of possible shock hazards. • During any indoor surface application, do not allow dripping or runoff to occur. During any application to ceilings of a structure, cover surface below with plastic shielding or similar materials. • Do not apply this product in any room being used as a living, eating or recovery area by patients, the elderly or the infirm when they are in the room. • Do not apply to

classrooms when in use. • Do not apply to areas of institutions (including libraries, sports facilities, etc.) when occupants are present in the immediate treatment area. • Do not use as a space spray. • Use only in well-ventilated areas. • Do not use concentrate or emulsion in fogging equipment. • Do not use in food areas of food-handling establishments, which include areas for receiving, serving, storage (dry, cold, frozen, raw), packaging (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, dairies, edible oils, syrups). In the home, all food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. • Do not use in warehouses while raw agricultural commodities for food or feed and/or raw or cured tobacco are being stored. • Do not use in greenhouses where crops for food or feed are grown. • Do not apply to pets. Remove birds and other pets before application. Cover any water inhabited by fish (such as aquariums and ornamental fish ponds) during treatment, and turn aquarium systems off. • Do not apply to aircraft cabins. • **Cockroaches, Spiders, Crickets, Silverfish and Firebrats:** Apply as a coarse, low-pressure spray to areas where these pests hide, such as baseboards, corners, storage areas and closets; around water pipes, doors and windows; attics and eaves; behind and under refrigerators, cabinets, sinks, furnaces and stoves; the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices.

Ants: To kill ants within buildings and homes, spray trails, nests and points of entry. Spray directly

on ants where possible. • **Carpenter Ants:** Make spot applications as a spray to any trails, around doors and windows, wall voids, crawl spaces and other places where ants enter premises. Where possible, treat ant nest or infested wood directly. • **Wasps, Hornets and Yellow Jackets:** Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible.

Sowbugs, Pillbugs, Millipedes, Earwigs and Centipedes: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to barrier treatment directions to prevent infestation. • **Flies, Mosquitoes, Gnats and Small Flying Moths:** Apply directly to walls, ceilings, window screens and other flying insect resting areas as a residual surface treatment. May be used inside residential buildings as well as in and around carports, garages and storage sheds.

To Control Fleas and Ticks: Apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. **Do not treat pets with this product.**

OUTDOORS • Restrictions for Outdoor Uses • All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses: • Treatment to soil or vegetation around structures; • Applications to lawns, turf and other vegetation; • Applications to

building foundations up to a maximum height of 3 ft; • Broadcast application to building foundations; • Do not apply this product to edible crops. • All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot treatments or crack-and-crevice applications only. • Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches. Do not apply when windy. Do not water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day. Rinse application equipment over treated area only.

Ants, Centipedes, Cockroaches, Crickets, Firebrats, Millipedes, Silverfish, Sowbugs, Spiders, Flies, Mosquitoes, Gnats, Small Flying Moths, Wasps, Hornets and Yellow Jackets: Apply as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, refuse dumps and garages in either hand or power sprayer. Treat other areas where these pests are found. • **To Control Fleas and Ticks:** Apply this product to areas where fleas and ticks are most likely to be found, such as, but not limited to, dog houses, kennels, runways, cracks and crevices in sidewalks, paths or patios where pests may rest.

BARRIER TREATMENT: To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 ft wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 ft where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 77.5 fl oz of 0.2% spray mix (155 fl oz of 0.1% spray mix) per 1,000 sq ft.

STORAGE AND DISPOSAL • Do not contaminate water, food or feed by storage or disposal. • **Storage:** Store product in original container and keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area. • **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance. • **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

PRECAUTIONARY STATEMENTS • **Hazards to Humans and Domestic Animals** • **WARNING.** Causes substantial but temporary eye injury. Causes skin irritation. Do

not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. • **PERSONAL PROTECTIVE EQUIPMENT (PPE)** • Some materials that are chemical-resistant to this product are barrier laminate or Viton. If you want more options, follow the instructions for category F or G on an EPA chemical resistance category selection chart. • Mixers, loaders, applicators and other handlers must wear the following: Coveralls over short-sleeved shirt and short pants, chemical-resistant footwear plus socks, goggles or face shield and chemical-resistant gloves made of barrier laminate or Viton, section category G. • Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations: • Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. • Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. • Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards • This product is extremely toxic to fish and aquatic invertebrates. To

protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. • This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. • **Physical or Chemical Hazards • Combustible.** Do not use or store near heat or open flame. Flashpoint 140°F Min. Do not apply this diluted product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

First Aid • If in Eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. • **If on Skin or Clothing:** • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. • **If Swallowed:** • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person. • **If Inhaled:** • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. • **HOTLINE NUMBER** • Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-917-5431.

NOTE TO PHYSICIAN • Contains petroleum distillate. May pose an aspiration pneumonia hazard. Inducing vomiting as first aid for this substance may result in increased risk of pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-917-5431.

Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 73049-154-8845

EPA Est. Nos. 9688-MO-1 (U), 58996-MO-1 (AE)

Circled letter is first letter of lot number. T7-14632 © 2012 UIC