



# ClickSan™ Disinfectant/Sanitizer



<b>ACTIVE INGREDIENTS:</b>	
Octyl decyl dimethyl ammonium chloride.....	6.9120%
Diocetyl dimethyl ammonium chloride.....	2.7648%
Didecyl dimethyl ammonium chloride.....	4.1422%
Alkyl (C <sub>14</sub> , 50%; C <sub>12</sub> , 40%; C <sub>10</sub> , 10%) dimethyl benzyl ammonium chloride.....	2.9160%
Other Ingredients.....	76.9600%
<b>Total.....</b>	<b>100.0000%</b>

## KEEP OUT OF REACH OF CHILDREN

### DANGER

FOR INDUSTRIAL USE



**9553.45**

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER. Corrosive.** Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Harmful if swallowed, inhaled or absorbed through the skin. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective gloves (rubber, chemical resistant) when handling. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

Medical Emergency: (877) 231-2615 or call collect 0 (952) 853-1713

Veja la caja exterior para obtener instrucciones completas en español para el uso y declaraciones de precaución y primeros auxilios.

PULL TAB AT LABEL CORNER  
TO SEE DIRECTIONS FOR USE

EPA Reg. No. 6836-305-5389  
EPA Est. No. 58046-TX-2(X), 5389-NC-1(G)  
Superscript refers to the first letter of the date code.

Net Contents: 1 US Gallon (3.78 L)

**ClickSan™ Disinfectant/Sanitizer kills:**  
Bacteria: *Staphylococcus aureus* (Staph), *Salmonella enterica* (Salmonella), *Brevibacterium ammonigenes* (Brevibacterium), *Campylobacter jejuni* (Campylobacter), *Escherichia coli* (E. coli), *Escherichia coli* pathogenic strain O157:H7 (pathogenic E. coli), *Klebsiella pneumoniae* (Klebsiella), *Listeria monocytogenes* (Listeria), Community Associated Methicillin-Resistant *Staphylococcus aureus* - (CA-MRSA) [MRSA] (NRS123) (USA400), *Pseudomonas cepacia* (Pseudomonas), *Salmonella typhi* (Salmonella), *Yersinia enterocolitica*  
Viruses: \*Adenovirus Type 5, \*Adenovirus Type 7, \*Hepatitis B Virus (HBV), \*Hepatitis C Virus (HCV), \*Herpes Simplex Virus Type 1 (Herpes), \*Herpes Simplex Virus Type 2 (Herpes), \*Human Coronavirus, \*Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus), \*Influenza A2 / Hong Kong [Influenza] [Flu] Virus, \*Norovirus - Feline Calicivirus, \*SARS Associated Human Coronavirus, \*Vaccinia Virus (Pox Virus) Fungi: *Aspergillus niger*

**ClickSan™ Disinfectant/Sanitizer** is an effective sanitizer at 150 ppm active quat for use on food contact surfaces in 400 ppm hard water against: *Escherichia coli*, *Staphylococcus aureus*

**ClickSan™ Disinfectant/Sanitizer** is an effective sanitizer at 200 ppm active quat for use on food contact surfaces in 500 ppm hard water against: *Campylobacter jejuni*, Community Associated Methicillin-Resistant *Staphylococcus aureus* - (CA-MRSA) [MRSA] (NRS324) (USA300) Community Associated Methicillin-Resistant *Staphylococcus aureus* - (CA-MRSA) [MRSA] (NRS123) (USA400), *Escherichia coli*, *Escherichia coli* O157:H7, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Salmonella enterica*, *Shigella sonnei*, *Staphylococcus aureus*, *Staphylococcus aureus* - (Methicillin-Resistant [MRSA]), *Vibrio cholerae*, *Yersinia enterocolitica*

Use **ClickSan™ Disinfectant/Sanitizer** on washable hard, nonporous surfaces of: Countertops, Floors, Highchairs, Tables, Non-wooden picnic tables, Walls, Cooking utensils, Eating utensils, Glassware

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### Dilution:

Disinfection (1:512).....	1 oz. per 4 gallons of water.....	(450 ppm active quat)
Sanitizer (1:544).....	2 oz. per 18 gallons of water.....	(400 ppm active quat)
Sanitizer (1:1088).....	2 oz. per 18 gallons of water.....	(200 ppm active quat)
Sanitizer (1:1472).....	1 1/2 oz. per 18 gallons of water.....	(150 ppm active quat)

### DISINFECTION / VIRUCIDAL\* / FUNGICIDAL DIRECTIONS:

Add 1 oz. of ClickSan™ Disinfectant/Sanitizer per 4 gallons of water or equivalent dilution to disinfect hard, nonporous surfaces.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

Apply use-solution with a cloth, mop, sponge, sprayer or by immersion, throughout wetting surfaces.

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface; rub with brush, sponge or cloth. Do not breathe spray.

**NOTE:** For spray applications, cover or remove all food products.

Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry.

Rinse food contact surfaces such as counter tops, tables, picnic tables, exteriors of appliances and/or stove tops with potable water prior to reuse. Do not use on glasses, dishes, or utensils as a disinfectant.

For heavily soiled areas, preclean first.

For Haiman Coronavirus treated surfaces must remain wet for 1 minute. Wipe dry with a clean cloth, sponge or mop allow to air dry.

For mold and mildew, 1 oz. of ClickSan™ Disinfectant/Sanitizer per 4 gallons of water or equivalent dilution will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

Prepare a fresh solution daily or more often if the use solution becomes visibly diluted or soiled.

**\*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.**

**PERSONAL PROTECTION:** Clean up must always be done wearing protective gloves, gowns, masks and eye protection.

**CLEANING PROCEDURE:** Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of ClickSan™ Disinfectant/Sanitizer.

**CONTACT TIME:** Leave surfaces wet for 10 minutes with a 1 oz. per 4 gallons of water use solution or equivalent dilution. **DISPOSAL OF INFECTIOUS MATERIAL:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

### TO SANITIZE NON-FOOD CONTACT SURFACES:

Add 2 oz. of ClickSan™ Disinfectant/Sanitizer per 18 gallons of water or equivalent dilution to sanitize precleaned hard, nonporous surfaces. Apply sanitizer use-solution with a cloth, mop, sponge, sprayer or by immersion, thoroughly wetting surfaces.

For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray. **Note:** For sprayer applications, cover or remove all food products. Treated surfaces must remain wet for 1 minute. Wipe dry with a sponge, mop or cloth or allow to air dry.

Prepare fresh solution daily or more often if solution becomes visibly diluted, cloudy or soiled.

### TO SANITIZE FOOD PROCESSING EQUIPMENT, UTENSILS, AND OTHER FOOD CONTACT ARTICLES REGULATED BY 40 CFR § 180.940(a) IN A THREE COMPARTMENT SINK:

1. Scrape, flush, or presoak articles (whether mobile or stationary) to remove gross food particles and soil.
2. Thoroughly wash articles with an appropriate detergent or cleaner.
3. Rinse articles thoroughly with potable water.
4. Sanitize by immersing articles with a use-solution of 1 1/2 - 4 oz. of ClickSan™ Disinfectant/Sanitizer per 18 gallons of water (150-400 ppm active quat) or equivalent dilution for at least 60 seconds. Articles too large for immersing must be thoroughly wetted by rinsing, spraying, or swabbing.
5. Remove immersed items from solution to drain and then air dry.
6. Non-immersed items must also be allowed to air dry. Do not rinse.

### WISCONSIN STATE BOARD OF HEALTH DIRECTIONS FOR EATING ESTABLISHMENTS

1. Scrape and pre-wash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner.
3. Rinse with potable water.
4. Sanitize in a solution of 2 - 4 oz. of ClickSan™ Disinfectant/Sanitizer per 18 gallons of water (200-400 ppm active quat). Immerse all utensils for at least 10 minutes or for contact time specified by governing sanitary codes.
5. Place sanitized utensils on a rack or drain board to air dry.
6. Prepare a fresh sanitizing solution at least daily or when visibly soiled or diluted.

**NOTE:** A clean potable water rinse following sanitization is not permitted under HFS 196. Appendix 7-204.11 of the Wisconsin Administrative Code (reference 40 CFR 180.940 (a)).

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children.

**Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.

Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

Distributed by:  
**KAY CHEMICAL COMPANY**  
8300 Capital Drive  
Greensboro, NC 27409-9790, USA  
Manufactured in USA  
Customer Service : (800) 529-5458

743584-01  
KUSA 743584/001/0011

©2011 Kay Chemical Company  
All Rights Reserved