

STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.

9554.84



U.S.A. MANUFACTURED
GORDON'S
SINCE 1924

Trimec

READY SPRAY

LAWN WEED KILLER

▶ JUST CONNECT TO GARDEN HOSE & SPRAY!



Covers up to 5,000 sq. ft.*

***Northern Grasses (8,000 sq. ft. of Southern Grasses)**

ACTIVE INGREDIENTS:	
2,4-D, dimethylamine salt (CAS 2008-39-1)	5.56%
Mecoprop-p, dimethylamine salt (CAS 66423-09-4)	1.34%
Dicamba, dimethylamine salt (CAS 2300-66-5)	0.62%
INERT INGREDIENTS:	92.48%
TOTAL	100.00%

See back panel for
substatement of ingredient statement.

See attached booklet for complete
Precautionary Statements and Directions
for Use (including First Aid and
Storage and Disposal).

**KEEP OUT OF
REACH OF CHILDREN
CAUTION**

**NET CONTENTS:
ONE QUART (32 Fl. Oz.)**

827/6-2013



Trimec

READY SPRAY

LAWN WEED KILLER

- Just connect to garden hose and spray!
- Kills Weeds, Not the Lawn!
- Covers up to 5,000 sq. ft. of Northern Grasses.



For questions or comments call toll-free **800.884.3179**
Mon.-Fri. 8:00 a.m. - 4:30 p.m. CST



or visit: **GordonsUSA.com**



pbi / Gordon
corporation

An Employee-Owned Company

THIS PRODUCT CONTAINS:

- 4.62% 2,4-dichlorophenoxyacetic acid equivalent.
- 1.11% (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent.
- 0.51% 3,6-dichloro-o-anisic acid equivalent.

Isomer Specific by AOAC Method.

See inside pages for complete
Precautionary Statements and
Directions for Use (including
First Aid and Storage
and Disposal).

827/10-2014 AP041813
EPA REG. NO. 2217-540
EPA EST. NO. 2217-KS-2



(ONE QUART)



Trimec READY SPRAY

LAWN WEED KILLER

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt (CAS 2008-39-1)	5.56%
Mecoprop-p, dimethylamine salt (CAS 66423-09-4)	1.34%
Dicamba, dimethylamine salt (CAS 2300-66-5)	0.62%

INERT INGREDIENTS:	92.48%
	TOTAL 100.00%

THIS PRODUCT CONTAINS:

- 4.62% 2,4-dichlorophenoxyacetic acid equivalent
- 1.11% (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent
- 0.51% 3,6-dichloro-o-anisic acid equivalent

Isomer Specific by AOAC Method.

KEEP OUT OF REACH OF CHILDREN CAUTION



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin or swallowed. Avoid contact with skin, eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

First Aid	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free 1-877-800-5556 for emergency medical treatment information.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

IMPORTANT: Do not exceed specified dosages for any area.

FOR USE ON LAWNS:

This product is designed for use through this sprayer for controlling broadleaf weeds in bahiagrass, bermudagrass, Kentucky bluegrass, fescue, perennial ryegrass, zoysiagrass, centipedegrass, and St. Augustinegrass lawns, vacant lots, playgrounds and other similar areas.

For control of dandelion, chickweed, plantain, clover, and other listed weeds, apply when weeds are actively growing. Spray weeds such as wild garlic and wild onion when they appear in late fall and again in early spring.

Water lawn thoroughly 1 to 2 days before application. Do not water for 24 hours after application. Do not mow for one week before treating.

Spray entire lawn, wetting weeds and lawn grasses, do not saturate. Adjust water pressure at faucet to give coarse spray droplets. Do not apply when temperatures are expected to exceed 85°F within 24 hours following application.

Temporary injury may occur on bentgrass, bermudagrass, and red fescue lawn grasses. Do not apply to carpetgrass, dichondra, Lippia lawns, and lawns where desirable clovers are present.

Do not apply this product to improved varieties of 'Floritam' St. Augustinegrass in Florida.

Newly seeded lawns may be treated after they have been mowed at least three times.

Other Use Precautions:

- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

HOW TO USE THE TRIMEC® READY SPRAY

Shake well before using. Connect attached spray nozzle to garden hose. Turn the water control "ON/OFF" valve on top of spray nozzle to the "OFF" position. Turn on water at faucet. Extend hose to the farthest area of lawn to be treated and work back towards faucet so that you do not walk over treated areas. Using a coin or key, rotate the small product control valve located near front of nozzle forward to the "OPEN" position.

To begin spraying, point spray nozzle towards lawn and turn the water control "ON/OFF" valve to the "ON" position. The water automatically mixes with the product. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.

To stop spraying, turn water control "ON/OFF" valve to the "OFF" position. Rotate small product control valve back to "CLOSED" position. Turn off water at faucet. To relieve pressure, turn water control "ON/OFF" valve to the "ON" position and point sprayer away from any desirable plants before removing unit from hose.

One quart of Trimec® Ready Spray Lawn Weed Killer will cover 5,000 square feet of lawn for bahiagrass, Kentucky bluegrass, bermudagrass, fescue, perennial ryegrass, and zoysiagrass.

For centipedegrass and St. Augustinegrass, one quart of Trimec® Ready Spray Lawn Weed Killer will treat 8,000 square feet of lawn.

Limitations on broadcast applications to residential turfgrass:

The maximum application rate is 6.4 fl.oz. of product per 1,000 sq.ft. per application. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 12.8 fl.oz. of product per 1,000 sq.ft.

WEEDS CONTROLLED:

This product is effective on hard to control broadleaf weed species such as dandelion, white clover, sheep sorrel and spurge. In addition, Trimec® Ready Spray Lawn Weed Killer controls susceptible weeds including chickweed, henbit, and plantain. A partial list is presented as follows:

CONTROLS:

Sensitive Weeds: Bedstraw, Black medic, Buckhorn, Chickweed, Clover, Dandelion, Knotweed, Lambsquarters, Peppergass, Plantain, Purslane, Ragweed, Shepherd's purse, Wild lettuce.

Hard-To-Kill Weeds: Chickory, Dock, Ground ivy, Healall, Lespedeza, Mallow, Morningglory, Oxalis, Pigweed, Poison ivy, Poison oak, Sheep sorrel, Speedwell, Spurge, Virginia buttonweed, Wild carrot, Wild onion, yarrow and many other broadleaf weeds.

WEEDS

Annual yellow sweetclover	False sunflower	Rough cinquefoil
Aster	Fiddleneck	Rough fleabane
Austrian fieldcress	Florida pusley	Russian pigweed
Bedstraw	Frenchweed	Russian thistle
Beggarticks	Galinsoga	Scarlet pimpernel
Betony, Florida	Goldenrod	Scotch thistle
Bindweed, field	Ground ivy	Sheep sorrel
Bird vetch	Gumweed	Shepherd's purse
Bitter wintercress	Hairy fleabane	Slender plantain
Bittercress, hairy	Hawkweed	Smallflower galinsoga
Bitterweed	Healall	Smooth dock
Black-eyed Susan	Heartleaf drymary	Smooth pigweed
Black medic	Heath aster	Sorrel
Black mustard	Hedge bindweed	Sowthistle
Blackseed plantain	Hedge mustard	Spanish needles
Blessed thistle	Henbit	Speedwell
Bloodflower milkweed	Hoary cress	Spiny amaranth
Blue lettuce	Hoary plantain	Spiny cocklebur
Blue vervain	Hoary vervain	Spiny sowthistle
Bracted plantain	Horsenettle	Spotted catsear
Bristly oxtongue	Jimsonweed	Spotted spurge
Broadleaf dock	Knawel	Spurweed
Broadleaf plantain	Knotweed	Stinging nettle
Broomweed	Kochia	Strawberry, India mock
Buckhorn	Lambsquarters	Tall nettle
Buckhorn plantain	Lespedeza	Tall vervain
Bulbous buttercup	Mallow	Tansy ragwort
Bull thistle	Matchweed	Tansy mustard
Bullnettle	Mexicanweed	Tanweed
Burclover	Milk vetch	Thistle
Burdock	Morningglory	Trailing crownvetch
Burning nettle	Mouseear hawkweed	Tumble mustard
Burweed	Mugwort	Tumble pigweed
Buttercup	Musk thistle	Velvetleaf
Buttonweed	Mustard	Venice mallow
Canada thistle	Narrowleaf plantain	Virginia buttonweed
Carolina geranium	Narrowleaf vetch	Virginia creeper
Carpetweed	Nettle	Virginia pepperweed
Catchweed bedstraw	Orange hawkweed	Wavyleaf bullthistle
Catnip	Oriental cocklebur	Western clematis
Catsear	Oxalis	Western salsify
Chickweed, common	Parsley-piert	White mustard
Chickweed, mouseear	Parsnip	Wild aster
Chicory	Pearlwort	Wild buckwheat
Cinquefoil	Pennycress	Wild carrot
Clover, crimson	Pepperweed	Wild four-o'clock
Clover, hop	Pigweed	Wild garlic
Clover, red	Pineywoods bedstraw	Wild geranium
Clover, strawberry	Plains coreopsis	Wild lettuce
Clover, sweet	Plantain	Wild marigold
Clover, white	Poison ivy	Wild mustard
Cockle	Poison oak	Wild onion
Cocklebur	Pokeweed	Wild parsnip
Common mullein	Poorjoe	Wild radish
Creeping jenny	Prairie sunflower	Wild rape
Cudweed	Prickly lettuce	Wild strawberry
Curly dock	Prickly sida	Wild sweet potato
Daisy, English	Prostrate knotweed	Wild vetch
Daisy fleabane	Prostrate pigweed	Woodsorrel
Daisy, oxeye	Prostrate spurge	Woolly croton
Dandelion	Prostrate vervain	Woolly morningglory
Dichondra	Puncturevine	Woolly plantain
Dogfennel	Purslane, common	Wormseed
Dollarweed	Ragweed	Yarrow
False dandelion	Red sorrel	Yellow rocket
Falseflax	Redroot pigweed	Yellowflower pepperweed
	Redstem filaree	

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Trimec® is a registered trademark of PBI-Gordon Corporation.

827/10-2014 AP041813
EPA REG. NO. 2217-540
EPA EST. NO. 2217-KS-2

MANUFACTURED BY
PBI/GORDON CORPORATION
1217 WEST 12TH STREET
KANSAS CITY, MISSOURI 64101
www.GordonsUSA.com

First Aid	
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free 1-877-800-5556 for emergency medical treatment information.	

827/10-2014 AP041813
EPA REG. NO. 2217-540
EPA EST. NO. 2217-KS-2

MANUFACTURED BY
PBI/GORDON CORPORATION
1217 WEST 12TH STREET
KANSAS CITY, MISSOURI 64101
www.GordonsUSA.com