



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **9554.95**

GORDON'S®

MALATHION 50% SPRAY

For Flies and Garden Insects



ACTIVE INGREDIENT:

Malathion: 0,0-dimethyl phosphorodithioate
of diethyl mercaptosuccinate. 50%

INERT INGREDIENTS: 50%

TOTAL 100%

Contains xylene range aromatic petroleum solvent.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See booklet on back panel for additional
Precautionary Statements and Statement of First Aid.

893/9-2004

**NET CONTENTS:
ONE U.S. QUART (32 Fl. Oz.)**

GORDON'S®

MALATHION 50% SPRAY

For Flies and Garden Insects



***Peel open for
Precautionary Statements
and First Aid.***

893/3-2007 AP061505
EPA REG. NO. 33955-394
EPA EST. NO. 2217-KS-2

Manufactured By



An Employee-Owned Company
1217 West 12th Street
Kansas City, Missouri 64101

www.pbigordon.com



ONE QUART

GORDON'S®**MALATHION
50% SPRAY*****For Flies and Garden Insects*****ACTIVE INGREDIENT:**Malathion: 0,0-dimethyl phosphorodithioate
of diethyl mercaptosuccinate. 50%**INERT INGREDIENTS:** 50%

TOTAL 100%

Contains xylene range aromatic petroleum solvent.

**KEEP OUT OF REACH OF CHILDREN
WARNING*****See next page for additional
Precautionary Statements and First Aid.***



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Harmful if swallowed. Avoid breathing spray mists or vapors. Avoid contact with skin. Thoroughly wash after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not treat areas frequented by children and do not allow children in treated area until the spray has dried. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

FIRST AID

If swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. <p style="text-align: right;"><i>(Cont. on next page)</i></p>

FIRST AID *(cont.)*

If in eyes (cont.):	<ul style="list-style-type: none"> • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.</p> <p>NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Malathion is an organophosphate insecticide/miticide.</p>	

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwater.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes, ornamental gardens or parks, or lawns and grounds.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

Table 1. Uses, dosage rates, harvest intervals, and comments for the foliar application of Gordon's® Malathion 50% Spray.			
Site	Pests	Amount In 1 Gallon of Water	Days to Harvest⁽¹⁾
Tomatoes	Spider Mites	3 tsp.	1
	Aphids	3 tsp.	
Comments: Make one or more foliar applications as needed.			
Beans (Dry and Succulent)	Mexican Bean Beetles, Spider Mites, Leafhoppers	3 tsp.	1
Comments: Make one or more foliar applications as needed.			
Peas	Pea Aphids	3 tsp.	3
Comments: Make one or more foliar applications. Do not use pea vines for forage.			
White Potatoes	Aphids	3 tsp.	—
Comments: Make one or more foliar applications as needed.			
Cabbage, Kale and Mustard	Aphids, Imported Cabbageworm	3 tsp.	7
Broccoli and Turnip	Cabbageworm	3 tsp.	3
Comments: Make full cover applications. Repeat as necessary. <i>(Table 1 continued on next page)</i>			

Table 1. (Continued)			
Site	Pests	Amount In 1 Gallon of Water	Days to Harvest⁽¹⁾
Flowers, Ornamentals, Shrubs	Oyster Shell Scale, Euonymus Scale	1 tsp.	—
	Aphids, White Fly, Thrips, Mealy Bugs, Japanese Beetle (Adult), Four Lined Plant Bug, Tarnished Plant Bug, Rose Leafhopper, Potato Leafhopper	1½ tsp.	—
	Bagworms, Juniper Scale	2 tsp.	
	Soft Brown Scale	2½ tsp.	
	Pine Needle Scale	4 tsp.	
<p>Comments: Apply in summer when infestation occurs. Repeat in 10 to 12 days. For scales, apply when crawlers have settled on foliage.</p> <p>Injury may occur on Ferns, Hickory, Viburnum, Lantana, Crassula and 'Canareti' Juniper. Slight injury has also been reported on Boston Fern, Pteris Fern, Maidenhair Fern, Petunia, Small Leaf Spirea, White Pine, and Maples.</p>			

⁽¹⁾Days to harvest refers to the interval or the number of days before harvest for the last application of malathion.

MOSQUITOES, FLIES AND OTHER SMALL FLYING INSECTS

OUTDOORS: Use 11 tablespoons per gallon of water, fuel oil, or diesel oil and spray yard, patio or other outdoor area using a fine mist spray. Repeat as needed. Do not apply oil solutions to ornamentals, injury may occur. Do not contaminate foods, dishes, or utensils.

Table 2. Outdoor domestic uses — mosquitoes, flies and other flying insects outdoors for yards, lawns and recreational areas.

Site	Pests	Amount Per Gallon ⁽¹⁾
Yards, Lawns, Recreational Areas (Outdoors Only)	Mosquitoes, Adult Flies Flying Insects	11 Tablespoons

Comments: Apply as a fog or spray. Repeat as needed. Do not apply oil solutions to ornamental species as injury may occur. Apply around yards, homes, walls and fences.

⁽¹⁾Water, fuel oil, or diesel oil may be used as the carrier or diluent.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED.

This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty

shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

893/3-2007 AP061505
EPA REG. NO. 33955-394
EPA EST. NO. 2217-KS-2

Manufactured By



An Employee-Owned Company

**1217 West 12th Street
Kansas City, Missouri 64101**

www.pbigordon.com

THIS PAGE BLANK INTENTIONALLY

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS
AND FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Harmful if swallowed. Avoid breathing spray mists or vapors. Avoid contact with skin. Thoroughly wash after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not treat areas frequented by children and do not allow children in treated area until the spray has dried. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

FIRST AID

If swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.</p> <p>NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Malathion is an organophosphate insecticide/miticide.</p>	

893/3-2007 AP061505
EPA REG. NO. 33955-394
EPA EST. NO. 2217-KS-2

Manufactured By



An Employee-Owned Company
1217 West 12th Street
Kansas City, Missouri 64101

www.pbigordon.com

▲
PEEL HERE TO OPEN