



Center Panel

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **Disinfection, Cleaning, and Deodorizing:** On hard non-porous surfaces such as bathroom tiles, fixtures, shower stalls, walls, sinks and bathtubs, proceed as indicated below:

1. Pre-clean all surfaces prior to disinfection.
2. Hold container six to eight inches from surface to be treated.
3. Spray area until it is covered with the solution. Allow the product to penetrate and remain wet for 10 minutes. No scrubbing necessary.
4. Wipe off with a clean cloth, mop or sponge. The product will not leave grit or soap scum. This product is designed for general cleaning and disinfecting in nursing homes, hospitals, institutions, offices, schools, motels and hotels. This product is formulated to disinfect inanimate hard surfaces (such as walls, sink tops, tables, chairs, telephones, door knobs, light switches, shower stalls, hampers, cabinets and bed springs). When used as directed, this product is effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa, thus meeting requirements for hospital use. Efficacy tests have demonstrated that this product is an effective one-step cleaner-disinfectant in the presence of organic soil (5% blood serum).

**Deodorizing:** This product deodorizes those areas which generally are hard to keep fresh smelling such as garbage storage areas, empty garbage bins and cans, basements, restrooms and other areas which are prone to odors caused by microorganisms.

**Fungicidal:** Against Pathogenic fungi (T. mentagrophytes) when used as directed on hard surfaces found in the bathroom, shower stall and locker room or other clean, hard nonporous surfaces commonly contacted by bare feet.

**Mildewstat:** To control and prevent mold and mildew on hard nonporous surfaces (such as floors, walls, table tops), spray the surface to be treated, making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

**Virucidal:** Against Herpes Simplex Type 1 virus, Herpes Simplex Type 2 (genital) virus, Influenza A2 (Hong Kong) virus, Human Coronavirus (HCoV) and HIV-1 (AIDS Virus). Kills Pandemic H1N1 influenza A virus (formerly called swine flu).

**\*KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/ objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**PERSONAL PROTECTION:** Disposable gloves should be worn when cleaning blood, body fluids, or contaminated items. Hands should be washed immediately and thoroughly after gloves are removed, or if hands are contaminated with blood or body fluids. Masks and protective eyewear or faceshields should be worn during cleaning procedures involving blood or body fluids. Gowns or aprons should be worn during cleaning procedures for protection against splashes of blood or other body fluids.

**CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects with a suitable detergent before application of the disinfectant. After cleaning is complete, follow disinfection procedures described previously.

**CONTACT TIME:** Leave surface wet for 10 minutes.



Cleaner • Disinfectant • Deodorizer • Fungicide  
Virucide\* • Mildewstat (on hard inanimate surfaces)

Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).  
\*Disinfects Herpes Simplex Virus Type 1 & 2, Influenza A2 (Hong Kong) Virus, Human Coronavirus (HCoV) & HIV-1 (AIDS Virus)±. ±Kills HIV-1 (AIDS virus) on precleaned environmental surfaces/objects previously soiled with blood/body fluids.

Ready to Use • For Hospital & Institutional Use

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides.....	0.105%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides.....	0.105%
<b>OTHER INGREDIENTS:</b> .....	99.790%
<b>TOTAL</b> .....	100.000%

EPA Reg. No. 11694-88 EPA Est. No. 11694-KS-1  
**KEEP OUT OF REACH OF CHILDREN  
WARNING**  
See side panel for additional precautions  
**Net Contents 32 fl oz (1 qt) (946.4 mL)**

**DIRECTIONS FOR USE (cont'd.)**

**DISPOSAL OF INFECTIOUS WASTE:** Contaminated waste and blood and other body fluids should be autoclaved and disposed according to local regulations for infectious waste disposal.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**WARNING:** Keep out of reach of children. Causes eye and skin irritation. Do not get in eyes, skin or on clothing. Harmful if swallowed.

**FIRST AID**

**IF IN EYES** - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF INHALED** - Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. **IF SWALLOWED** - Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING** - Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**STORAGE AND DISPOSAL**

**Do not contaminate water, food, or feed by storage or disposal.**

**PESTICIDE STORAGE-** Keep containers tightly sealed when not in use. Store container indoors and in a dry area. Keep from freezing. Use from original container only.

**CONTAINER DISPOSAL-** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or discard in trash.

**PESTICIDE DISPOSAL-** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

For Commercial/Institutional Use Only

Manufactured in the U.S.A. by

**ITW PRO BRANDS**  
805 E. Old 56 Highway • Olathe, KS 66061  
itwprobrands.com • 800.443.9536  
Emergency 800.535.5053 Infotrac

online  
**SDS**  
www.dymon.com  
PRODUCT # 08032



140724 54-14001



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2015-2017 LIC. NO.

**9576.31**

07/24/14  
VAB

**ITW PRO BRANDS**  
08032  
54-14001

**COLOR(S):**  
**PMS 293**  
**PMS 186**

**LID/CAP COLOR:**  
White Trigger Sprayer

**rel'd to vendor**  
**xx/xx/xx**  
**vab**