



050825

A general purpose disinfectant/deodorant that is Bactericidal, Tuberculocidal, Fungicidal, and Virucidal*. The broad spectrum germicidal efficacy of Medaphene has been established, with a ten (10) minute contact time at 25 degrees Celsius, against the following organisms:

BACTERICIDAL: Mycobacterium tuberculosis, Staphylococcus aureus, Salmonella choleraesuis, and Pseudomonas aeruginosa.

***VIRUCIDAL:** HIV-1 (AIDS Virus), Herpes Simplex Virus (Type 2), Influenza A2 (Hong Kong), Avian influenza virus, Avian bronchitis virus, Avian laryngotracheitis virus, Hog cholera virus, and Pseudorabies virus on hard, nonporous, inanimate surfaces.

FUNGICIDAL: Trichophyton mentagrophytes pathogenic fungi: Medaphene can be used to clean and disinfect floors, benches, and other hard, nonporous surfaces commonly found in bathrooms, shower rooms, and locker rooms.

GENERAL USES

Medaphene is an effective disinfectant on hard, nonporous, inanimate surfaces and objects such as bed frames, desks, tables, chairs, file cabinets, cabinets, countertops, door handles, walls, sinks, floors, light switch covers, linen carts, telephones, waste containers, hampers, exterior bowl surfaces and exterior urinal surfaces. DO NOT USE ON POLISHED WOOD FURNITURE OR RAYON FABRICS.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Shake well before using. As a **DEODORANT:** Hold the can upright, then spray toward the center of the room for 3 to 5 seconds.

As a **MILDEW PREVENTATIVE:** Spray surface until moist. Do not use on polished wood furniture or rayon fabrics.

As a **DISINFECTANT:** Thoroughly clean all surfaces with soap or detergent and rinse with water. Hold the can upright 6 to 8 inches from the surface. Saturate all surfaces with the recommended disinfecting solution, allowing to remain wet for 10 minutes before wiping, if wiping is required.

***KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. If on clothing, remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not smoke while using product. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place away from heat or open flame.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: This product contains a chemical known to the State of California that causes cancer.

For Commercial/Industrial Use Only.

EPA Reg. No. 211-32-11694 EPA Est. No. 11694-KS-1 SDA-KS-774



DISC.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC.NO.

9576.37

34720

Manufactured in the U.S.A. by
ITW Dymon

805 E. Old 56 Highway
Olathe, KS 66061
www.dymon.com

online
MSDS
www.dymon.com

PRODUCT/MSDS
DOCUMENT # 34720

Medaphene[®] LICENSED

Disinfectant Spray

PERIOD 2006-2008 LIC.NO.

Pseudomonacidal • Virucidal Against HIV-1 (AIDS Virus)* • Salmonellacidal • Bactericidal Fungicidal • Staphylocidal • Tuberculocidal

*Virucidal: HIV-1 (AIDS Virus), Herpes Simplex Virus (Type 2), Influenza A2 Virus (Hong Kong), Avian influenza virus, Avian bronchitis virus, Avian laryngotracheitis, Hog cholera virus, and Pseudorabies virus on hard, nonporous, inanimate surfaces.

ACTIVE INGREDIENTS:

o-phenylphenol	0.210%
ethyl alcohol	69.623%
OTHER INGREDIENTS:	30.167%
TOTAL	100.000%



LICENSED

PERIOD 2012-2014 LIC.NO.

KEEP OUT OF REACH OF CHILDREN WARNING

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

See side panel for additional precautionary statements

Net Wt. 16 oz (1 lb) (454 g)



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC.NO.

08/25/2005
Steph

ITW Dymon
Customer #**DYMON**
Product #**34720**

MACINTOSH:
QuarkXPress 6.5

FOLDER(S):
MacSTUFF
Mac Dymon
CPL

LABELS
ITW DYMON
34720 DYMON
34720 DYMON
NEW 34720DymonL.qxd

COLOR(S):
PMS 186
PMS 293
BLACK

LID/CAP COLOR:
White

VENDOR:
Tabco

LABEL TYPE:
Poly Laminate

STOCK:
C1S Semigloss

BOX ART:
ITW DYMON
Box Printer-Black
Long & Short Sides

INSTRUCTIONS:
None

Released to Tabco
09/02/05 Steph

▲ INSTITUTIONAL ▲ INDUSTRIAL ▲ COMMERCIAL ▲ AUTOMOTIVE ▲ INSTITUTIONAL