

# LEMON GREEN

Product No. 9534

## DETERGENT/DISINFECTANT

- **CLEANER**
- **DISINFECTANT**
- **DETERGENT**
- **DEODORIZER**
- **\*VIRUCIDE**
- **MILDEWSTAT**  
(on hard, inanimate surfaces)
- **FUNGICIDE**  
(against pathogenic fungi)

### ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	1.6%
Alkyl (68% C12, 32% C14)	
dimethyl ethylbenzyl ammonium chlorides.....	1.6%
<b>INERT INGREDIENTS.....</b>	<b>96.8%</b>
<b>TOTAL.....</b>	<b>100.0%</b>

KEEP OUT OF REACH OF CHILDREN

## DANGER

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.



See side panels for additional precautionary statements and first aid.

EPA REG. 1839-94-10693 • EPA EST. NO. 10693-CA-1

## NET CONTENTS:

### 1 QUART (946ML)

LICENSED

9589.26

PERIOD 2014-2016 LIC. NO.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Lemon Green Detergent/Disinfectant is a phosphate free formulation designed to provide effective cleaning, deodorization, and disinfection specifically for general household use, hospitals, schools, transportation terminals, and office buildings where housekeeping is of prime importance in controlling the hazard of cross contamination.

When used as directed, this product is formulated to disinfect inanimate, hard, non-porous surfaces: floors, walls, bathrooms, and shower stalls.

This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls, and other areas where bacterial growth can cause malodors. This product is not for use on critical and semi-critical medical device surfaces.

Kills Pandemic 2009 H1N1 Influenza A Virus (formerly called swine flu).

**DISINFECTION:** To disinfect inanimate, hard, non-porous surfaces apply use-solution with a mop, cloth, sponge, hand-pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

**GENERAL DISINFECTION:** Add 2 ounces of this product per gallon of water.

**To disinfect toilet bowls:** flush toilet, add 2 ounces of this product directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

**HOSPITAL DISINFECTION:** Add 3 ounces of this product per gallon of water.

**BACTERICIDAL ACTIVITY:** When diluted at the rate of 2 ounces per gallon of water, this product exhibits effective disinfectant activity against the organisms: Enterobacter aerogenes, Brevibacterium ammoniagenes, Streptococcus faecalis, Klebsiella pneumoniae, Shigella dysenteriae, Salmonella schottmuelleri, Staphylococcus aureus, Escherichia coli, and Salmonella choleraesuis.

When diluted at the rate of 3 ounces per gallon of water, this product exhibits effective disinfectant activity against Pseudomonas aeruginosa, Methicillin resistant Staphylococcus aureus (MRSA), and Vancomycin intermediate resistant Staphylococcus aureus (VISA), and Streptococcus pyogenes (Clinical-Flesh Eating Strain BIRD M3) in addition to the above-mentioned organisms and meets all requirements for hospital use.

**MILDEWSTAT:** To control mold and mildew on pre-cleaned, hard, non-porous surfaces, add 2 ounces of this product per gallon of water. Apply solution with a cloth, mop, sponge, hand pump trigger sprayer or low pressure coarse sprayer making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

**FUNGICIDAL ACTIVITY:** At the 2 ounces per gallon dilution, this product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes (Athlete's Foot Fungus) (a cause of ringworm of the foot), when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet.

**\*VIRUCIDAL ACTIVITY:** This product, when used on environmental, inanimate, hard, non-porous surfaces at 2 ounces per gallon of water, exhibits effective virucidal activity against Influenza A2/Japan (representative of the common flu virus), Herpes Simplex Type 1 (causative agent of fever blisters), Adenovirus Type 2 (causative agent of upper respiratory infections), Vaccinia virus (representative of the Pox virus group), and Human Immunodeficiency Virus Type 1 (HIV-1).

When diluted at the rate of 3 ounces per gallon of water, this product exhibits effective virucidal activity against Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Bovine Viral Diarrhea Virus (BVDV), Human Coronavirus (ATCC VR-740, Strain 229E), Norovirus (Norwalk Virus) and Feline Calicivirus (FCV).

**KILLS HIV-1, HBV, AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

**CONTACT TIME:** Allow surface to remain wet for 10 minutes.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

**EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).**

**GENERAL CLEANING:** Apply this product to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. This product can be diluted at 2 ounces per gallon or applied at full strength. Thoroughly wet soiled surface and scrub as necessary.

**DEODORIZATION:** To deodorize, apply this product as indicated under the heading DISINFECTION.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER. KEEP OUT OF REACH OF CHILDREN. CORROSIVE.** Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves, and protective clothing. Harmful if swallowed. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

#### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

**PESTICIDE STORAGE:** Store in a dry place no lower in temperature than 50°F or higher than 120°F.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying.

Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill.

Sold by: LMC Enterprises dba Flo-Kem • 19402 Susana Rd. • Rancho Dominguez, CA 90221 • Phone No. (310) 632-7124 • Web Site: www.flo-kem.com

06/25/13

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Lemon Green Detergent/Disinfectant is a phosphate free formulation designed to provide effective cleaning, deodorization, and disinfection specifically for general household use, hospitals, schools, transportation terminals, and office buildings where housekeeping is of prime importance in controlling the hazard of cross contamination.

When used as directed, this product is formulated to disinfect inanimate, hard, non-porous surfaces: floors, walls, bathrooms, and shower stalls.

This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls, and other areas where bacterial growth can cause malodors. This product is not for use on critical and semi-critical medical device surfaces.

Kills Pandemic 2009 H1N1 Influenza A Virus (formerly called swine flu).

**DISINFECTION:** To disinfect inanimate, hard, non-porous surfaces apply use-solution with a mop, cloth, sponge, hand-pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

**GENERAL DISINFECTION:** Add 2 ounces of this product per gallon of water.

**To disinfect toilet bowls:** flush toilet, add 2 ounces of this product directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

**HOSPITAL DISINFECTION:** Add 3 ounces of this product per gallon of water.

**BACTERICIDAL ACTIVITY:** When diluted at the rate of 2 ounces per gallon of water, this product exhibits effective disinfectant activity against the organisms: Enterobacter aerogenes, Brevibacterium ammoniagenes, Streptococcus faecalis, Klebsiella pneumoniae, Shigella dysenteriae, Salmonella schottmuelleri, Staphylococcus aureus, Escherichia coli, and Salmonella choleraesuis.

When diluted at the rate of 3 ounces per gallon of water, this product exhibits effective disinfectant activity against Pseudomonas aeruginosa, Methicillin resistant Staphylococcus aureus (MRSA), and Vancomycin intermediate resistant Staphylococcus aureus (VISA), and Streptococcus pyogenes (Clinical-Flesh Eating Strain BIRD M3) in addition to the above-mentioned organisms and meets all requirements for hospital use.

**MILDEWSTAT:** To control mold and mildew on pre-cleaned, hard, non-porous surfaces, add 2 ounces of this product per gallon of water. Apply solution with a cloth, mop, sponge, hand pump trigger sprayer or low pressure coarse sprayer making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

**FUNGICIDAL ACTIVITY:** At the 2 ounces per gallon dilution, this product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes (Athlete's Foot Fungus) (a cause of ringworm of the foot), when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet.

**\*VIRUCIDAL ACTIVITY:** This product, when used on environmental, inanimate, hard, non-porous surfaces at 2 ounces per gallon of water, exhibits effective virucidal activity against Influenza A2/Japan (representative of the common flu virus), Herpes Simplex Type 1 (causative agent of fever blisters), Adenovirus Type 2 (causative agent of upper respiratory infections), Vaccinia virus (representative of the Pox virus group), and Human Immunodeficiency Virus Type 1 (HIV-1).

When diluted at the rate of 3 ounces per gallon of water, this product exhibits effective virucidal activity against Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Bovine Viral Diarrhea Virus (BVDV), Human Coronavirus (ATCC VR-740, Strain 229E), Norovirus (Norwalk Virus) and Feline Calicivirus (FCV).

# LEMON GREEN DETERGENT/DISINFECTANT

• <b>CLEANER</b>		Product No. 9534
• <b>DISINFECTANT</b>	<b>ACTIVE INGREDIENTS</b>	
• <b>DETERGENT</b>	Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
• <b>DEODORIZER</b>	dimethyl benzyl ammonium chlorides.....	1.6%
• <b>*VIRUCIDE</b>	Alkyl (68% C12, 32% C14)	
• <b>MILDEWSTAT</b>	dimethyl ethylbenzyl ammonium chlorides .....	1.6%
<b>(on hard, inanimate surfaces)</b>	<b>INERT INGREDIENTS.....</b>	<b>96.8%</b>
• <b>FUNGICIDE</b>	<b>TOTAL .....</b>	<b>100.0%</b>
<b>(against pathogenic fungi)</b>		

KEEP OUT OF REACH OF CHILDREN

## DANGER

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.



LICENSED

PERIOD 2014-2016 LIC. NO.

9589.26

# FLOKEM

QUALITY • INNOVATION • PERFORMANCE

EPA REG. NO. 1839-94-10693 • EPA EST. NO. 10693-CA-1

## NET CONTENTS: 1 GALLON (3.78L)

**KILLS HIV-1, HBV, AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

**CONTACT TIME:** Allow surface to remain wet for 10 minutes.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

**EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).**

**GENERAL CLEANING:** Apply this product to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. This product can be diluted at 2 ounces per gallon or applied at full strength. Thoroughly wet soiled surface and scrub as necessary.

**DEODORIZATION:** To deodorize, apply this product as indicated under the heading DISINFECTION.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER. KEEP OUT OF REACH OF CHILDREN. CORROSIVE.** Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves, and protective clothing. Harmful if swallowed. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

## STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

**PESTICIDE STORAGE:** Store in a dry place no lower in temperature than 50°F or higher than 120°F.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying.

Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill.

Sold by: LMC Enterprises dba Flo-Kem  
19402 Susana Rd., Rancho Dominguez, CA 90221  
Phone No. (310) 632-7124

Web Site: www.flo-kem.com

06/25/13