

B:22"  
T:22"  
S:22"

Black Cyan Magenta Yellow Pantone 3435

**Corathon™** Department of Agriculture STATE OF HAWAII LICENSED  
PERIOD 2015-2017 LIC. NO. 9618.115

Designed for use with Allflex® black clip

**Insecticide cattle ear tag with **FyberTek™****  
For use with Allflex® Universal Total Tagger with red pin and black clip.

Department of Agriculture STATE OF HAWAII LICENSED  
PERIOD 2012-2014 LIC. NO. 1 2 3 4 5  
6 7 8 9 10

Department of Agriculture STATE OF HAWAII LICENSED  
PERIOD 2009-2011 LIC. NO.

**NO FONT SIZE IS BELOW 6 PTS.**

Front panel: "Corathon" .....49 pt  
 Front panel: subhead "Insecticide Cattle" ..... 12 pt  
 Front panel: bullets ..... 9 pt  
 Front panel: "ACTIVE INGREDIENTS" ..... 6 pt.  
 Front panel: "EPA Reg. No." ..... 6 pt  
 Net Contents ..... 6 pt  
 Front panel: "STOP – read the label .... Reach of Children" ..... 12 pt  
 Front panel: "CAUTION" ..... 18 pt  
 Front panel: "See side panel ..." ..... 12 pt  
 Front panel: legal copy "Manufactured for ..." ..... 6 pt  
 2nd panel: "PRECAUTIONARY STATEMENTS" ..... 10 pt  
 2nd panel: "CAUTION" ..... 20 pt  
 Back panel: body copy ..... 7.275 pt  
 4th panel: "STORAGE AND DISPOSAL" ..... 12 pt  
 Manufactured for ..... 6 pt

2588

**Corathon™**

**Insecticide Cattle Ear Tag for use on Beef and Non-Lactating Dairy Cattle to control Face Flies, Horn Flies, Gulf Coast Ticks and Spinose Ear Ticks for up to 5 months.**

For use with Allflex® Universal Total Tagger with red pin and black clip.

- Controls horn flies (including avermectin-, pyrethroid- and chlorinated hydrocarbon-resistant horn flies), Gulf Coast ticks, face flies and spinose ear ticks up to 5 months.
- Contains 50% organophosphate insecticides.
- FyberTek™ allows for maximum insecticide holding capacity and even dispersion of insecticide.

ACTIVE INGREDIENTS: Percent By Weight  
 Coumaphos ..... 15.0%  
 Diazinon ..... 35.0%  
 OTHER INGREDIENTS ..... 50.0%  
 TOTAL 100.0%

EPA Reg. No. 11556-148 EPA Est. No. 33967-MO-002  
 Net Contents: 2 Pouches of 10 Tags Each, 0.5 oz (14 grams) per tag

**STOP - Read the label before use.  
 Keep Out of Reach of Children.**

**CAUTION**  
 See side panel for additional Precautionary Statements.  
 PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

Manufactured for Bayer HealthCare LLC, Animal Health Division,  
 P.O. Box 390, Shawnee Mission, Kansas 66201 U.S.A.  
 Bayer (reg'd), the Bayer Cross (reg'd), Corathon™ and FyberTek™ are trademarks of Bayer.  
 Allflex is a trademark of Allflex USA, Inc.

with **FyberTek™**

Bayer  
 81531197, R.0

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS AND  
 DOMESTIC ANIMALS  
 CAUTION**

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some people. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils) when applying tags.

**FIRST AID**

**If on Skin or Clothing**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15–20 minutes.
- Call a poison control center or doctor for treatment advice.

**If in Eyes**

- Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**If Swallowed**

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person or convulsing person.

**NOTICE NUMBER:** Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency medical treatment, call 1-800-422-8674. For customer service or to obtain product information, including the MSDS, call 1-800-633-3796.

**Note to Physician:** This product contains cholinesterase inhibitors. If symptoms of cholinesterase inhibition are present, atropine sulfate, by injection, is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine.

**ENVIRONMENTAL HAZARDS**  
 This pesticide is highly toxic to birds, fish and wildlife. Do not apply directly to water. Do not contaminate water when disposing of used tags.

**Figure 1** Disinfect pliers prior to use. Place male button onto pin until it projects through the tip.

**Figure 2** Slide tag under the clip of the pliers by depressing the lever.

**Figure 3** Position tag in the center portion of the front side of the ear.

**Figure 4** Apply the tag between the second and third rib cartilage.

**CORATHON™ QUICK FACTS**

- Controls horn flies (including avermectin-, pyrethroid- and chlorinated hydrocarbon-resistant horn flies), Gulf Coast ticks, face flies and spinose ear ticks up to 5 months.
- Contains 50% organophosphate insecticides.
- FyberTek™ allows for maximum insecticide holding capacity and even dispersion of insecticide.

**WHERE TO APPLY**

- Beef and Non-Lactating Dairy Cattle.

**HOW TO APPLY**

- Use Allflex® Universal Total Tagger with red pin and black clip to apply tags to cattle.

**COVERAGE**

- All mature animals in the herd should be tagged.
- For optimum control of horn flies, face flies, Gulf Coast ticks and spinose ear ticks, attach one tag to each ear (two tags per animal) per mature animal.
- Use one ear tag per calf for face fly control.
- For adequate control of horn flies, face flies, Gulf Coast ticks and spinose ear ticks, attach one tag per mature animal.

**RE-APPLY**

- Corathon™ has been proven to be effective against horn flies and face flies for up to 5 months.
- Replace as necessary.
- Remove tags at end of fly season or prior to slaughter.

**QUESTIONS?**

- For questions or comments, call toll-free 1-800-633-3796.

**DIRECTIONS FOR USE**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in possession of the user at the time of pesticide application.

**IMPORTANT**  
 Read the entire Directions for Use, Conditions of Sale and Disclaimer of Limited Warranty and Limitation of Damages before using this product.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**  
 Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and socks
- Chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils)

**USER SAFETY REQUIREMENTS**  
 Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**  
 Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**CONDITIONS OF SALE**  
 The directions on this label are believed to be adequate and must be followed carefully. This product has been tested under different environmental conditions similar to those that are ordinary and customary for use of the product. However, it is impossible to eliminate all risks associated with the use of this product. Failure to follow label directions may cause injury to animals, humans and damage to the environment. Insufficient control of pests, injury or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer HealthCare LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

Reformulation or repackaging of this product is prohibited.

For the control of horn flies (including avermectin-, pyrethroid- and chlorinated hydrocarbon-resistant horn flies), face flies, Gulf Coast ticks and spinose ear ticks on beef and non-lactating dairy cattle.

For adequate control of horn flies, face flies, Gulf Coast ticks and spinose ear ticks attach one tag per mature animal. For optimum control of horn flies, face flies, Gulf Coast ticks and spinose ear ticks, attach one tag to each ear (two per animal) per mature animal. For calves, apply one tag per animal. Replace as necessary. Corathon™ has been proven to be effective against horn flies and face flies for up to 5 months.

Use the Allflex® Universal Total Tagger with the red pin and black clip to apply tags to cattle. Apply as indicated (Figures 1-4). Remove tags at end of fly season or prior to slaughter.

Bayer (reg'd), the Bayer Cross (reg'd), FyberTek™ and Corathon™ are trademarks of Bayer.  
 Allflex is a trademark of Allflex USA, Inc.

EPA Reg. No. 11556-148 EPA Est. No. 33967-MO-002

Continual exposure of horn flies to a single class of insecticide (e.g., pyrethroids, organophosphates, chlorinated hydrocarbons or avermectin) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate the class of insecticide used and/or the method of horn fly control on a seasonal basis. Corathon™ contains the organophosphate insecticides coumaphos and diazinon.

**STORAGE AND DISPOSAL**  
 Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage**  
 Store in cool place in original container. Opened pouches containing ear tags should be resealed for storage.

**Pesticide Disposal**  
 Waste (spent tags) resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal**  
 Non-refillable container. Do not reuse or refill this container. Dispose of empty pouch in a sanitary landfill or by incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

**LIMITED WARRANTY AND LIMITATION OF DAMAGES**  
 Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL, and no agent of Bayer is authorized to make or modify any warranties beyond those contained herein. To the extent consistent with applicable law, any damages arising from breach of this warranty shall be limited to direct damages and shall not include special, incidental or consequential damages resulting from the use of handling of this product.

Bayer HealthCare LLC, Animal Health Division  
 P.O. Box 390  
 Shawnee Mission, Kansas 66201 U.S.A.

81531197, R.0

7 24089 31197 9

81531197, R.0

1 2 3 4 5  
6 7 8 9 10

81531197, R.0

1 2 3 4 5 6  
7 8 9 10



<b>Job #:</b> 1590-34298
<b>Size:</b> None
<b>Publications:</b> Corathon Ear Tag Box 6.2344" W x 5.75" H x 4" D

<b>Scale</b> 1" =	1"	<b>Last Saved By:</b> aaron_swavey
<b>Trim Size:</b> 22" x 16"	22" x 16"	<b>Studio Artist:</b> Jim Walsh
<b>Bleed Size:</b> None	22" x 16"	<b>Art Director:</b> None
<b>Live Area:</b> None	22" x 16"	<b>Print Production:</b> Lora Mertz
<b>Built @ 100% Output @ None</b>	<b>Color:</b> 4C	
	<b>Pantone Colors:</b> PMS 3435 C	

<b>Version:</b> 1
-------------------

Links: 26562-aDIELINE\_1.eps, Step 1.eps (CMYK; 547 ppi, 545 ppi; 55%), Step 2.tif (CMYK; 543 ppi, 543 ppi; 55.24%, 55.25%), Step 3.tif (CMYK; 663 ppi, 663 ppi; 45.18%, 45.18%), Step 4.tif (CMYK; 600 ppi; 50%), UPC724089311979m100r\_1.eps, blue-green-ribbon\_long\_new\_alt2.ai (100%), BHC\_AH\_K\_1.ai (35.47%), CorathonEagTag.psd (CMYK; 616 ppi; 48.63%), horn\_1.psd (CMYK; 650 ppi; 22.9%), GulfCoastTickBuild\_HR1\_1.psd (CMYK; 4356 ppi; 6.89%), faceflies\_1.psd (CMYK; 503 ppi; 19.86%), allflex\_starburst.ai (44.92%)

5:16" 1:16" 1:16"



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2015-2017** LIC. NO.

**9618.115**



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2012-2014** LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2009-2011** LIC. NO.



# Corathon™



***Insecticide Cattle Ear Tag for use on Beef and Non-Lactating Dairy Cattle to control Face Flies, Horn Flies, Gulf Coast Ticks and Spinose Ear Ticks for up to 5 months.***

For use with Allflex® Universal Total Tagger with red pin and black clip.

- ✓ ***Controls horn flies (including avermectin-, pyrethroid- and chlorinated hydrocarbon-resistant horn flies), Gulf Coast ticks, face flies and spinose ear ticks up to 5 months.***
- ✓ ***Contains 50% organophosphate insecticides.***
- ✓ ***FyberTek™ allows for maximum insecticide holding capacity and even dispersion of insecticide.***

ACTIVE INGREDIENTS:	Percent By Weight
Coumaphos .....	15.0%
Diazinon .....	35.0%
OTHER INGREDIENTS .....	50.0%
	TOTAL 100.0%

EPA Reg. No. 11556-148 EPA Est. No. 33967-MO-002  
Net Contents: 2 Pouches of 10 Tags Each, 0.5 oz (14 grams) per tag

**STOP - Read the label before use.  
Keep Out of Reach of Children.**

## CAUTION

See side panel for additional Precautionary Statements.

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

Manufactured for Bayer HealthCare LLC, Animal Health Division,  
P.O. Box 390, Shawnee Mission, Kansas 66201 U.S.A.  
Bayer (reg'd), the Bayer Cross (reg'd), Corathon™ and FyberTek™ are trademarks of Bayer.  
Allflex is a trademark of Allflex USA, Inc.



with  
**FyberTek™**



81531197, R.0

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some people. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils) when applying tags.

### FIRST AID

#### If on Skin or Clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15–20 minutes.
- Call a poison control center or doctor for treatment advice.

#### If in Eyes

- Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

#### If Swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person or convulsing person.

**HOTLINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment, call 1-800-422-9874. For customer service or to obtain product information, including the MSDS, call 1-800-633-3796.

**Note to Physician:** This product contains cholinesterase inhibitors. If symptoms of cholinesterase inhibition are present, atropine sulfate, by injection, is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine.

### ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds, fish and wildlife. Do not apply directly to water. Do not contaminate water when disposing of used tags.




Figure 1  
Disinfect pliers prior to use. Place male button onto pin until it projects through the tip.



Figure 2  
Slide tag under the clip of the pliers by depressing the lever.




Figure 3  
Position tag in the center portion of the front side of the ear.




Figure 4  
Apply the tag between the second and third rib cartilage.

### CORATHON™ QUICK FACTS

- Controls horn flies (including avermectin-, pyrethroid- and chlorinated hydrocarbon-resistant horn flies), Gulf Coast ticks, face flies and spinose ear ticks up to 5 months.
- Contains 50% organophosphate insecticides.
- FlyberTek™ allows for maximum insecticide holding capacity and even dispersion of insecticide.

### WHERE TO APPLY

- Beef and Non-Lactating Dairy Cattle.

### HOW TO APPLY

- Use Allflex® Universal Total Tagger with red pin and black clip to apply tags to cattle.

### COVERAGE

- All mature animals in the herd should be tagged.
- For optimum control of horn flies, face flies, Gulf Coast ticks and spinose ear ticks, attach one tag to each ear (two tags per animal) per mature animal.
- Use one ear tag per calf for face fly control.
- For adequate control of horn flies, face flies, Gulf Coast ticks and spinose ear ticks, attach one tag per mature animal.

### RE-APPLY

- Corathon™ has been proven to be effective against horn flies and face flies for up to 5 months.
- Replace as necessary.
- Remove tags at end of fly season or prior to slaughter.

### QUESTIONS?

- For questions or comments, call toll-free 1-800-633-3796.

### DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in possession of the user at the time of pesticide application.**

### IMPORTANT

Read the entire Directions for Use, Conditions of Sale and Disclaimer of Limited Warranty and Limitation of Damages before using this product.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and socks
- Chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils)

### USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### CONDITIONS OF SALE

The directions on this label are believed to be adequate and must be followed carefully. This product has been tested under different environmental conditions similar to those that are ordinary and customary for use of the product. However, it is impossible to eliminate all risks associated with the use of this product. Failure to follow label directions may cause injury to animals, humans and damage to the environment. Insufficient control of pests, injury or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer HealthCare LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

Reformulation or repackaging of this product is prohibited.

For the control of horn flies (including avermectin-, pyrethroid- and chlorinated hydrocarbon-resistant horn flies), face flies, Gulf Coast ticks and spinose ear ticks on beef and non-lactating dairy cattle.

For adequate control of horn flies, face flies, Gulf Coast ticks and spinose ear ticks attach one tag per mature animal. For optimum control of horn flies, face flies, Gulf Coast ticks and spinose ear ticks, attach one tag to each ear (two per animal) per mature animal. For calves, apply one tag per animal. Replace as necessary. Corathon™ has been proven to be effective against horn flies and face flies for up to 5 months.

Use the Allflex® Universal Total Tagger with the red pin and black clip to apply tags to cattle.

Apply as indicated (Figures 1-4). Remove tags at end of fly season or prior to slaughter.

Continual exposure of horn flies to a single class of insecticide (e.g., pyrethroids, organophosphates, chlorinated hydrocarbons or avermectin) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate the class of insecticide used and/or the method of horn fly control on a seasonal basis. Corathon™ contains the organophosphate insecticides coumaphos and diazinon.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

#### Pesticide Storage

Store in cool place in original container. Opened pouches containing ear tags should be resealed for storage.

#### Pesticide Disposal

Waste (spent tags) resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### Container Disposal

Non-refillable container. Do not reuse or refill this container. Dispose of empty pouch in a sanitary landfill or by incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

### LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL, and no agent of Bayer is authorized to make or modify any warranties beyond those contained herein. To the extent consistent with applicable law, any damages arising from breach of this warranty shall be limited to direct damages and shall not include special, incidental or consequential damages resulting from the use of handling of this product.

Bayer HealthCare LLC, Animal Health Division  
P. O. Box 390  
Shawnee Mission, Kansas 66201 U.S.A.

81531197, R.0

