

Tick Killing
Solution™



Resultix™

Convenient and easy to apply
For the removal and killing of attached and
crawling ticks on dogs and cats



Resultix™

Kills Ticks On Dogs and Cats

- ✓ FREE OF CONVENTIONAL PESTICIDES
- ✓ CAN BE USED AS OFTEN AS NEEDED

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See Back Panel for First Aid
For Storage and Disposal,
see leaflet inside.

STOP - READ LABEL BEFORE USE

ACTIVE INGREDIENT

Isopropyl Myristate 50.0%

OTHER INGREDIENT 50.0%

TOTAL 100.0%

Net Contents: 0.65 fl. oz. (20 mL)



**TICK
KILLING
SOLUTION™**



Resultix™

Kills Ticks on Dogs and Cats

- ✓ Free of conventional pesticides
- ✓ Can be used as often as needed

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Resultix™, when used as instructed below, will dissolve the outer wax layer covering the hard shell (cuticle) of the tick resulting in uncontrollable water loss and death of the tick.

For the removal and killing of attached and crawling ticks on dogs and cats.

APPLICATION AND USE INSTRUCTIONS

For external use only.

Do not use near dog's or cat's eyes.
Do not use on irritated skin.

Stop treatment with this product and consult a veterinarian if skin irritation or skin infection develops during use of product.

- Use when you see a tick or ticks on your dog or cat.
- Remove cap and hold bottle upright. Direct nozzle at tick and spray until tick is covered with solution (2 sprays).
- The tick will be dead within 3 hours; it will fall off of the dog or cat or will be immobile when removed.
- If tick falls off indoors within 3 hours of application, carefully pick up and dispose of tick using gloves or tweezers.

Continued on other side panel.

Bayer



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9618.130



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.



Resultix™

Kills Ticks on Dogs and Cats

- ✓ Free of Conventional pesticides
- ✓ Can be used as often as needed

FIRST AID

If on skin:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor immediately for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor immediately for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. • Call a poison control center or doctor immediately for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor going for treatment. For medical emergencies call 1-800-422-9874. For customer questions call 1-800-255-6826.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May cause dermal and eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to invertebrates and fish. Do not discharge this product into lakes, streams, pond, estuaries, oceans, or other waters where aquatic invertebrates or fish may be found.



Resultix™

Kills Ticks on Dogs and Cats

- Continued from other side panel:
- After 3 hours, if the tick has not fallen off, remove carefully with gloves or tweezers and dispose of tick.
 - Dispose of ticks by placing in sealable plastic bag, sealing the bag, and placing it in an outdoor garbage can.

Manufactured for:
Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, KS, 66201, USA
Product of Malaysia
Bayer and the Bayer Cross are registered
trademarks of Bayer.

US Patent #6,663,876

EPA Est. No. 71979-SC-001
EPA Reg. No. 86865-1-11556

80659873, R,0

16498



7 24089 59873 8

3.625"

.0313 CORNER RADIUS

2"

Manufactured for: Bayer
 Bayer HealthCare LLC, Animal Health Division
 P.O. Box 390
 Shawnee Mission, KS, 66201, USA
 Bayer and the Bayer Cross are registered trademarks of Bayer.

US Patent #6663,876
 EPN Est. No. 71979-5C-001
 EPN Reg. No. 88865-1-1556
 1641Z

KEEP OUT OF REACH OF CHILDREN CAUTION

ACTIVE INGREDIENT
 Isopropyl Myristate 50.0%
OTHER INGREDIENT 50.0%
TOTAL 100.0%
 Net Contents: 0.65 fl. oz. (20 mL)

RESULTIX™, when used as instructed below, will dissolve the outer wax layer covering the hard shell (cuticle) of the tick resulting in uncontrollable water loss and death of the tick. For the removal and killing of attached and crawling ticks on dogs and cats.

APPLICATION AND USE INSTRUCTIONS
For external use only.
 Do not use near dog's or cat's eyes.
 Do not use on irritated skin.
 Stop treatment with this product and consult a veterinarian if skin irritation or skin infection develops during use of product.

- Use when you see a tick or ticks on your dog or cat.
- Remove cap and hold bottle upright. Direct nozzle at tick and spray until tick is covered with solution (2 sprays).
- The tick will be dead within 3 hours; it will fall off of the dog or cat or will be immobile when removed.
- If tick falls off indoors within 3 hours of application, carefully pick up and dispose of tick using gloves or tweezers.
- After 3 hours, if the tick has not fallen off, remove carefully with gloves or tweezers and dispose of tick.
- Wash hands after accidental exposure to any ticks.

For complete product information see leaflet.
For medical emergencies call 1-800-422-9874.
For customer questions call 1-800-255-6826.

INDICATES LIVE AREA FOR NON-BLEEDING TEXT AND GRAPHICS

Resultix™

- ✓ Kills Ticks on Dogs and Cats
- ✓ Free of Conventional Pesticides
- ✓ Can be Used as Often as Needed

ACTIVE INGREDIENT

Isopropyl Myristate.....	50.0%
OTHER INGREDIENT.....	50.0%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

STOP – READ LABEL BEFORE USE
NET CONTENTS: 0.65 fl.oz. (20 mL)

FIRST AID

If on skin:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 – 20 minutes.• Call a poison control center or doctor immediately for treatment advice.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor immediately for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor immediately for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergencies call 1-800-422-9874. For customer questions call 1-800-255-6826.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May cause dermal and eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to invertebrates and fish. Do not discharge this product into lakes, streams, pond, estuaries, oceans, or other waters where aquatic invertebrates or fish may be found.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Resultix™, when used as instructed below, will dissolve the outer wax layer covering the hard shell (cuticle) of the tick resulting in uncontrollable water loss and death to the tick.

For the removal and killing of attached and crawling ticks on dogs and cats.

APPLICATION AND USE INSTRUCTIONS

For external use only.

Do not use near dog's or cat's eyes.

Do not use on irritated skin.

Stop treatment with this product and consult a veterinarian if skin irritation or skin infection develops during use of product.

- Use when you see a tick or ticks on your dog or cat.
- Remove cap and hold bottle upright. Direct nozzle at tick and spray until tick is covered with solution (2 sprays).
- The tick will be dead within 3 hours; it will fall off of the dog or cat or will be immobile when removed.

- If tick falls off indoors within 3 hours of application, carefully pick up and dispose of tick using gloves or tweezers.
- After 3 hours, if the tick has not fallen off, remove carefully with gloves or tweezers and dispose of tick.
- Disposal of ticks by placing in sealable plastic bag, sealing the bag, and placing it in an outdoor garbage can.
- Wash hands after accidental exposure to any ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage:

Store in a dry place away from extreme heat and cold (tightly closed between 59° F - 86° F (15° C - 30° C)). Keep container closed when not in use. Always store pesticide in the original container. Store away from food and pet food. Keep away from open flames.

In case of fire or other emergency, report at once by toll-free telephone to CHEMTREC (800-424-9300).

Pesticide Disposal and Container Handling:

Nonrefillable container. Do not reuse or refill this container.

When empty: place in trash or offer for recycling if available.

Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION ON DAMAGES:

Bayer HealthCare LLC, Animal Health Division warrants this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

EPA Reg. No. 86865-1-11556

EPA Est. No. 71979-SC-001

Manufactured for:

80659873, R.O

Bayer HealthCare LLC, Animal Health Division

16396

P.O. Box 390

Shawnee Mission, Kansas 66201

Product of Malaysia

Bayer and the Bayer Cross are registered trademarks of Bayer

