

from the makers of
**Expert
care™**



STATE OF HAWAII
Department of Agriculture

ACCEPTED
LICENSE NO.

9618.140



Defense care™

flea protection
small cat



2-9 lbs

One treatment prevents further flea infestations for up to four (4) weeks



kills
fleas

Once-A-Month Topical Flea Treatment for Cats and Kittens
For Use **ONLY** on Cats 8 Weeks and Older and Weighing 2 to 9 lbs.

 **3**
pack

Active Ingredient	% by Weight
Imidacloprid.....	9.1%
Other Ingredients.....	90.9%
Total.....	100.0%

**KEEP OUT OF
REACH OF
CHILDREN
WARNING**

EPA Est. No. 11556-DEU-1
EPA Reg. No. 11556-116

See back panel for Precautionary Statements.
For Directions for Use, Storage and Disposal,
and First Aid, see supplemental labeling inside.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO APPLY

1. Remove one applicator tube from the package.
2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube.
3. Turn the cap around and place other end of cap back on tube.
4. Twist cap to break seal, then remove cap from tube.
5. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to *expel the entire contents of the tube directly on the skin. Do not get this product in your cat's eyes, or allow your cat to ingest this product.* The product is bitter tasting and salivation may occur for a short time if the cat licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.



6. Discard empty tube as described in Storage and Disposal.
7. In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule.

One treatment prevents further flea infestation for up to four (4) weeks

Kills fleas



3 pack

small cat | 2-9 lbs



108 x 34 x 120



Defense care™
flea protection
small cat

Once-A-Month Topical Flea Treatment for Cats and Kittens. **For Use ONLY on Cats 8 Weeks and Older and Weighing 2-9 lbs.**

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea Infestations on Cats

One treatment prevents further flea infestation for up to four (4) weeks

- Kills fleas on cats within 12 hours
- Kills fleas before they lay eggs
- Convenient, easy to apply

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

Manufactured for Bayer HealthCare LLC, Animal Health Division, P.O. Box 390, Shawnee Mission, Kansas 66201 USA
Bayer (reg'd), the Bayer Cross (reg'd), DefenseCare™ and ExpertCare™ are trademarks of Bayer.

Made in Germany
©2014 Bayer HealthCare LLC

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on kittens under eight weeks of age or weighing less than 2 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-255-6826.

Side Effects

Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-255-6826.

RESTRICTIONS:

- Use only on cats 8 weeks and older. Do not use on other animals. Do not apply to kittens or cats weighing less than 2 lbs.
- Do not apply more than one (1) tube per treatment.
- Do not have contact or allow children to have contact with treated area until completely dry.

EPA Est. No. 11556-DEU-1
EPA Reg. No. 11556-116

Net Contents: 3 Tubes
each 0.014 fl. oz. (0.4 mL)

Bayer



Defense care™
flea protection
small cat



2-9 lbs

One treatment prevents further flea infestation for up to four (4) weeks

Kills fleas



3 pack



Lot No:

THIS UNIT NOT FOR RETAIL SALE.



Defense
care[™]

flea protection

small cat

81946795

For external use only on cats and kittens
8 weeks of age and older and weighing 2 to 9 lbs.

9.1% Imidacloprid

See leaflet for complete product information.

1 – 0.014 fl. oz. (0.4 mL) Tube

EPA Reg. No. 11556-116



Lot No:

**DefenseCare™ Flea
Protection Small Cat**

9.1% Imidacloprid
0.014 fl.oz. (0.4 mL)

EPA Reg. No. 11556-116
Keep Out of Reach of
Children

WARNING

Read The Entire
Label Before Use



81946787 ■

Lot No:



**Defense
care™**
flea protection

small cat

Once-A-Month Topical Flea Treatment for Cats and Kittens
For Use Only on Cats 8 Weeks and Older and Weighing 2 to 9 lbs.

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea Infestations on Cats

- One treatment prevents further flea infestation for up to four (4) weeks
- Kills fleas on cats within 12 hours
- Kills fleas before they lay eggs
- Convenient, easy to apply

Active Ingredient	% By Weight
Imidacloprid.....	9.1 %
Other Ingredients.....	90.9 %
Total	100.0 %

**KEEP OUT OF REACH OF CHILDREN
WARNING**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

FIRST AID

If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-800-255-6826. For customer questions call 1-800-255-6826.

NOTE TO PHYSICIAN

Treat the patient symptomatically.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on kittens under eight weeks of age or weighing less than 2 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-255-6826.

Side Effects

Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-255-6826.

RESTRICTIONS:

- Use only on cats 8 weeks and older. Do not use on other animals. Do not apply to kittens or cats weighing less than 2 lbs.
- Do not apply more than one (1) tube per treatment.
- Do not have contact or allow children to have contact with treated area until completely dry.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO APPLY

1. Remove one applicator tube from the package.
2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube.



3. Turn the cap around and place other end of cap back on tube.
4. Twist cap to break seal, then remove cap from tube.
5. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to *expel the entire contents of the tube directly on the skin.* Do not get this product in your cat's eyes or allow your cat to ingest this product. The product is bitter tasting and salivation may occur for a short time if the cat licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.

Directions for use continued on back side.

Directions for use continued.



6. Discard empty tube as described in Storage and Disposal.
7. In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats with DefenseCare™ Flea Protection Small Cat kills fleas and may reduce the incidence of this condition.

DefenseCare™ Flea Protection Small Cat kills fleas on cats within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the cat's surroundings are killed following contact with a DefenseCare™ Flea Protection Small Cat treated cat.

DefenseCare™ Flea Protection Small Cat is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place inaccessible to children and pets. **Pesticide**

Disposal and Container Handling: Nonrefillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-255-6826 for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Manufactured For

Bayer HealthCare LLC, Animal Health Division,
P.O. Box 390, Shawnee Mission, Kansas 66201 USA

Bayer (reg'd), the Bayer Cross (reg'd) and
DefenseCare™ are trademarks of Bayer.

Made in Germany

DefenseCare is protected by the following
U.S. patents: 6,232,328 and 6,001,858

©2014 Bayer HealthCare LLC

EPA Est. No. 11556-DEU-1

EPA Reg. No. 11556-116

81946809

Bayer