from the makers of
Expert care™

BAYER

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.
9618.143

Defense care™

flea & tick protection

medium dog

11–20 lbs

5-way protection

against: fleas/ticks/biting flies/mosquitoes/lice

Topical prevention and treatment of fleas, ticks, mosquitoes, biting flies, and lice for monthly **use only on dogs and puppies 7 weeks of age and older and weighing 11–20 lbs.**

3 pack

EPA Est. No. 11556-DEU-1 EPA Reg. No. 11556-133

Active Ingredients	% by Weight
Imidacloprid	8.8 %
Permethrin*	44.0 %
Other Ingredients	47.2 %
Total	100.0 %

*cis/trans ratio: max 55 % (±) cis and min 45 % (±) trans

KEEP OUT OF REACH OF CHILDREN

WARNING

See back panel for Precautionary Statements. For Directions for Use, Storage and Disposal, and First Aid, see supplemental labeling inside.

DO NOT USE ON CATS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

HOW TO OPEN

1. Be sure tube is at bottom of pouch.

2. Using scissors, cut the pouch across the top and remove tube.

HOW TO APPLY

1. Use only on dogs. DO NOT USE ON CATS or on other animals.

2. Remove applicator tube from the package.

3. Hold applicator tube in an upright position. Pull cap off tube.

4. Turn the cap around and place other end of cap back on tube.

5. Twist cap to break seal, then remove cap from tube.

6. The dog should be standing for easy application. The entire contents of the DefenseCare™ Flea & Tick Protection tube should be applied evenly to three or four spots on the top of the back from the shoulder to the base of the tail. At each spot, part the hair until the skin is visible. Place the tip of the tube on the skin and gently squeeze to expel a portion of the solution on the skin. Do not apply an excessive amount of solution at any one spot that could cause some of the solution to run off the side of the dog. Do not get this product in your dog's eyes, or allow your dog to ingest this product.



7. Discard empty tube as described in Storage and Disposal.

5-way protection
against: fleas/ticks/biting flies/mosquitoes/lice

3 pack

DO NOT USE ON CATS

Defense care™ flea & tick protection

medium dog | 11–20 lbs

108 x 34 x 120

Defense care™

flea & tick protection

medium dog

Topical prevention and treatment of fleas, ticks, mosquitoes, biting flies, and lice for monthly **use only on dogs and puppies 7 weeks of age and older and weighing 11–20 lbs.**

READ THE ENTIRE LABEL BEFORE EACH USE

DO NOT USE ON CATS

For the Prevention and Treatment of Ticks, Fleas, Mosquitoes, Biting Flies, and Lice on Dogs

5-way protection against fleas, ticks, biting flies, mosquitoes, and lice

- Kills and repels fleas before they lay eggs
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of ehrlichiosis), and Lone Star ticks (vector of ehrlichiosis) for up to four (4) weeks
- Repels biting flies
- Repels and kills mosquitoes for up to four (4) weeks
- Kills chewing lice
- Waterproof

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven weeks of age. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

Side Effects:
Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-800-255-6826.

DO NOT USE ON CATS – MAY BE FATAL.
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

For consumer questions call 1-800-255-6826.
For medical emergencies call 1-800-255-6826.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Manufactured for Bayer HealthCare LLC, Animal Health Division, P.O. Box 390, Shawnee Mission, Kansas 66201 USA
Bayer (reg'd), the Bayer Cross (reg'd), DefenseCare™ and ExpertCare™ are trademarks of Bayer.

Made in Germany
© 2014 Bayer HealthCare LLC

EPA Est. No. 11556-DEU-1
EPA Reg. No. 11556-133

Net Contents: 3 Tubes each 0.034 fl. oz. (1.0 mL)

Bayer

Defense care™ flea & tick protection medium dog

11–20 lbs

5-way protection against:

Fleas
Ticks
Biting Flies
Mosquitoes
Lice

3 pack

7 24089 34482 3

Lot No:

THIS UNIT NOT FOR RETAIL SALE.

BAYER

Defense care™ medium dog

flea & tick protection

81946477

For external use only on dogs and puppies 7 weeks and older and weighing 11–20 lbs.

8.8 % imidacloprid
44.0 % permethrin
See leaflet for complete product information.

1 – 0.034 fl. oz. (1.0 mL) Tube
EPA Reg. No. 11556-133

DO NOT USE ON CATS

BAYER

Lot No:

DefenseCare™ Flea & Tick Protection Medium Dog

8.8 % imidacloprid
44.0 % permethrin
EPA Reg. No. 11556-133
Keep Out of Reach of Children

WARNING

DO NOT USE ON CATS

Read The Entire Label Before Use

BAYER

0.034 fl.oz. (1.0 mL)

81946426

Lot No:

Defense care™ medium dog

flea & tick protection

Topical prevention and treatment of fleas, ticks, mosquitoes, biting flies, and lice for monthly **use only on dogs and puppies 7 weeks of age and older and weighing 11–20 lbs.**

READ THE ENTIRE LABEL BEFORE EACH USE

DO NOT USE ON CATS

For the Prevention and Treatment of Ticks, Fleas, Mosquitoes, Biting Flies, and Lice on Dogs

- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of ehrlichiosis), and Lone Star ticks (vector of ehrlichiosis) for up to four (4) weeks
- Kills and repels fleas before they lay eggs
- Repels and kills mosquitoes for up to four (4) weeks
- Repels biting flies
- Kills chewing lice
- 5-way protection against fleas, ticks, biting flies, mosquitoes, and lice
- Waterproof

Active Ingredients	**% By Weight**
Imidacloprid	8.8 %
Permethrin*	44.0 %
Other Ingredients	47.2 %
Total	100.0 %

*cis/trans ratio: Max 55 % (±) cis and min 45 % (±) trans

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven weeks of age. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

Side Effects: Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-800-255-6826.

DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

For consumer questions call 1-800-255-6826.
For medical emergencies call 1-800-255-6826.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

FIRST AID	
If In Eyes:	• Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If Swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If On Skin or Clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15–20 minutes. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-6826 for emergency medical treatment information. For consumer questions call 1-800-255-6826.

NOTE TO PHYSICIAN

Treat the patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

HOW TO OPEN

1. Be sure tube is at bottom of pouch.
2. Using scissors, cut the pouch across the top and remove tube.

HOW TO APPLY

1. Use only on dogs. DO NOT USE ON CATS or on other animals.
2. Remove applicator tube from the package.
3. Hold applicator tube in an upright position. Pull cap off tube.



4. Turn the cap around and place other end of cap back on tube.
5. Twist cap to break seal, then remove cap from tube.
6. The dog should be standing for easy application. The entire contents of the DefenseCare™ Flea and Tick Protection tube should be applied evenly to three or four spots on the top of the back from the shoulder to the base of the tail. At each spot, part the hair until the skin is visible. Place the tip of the tube on the skin and gently squeeze to expel a portion of the solution on the skin. Do not apply an excessive amount of solution at any one spot that could cause some of the solution to run off the side of the dog. Do not get this product in your dog's eyes, or allow your dog to ingest this product.



7. Discard empty tube as described in Storage and Disposal.

PRODUCT INFORMATION

Kills fleas which may cause flea allergy dermatitis (FAD).

DefenseCare™ Flea and Tick Protection kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the dog's surroundings are killed following contact with a DefenseCare™ Flea and Tick Protection treated dog.

DefenseCare™ Flea and Tick Protection is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency or 1-800-255-6826 for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Manufactured For
Bayer HealthCare LLC, Animal Health Division,
P.O. Box 390, Shawnee Mission, Kansas 66201 USA

Bayer (reg'd), the Bayer Cross (reg'd) and DefenseCare™ are trademarks of Bayer.

Made in Germany

DefenseCare is protected by the following U.S. patents: 6,232,328 and 7,728,011

© 2014 Bayer HealthCare LLC

EPA Est. No. 11556-DEU-1

EPA Reg. No. 11556-133

81946434

Bayer